



BYTE

SPECIAL: E-BUSINESS
The Web Gets Personal/p96A

VISUAL INTERDEV 6.0
Puts It All Together/p41

SERIOUS DATABASES
How They Stack Up/p97

THE FUTURE OF INFORMATION TECHNOLOGY TODAY JUNE 1998 www.byte.com

DESKTOP
 MIGRATION
 GUIDE

Win98 road map

Navigate through the hype
 Choose the right OS for you

news/ INTEL'S NEW, CHEAP PENTIUM II reviews/ BORLAND C++ BUILDER 3, COBALT QUBE



BYTE LABS: **8-WAY**
SERVERS SHATTER
 NT SCALABILITY LIMITS

International Edition



9 770306 528034

£2.75 U.K./Lit.9,000 ITALY/ATS 67/\$3.50 U.S.A.
 A Publication of The McGraw-Hill Companies/0360-5280

TransPort® Trek™ Portables

Common Features on all TransPort Trek Systems:

- 512KB L2 pipeline burst cache
- PCI bus with 128-bit graphics accelerator
- USB, parallel, serial, VGA, PS/2, ports
- S-Video Out; MPEG compatible
- CardBus and Zoomed Video ready
- Wavetable/3D Positional sound
- Microphone, stereo line-in & line-out jacks
- 2 Type II or 1 Type III PCMCIA slots
- 20X modular CD-ROM drive
- 2-way infrared port
- Touchpad pointing device
- Modular floppy drive
- Li-Ion battery
- Microsoft® Windows® 95 and Microsoft Plus!
- 5-year/1-year Micron limited warranty
- Norton Anti-Virus
- System Wizard Mobile Client™

Trek 233	Trek 233	Trek 266
<ul style="list-style-type: none"> • 233MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 2.1GB hard drive • 12.1" SVGA TFT display 	<ul style="list-style-type: none"> • 233MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 2.1GB hard drive • 13.3" XGA TFT display • Microsoft Office Small Business Edition • Choice of Portable Software Solutions Pak 	<ul style="list-style-type: none"> • 266MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 3.2GB hard drive • 13.3" XGA TFT display • Microsoft Office Small Business Edition • Choice of Portable Software Solutions Pak
\$1,999 <small>Bus. Lease \$70/mo</small>	\$2,499 <small>Bus. Lease \$87/mo</small>	\$2,699 <small>Bus. Lease \$92/mo</small>

GoBook™ Portables

Common Features on all GoBook Systems:

- 4.4 lbs (w/floppy)
- 6.7 lbs (w/opt./base battery & floppy)
- 512K L2 pipeline burst cache
- 12.1" SVGA display
- PCI bus with 128-bit graphics
- USB, parallel, serial, VGA, PS/2, NTSC/S-Video, ports
- S-Video Out; MPEG compatible
- CardBus/Zoomed Video ready
- 16 bit stereo/Wavetable sound
- Microphone, stereo line in/out jacks
- 24X modular CD-ROM drive
- 2 Type II or 1 Type III PCMCIA slots
- 2-way infrared port
- Touchpad pointing device
- Modular floppy drive
- Microsoft Windows 95 and Microsoft Plus!
- 5-year/1-year Micron limited warranty*
- Norton Anti-Virus
- System Wizard Mobile Client™

GoBook 233	GoBook 233	GoBook 266
<ul style="list-style-type: none"> • 233MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 2.1GB hard drive • Bay battery 	<ul style="list-style-type: none"> • 233MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 2.1GB hard drive • Super Base battery • Bay battery • Microsoft Office Small Business Edition • Choice of Portable Software Solutions Pak 	<ul style="list-style-type: none"> • 266MHz Intel Pentium processor with MMX technology • 32MB EDO RAM • 2.1GB hard drive • Super Base battery • Bay battery • Microsoft Office Small Business Edition • Choice of Portable Software Solutions Pak
\$2,599 <small>Bus. Lease \$89/mo</small>	\$2,999 <small>Bus. Lease \$102/mo</small>	\$3,299 <small>Bus. Lease \$113/mo</small>



TransPort Trek™
Apr 98



Millennia Xii
Dec 97



Millennia Xii
Mar 98



Millennia Xii
Sept 97

"The best budget-bound notebook money can buy"

-PC Computing

"Micron's beefiest computer proves the Millennia line is staying the kick-ass course"

-boot Magazine

"Micron customers gave the company the number one ranking in the PC industry for total customer satisfaction"

"One of the fastest PCs we've ever tested and comes with a luxurious set of components"

-PC World

TO ORDER CALL TOLL-FREE
800-362-7306
 OR ONLINE AT
www.micronpc.com

MICRON POWER™ WARRANTY

- 5-year limited warranty on microprocessor and main memory
- 3-year limited parts only system warranty (1-year for portable systems)
- 1- to 3-year on-site service agreement for Micron desktop and server systems
- 30 days of free Micron-supplied software support for Micron desktop systems, 3 optional network operating system incident resolutions included for Micron server systems
- 30-day money back policy
- 24-hour technical support

The foregoing is subject to and qualified by Micron's standard limited warranties and terms and conditions of sale. Terms and conditions of sale may vary for specific configurations. Copies of the limited warranties may be obtained on our Web site or by calling Micron.

Millennia® 333

- Intel 333MHz Pentium® II processor
- 32MB SDRAM
- 4.0GB Ultra ATA hard drive
- 17" Micron 700FGx, .26dp monitor (16" display)
- 82440LX chip set
- 512KB internal cache, 2MB flash BIOS
- 3.5" floppy drive
- 32X EIDE variable speed CD-ROM drive
- 128-bit AGP Diamond Viper V330 (nVidia), 4MB EDO SGRAM & MPEG
- Integrated 32-voice wavetable 3D stereo sound
- Advent AV009 stereo speakers
- 56K x2 data/fax modem*
- 104-key enhanced keyboard
- Microsoft® IntelliMouse™
- Microsoft Windows® 95 and Microsoft Plus!
- Microsoft Office 97 Small Business Edition
- 5-year/3-year Micron Power™ limited warranty

\$2,099

Bus. Lease \$73/mo

- 64MB SDRAM
- 6.4GB Ultra ATA hard drive
- Integrated 100MB Iomega Zip drive / 3.5" floppy drive
- DVD-ROM drive and PCI decoder card***

\$2,496

Bus. Lease \$87/mo

Millennia 350

- Intel 350MHz Pentium II processor
- 32MB PC100 SDRAM
- 4.0GB Ultra ATA hard drive
- 17" Micron 700FGx, .26dp monitor (16" display)
- 82440BX chip set
- 512KB internal cache, 2MB flash BIOS
- 3.5" floppy drive
- 32X EIDE variable speed CD-ROM drive
- 128-bit AGP Diamond Viper V330 (nVidia), 4MB EDO SGRAM & MPEG
- Integrated 64-voice wavetable 3D stereo sound
- Advent AV009 stereo speakers
- 56K x2 data/fax modem*
- 104-key enhanced keyboard
- Microsoft IntelliMouse
- Microsoft Windows 95 and Microsoft Plus!
- Microsoft Office 97 Small Business Edition
- 5-year/3-year Micron Power limited warranty

\$2,299

Bus. Lease \$80/mo

- 64MB PC100 SDRAM
- 8.4GB Ultra ATA hard drive
- Integrated 100MB Iomega Zip drive / 3.5" floppy drive
- DVD-ROM drive and PCI decoder card***

\$2,745

Bus. Lease \$94/mo

Millennia 400

- Intel 400MHz Pentium II processor
- 32MB PC100 SDRAM
- 4.0GB Ultra ATA hard drive
- 17" Micron 700FGx, .26dp monitor (16" display)
- 82440BX chip set
- 512KB internal cache, 2MB flash BIOS
- 3.5" floppy drive
- 32X EIDE variable speed CD-ROM drive
- 128-bit AGP Diamond Viper V330 (nVidia), 4MB EDO SGRAM & MPEG
- Integrated 64-voice wavetable 3D stereo sound
- Advent AV009 stereo speakers
- 56K x2 data/fax modem*
- 104-key enhanced keyboard
- Microsoft IntelliMouse
- Microsoft Windows 95 and Microsoft Plus!
- Microsoft Office 97 Small Business Edition
- 5-year/3-year Micron Power limited warranty

\$2,499

Bus. Lease \$87/mo

- 64MB PC100 SDRAM
- 8.4GB Ultra ATA hard drive
- Integrated 100MB Iomega Zip drive / 3.5" floppy drive
- DVD-ROM drive and PCI decoder card***

\$2,945

Bus. Lease \$101/mo

NetFRAME® 3100

- Intel 350MHz Pentium II processor
- Dual processor capable
- 64MB ECC 100MHz SDRAM
- 4GB Ultra-Wide SCSI-3 hard drive
- Microsoft® Windows NT® Server 4.0 (10 user license)
- NOS support (3 first-year incident resolutions), 7x24
- Intel 440BX PCI chip set
- 512KB integrated L2 ECC cache
- 100MHz front side Bus
- Integrated Symbios Ultra-Wide SCSI-3 dual channel controller
- RAID capable
- 5 expansion slots: 3 PCI, 1 ISA, 1 shared PCI/ISA
- 8 drive bays: 1 external 3.5", 2 external 5.25"
- 5 hot-swap hard drive bays
- 32X EIDE CD-ROM drive
- Integrated SVGA graphics (2MB)
- Integrated Intel 10/100 Ethernet
- Intel LANDesk Server Manager
- Dedicated server technical support, 7x24
- 5-year/3-year Micron Power limited warranty
- 1-year next-business-day on-site service**

\$4,299

Bus. Lease \$136/mo

ClientPro® Managed PCs

ClientPro 200

- 200MHz Intel Pentium processor with MMX™ technology
- 32MB EDO RAM, support for SDRAM
- 2.1GB SMART Ultra ATA hard drive
- 15" Micron 500Lx, .28p color monitor (13.7" display)
- 512KB pipeline burst cache, DMI compliant, 2MB flash BIOS
- 16X variable speed ATAPI CD-ROM drive
- 3.5" floppy drive
- 10/100 Ethernet adapter
- 2MB graphics accelerator
- Microsoft Mouse
- Intel LANDesk® Client Manager available
- Microsoft Windows NT® Workstation 4.0†
- 5-year/3-year Micron Power limited warranty

\$1,199

Bus. Lease \$42/mo

ClientPro 350

- 350MHz Intel Pentium II processor
- 64MB SDRAM
- 6.4GB SMART Ultra ATA hard drive
- 17" Micron color monitor (16" display)
- 512KB internal L2 secondary cache, DMI 2.0 compliant, 2MB flash BIOS
- 32X variable speed ATAPI CD-ROM drive
- 3.5" floppy drive
- Network adapter with 3Com Remote Wake-up™ capability
- 4MB AGP 3D video
- Microsoft IntelliMouse
- Intel LANDesk Client Manager available
- Advanced Hardware Monitoring and Power Management features
- Chassis intrusion alert
- Microsoft Windows NT Workstation 4.0†
- 5-year/3-year Micron Power limited warranty

\$2,499

Bus. Lease \$87/mo

YOU'RE

NOT A MINDLESS

FOOL

(THAT'S WHY THIS ISN'T) A SNAPPY HEADLINE.)




We don't build our systems for people who are easily impressed by some flashy marketing. We build them for the people who do their

homework. Those who know the industry, read the reviews, and are willing

"POWER USERS WILL LOVE THE NEW MICRON MILLENNIA" - PC MAGAZINE

to make decisions based on who makes the best product at the right price.

No cute mascot. No artsy photography. No clever tag line. We simply use the finest components to build a better product and sell those systems directly to the customer for less money.



Perhaps that's why *PC Week* readers ranked Micron #1 in customer satisfaction among all PC vendors.



Next time you're shopping around, compare Micron's price and performance to any in the industry. After all, once you buy your system and plug it in, all of the hype and all of the clever marketing gimmicks that may have swayed your decision no longer matter. What you need

"PROVIDING REMARKABLY HIGH PERFORMANCE AND SOME WONDERFUL VERSATILITY, THE MICRON TRANSPORT 266 IS OUR EDITOR'S CHOICE WINNER" - PC MAGAZINE

is a box that works and stays working, superior tech support, and a price below what you expect to pay. And that's exactly what we offer.



TO ORDER CALL TOLL-FREE
800-362-7306

Look What Unicenter




Is Managing Now.



When we say Unicenter® can manage anything, anywhere, we mean it.

As this Formula One MP4/12 car races along at speeds in excess of 210 miles per hour, pulling G forces that rival a jet fighter plane, it broadcasts hundreds of megabytes of critical telemetry data back to the pit crew. They use it to make split-second decisions that often mean the difference between victory and defeat.

Unicenter® TNG™ helps the West McLaren Mercedes race team—one of the winningest teams in Formula One history—interpret this vital information through Unicenter TNG's sophisticated manager/agent technology, and a revolutionary 3-D interface. Everything that's happening, from the pressure on the left rear brake pad to the downforce of the chassis set-up, can be monitored and managed through Unicenter TNG.



Unicenter TNG's Real World Interface™ analyzes critical performance measures such as front and rear brake pressure impact on car speed.

By looking at this data in a whole new way, the West McLaren Mercedes race team can now make smarter decisions in less time. In a business where hundredths of a second can mean the world, Unicenter TNG is making a difference.

This is just one example of how Unicenter TNG today is managing all kinds of non-IT devices for all kinds of organizations.

Call us to find out how Unicenter TNG can help you be more competitive.

Call 1-888-UNICENTER or visit www.cai.com

Unicenter® TNG™

Win98 roadmap

By John Montgomery


66

If you think you have to upgrade to Windows 98, you should think again.

Inside IA-64

81

By Tom R. Halfhill
Behind Intel/HP's chip for tomorrow are ideas from yesterday, like long instruction words and parallel processing.



BUILDING NETWORK APPS

Get a Grip on Scripts

89

By Cameron Laird and Kathryn Soraiz
Harness the strengths of scripting languages to power your Web applications.

E-BUSINESS TECHNOLOGY

The Web Gets Personal

96H

Customizing your site to meet each customer's preferences could mean more business.

Smartcards Enhance Mobile E-Commerce 96D

Wireless Electronic Funds Transfer 96E

GSM's Short Message Service 96E

MANAGING DATA

PART I: Enterprise Databases Battle On

97

By Karen Watterson
Relational DBMSes are doing more than ever before. Can they keep meeting user demands?

PART II: Relations with Your Data

100

By Barry Nance
We examine four major relational database systems: IBM's DB2 Universal Database 5.0, Sybase's Adaptive Server Enterprise 11.5, Microsoft's SQL Server Enterprise 6.5, and Oracle's version 7.3.

INTERNATIONAL

Chip-Secured Electronic Transactions

40IS 3

Real-Time Web Language Translators

40IS 5

Flat Panels Take Off

40IS 11

COMPUTEX SHOW GUIDE

CTX 3

Our special preview will help you find what you're looking for.

EDITORIAL

14

INBOX

17

BITS

- Intel's Low-Cost CPU 24
BYTE's Best of CeBIT 30
Voice-Mail Purgatory 34
GartnerGroup Report: Firewalls 34
Detecting Hackers 40

EVAL

WEB DEVELOPMENT

- Visual InterDev Grows Up Fast 41
Microsoft's RAD Web tool.

OFFICE SUITE

- SmartSuite Heads for the Millennium 42
Lotus adds Web technology.

MICROSERVER

- Qube Is Convenience Squared 47
Services for small LANs.

TELEPHONY

- A Portable Device for PBX @Home 48
EXTender lets phones roam.

LAB REPORTS

SOFTWARE

- Relations with Your Data 100

By Barry Nance
We wring out four relational database systems from IBM, Microsoft, Oracle, and Sybase.

HARDWARE

- Eight-Way Servers Race for the NT Prize 114

By Robert L. Hummel
The BYTE Lab tests SMP machines with multiple Pentium Pros. Here's how they stack up.



WEB PROJECT

- Local Web Servers 105

By Jon Udell
Here's how to bring benefits of Web-style development to disconnected clients.

JAVATALK

- Rapid Java Development 109

By Rick Grehan
Vision Jade provides tools for building enterprise databases.

FUTURE VISION

- Quantum Leaps 111

By Udo Flohr
Someday PCs might use quantum coprocessors that do massive calculations instantaneously.

NEW!

REVIEWS

NOTEBOOK

- A Pentium II Notebook That Talks to You 122

Digital's HiNote VP 765.

AUTHENTICATION

- Is That Really You? 123

Nuance Verifier knows.

PROGRAMMING

- C++ Forever! 124

Borland's C++ Builder 3.

PC WORKSTATIONS

- 100-MHz: A System Bus for Tomorrow 125

PIIs ride a faster bus.

DESKTOP PC

- A "Box" Designed for Manageability 128

Toshiba's Equium 7000S.

CHAOS MANOR

- A Smarter Windows 95 129

By Jerry Pournelle
Jerry gives Cyrus a CPU upgrade and experiments with the 'b' version of Win 95.

WHAT'S NEW

155

HP's multifunction machine, Photoshop 5, graphics accelerators, do-it-yourself G3 Mac upgrades, PII servers, and lots of development tools.

IMPROBABLE

160

By Marc Abrahams
An experimental lecture hall and software for the next celebrity requiem.

SERVICE

Product Information

<http://www.byte.com/hotbytes/>

Index to Advertisers

Alphabetical Order 152
Editorial Index by Company 154

THE BYTE WEB SITE, HOTBYTES, and THE VIRTUAL PRESS ROOM

<http://www.byte.com>

PROGRAM LISTINGS

FTP: <ftp.byte.com>
From BIX: Join "listings/frombyte98" and select the appropriate subarea (i.e., "june98").

BYTE (ISSN 0360-5280) is published monthly by The McGraw-Hill Companies, Inc. Publication office: 1221 Avenue of the Americas, New York, NY 10020. U.S. subscriber rate \$24.95 per year. In Canada and Mexico, \$34.95 per year. European surface-mail subscriptions \$60, airmail \$85. Non-European subscriptions, \$60 surface mail or \$85 airmail. All foreign subscriptions are payable in U.S. funds that can be drawn on a U.S. bank. Single copies \$3.95 in the U.S., \$4.95 in Canada. Executive, Editorial, Circulation, and Advertising Offices: 29 Hartwell Ave., Lexington, MA 02173. Periodicals postage paid at New York, NY, and additional mailing offices. Postage paid at Winnipeg, Manitoba, Canada Post International Publications Mail Product Sales Agreement No. 248492. Registered for GST as The McGraw-Hill Companies, Inc., GST #123075673. **Postmaster:** Send address changes and fulfillment questions to BYTE Subscriptions, P.O. Box 552, Hightstown, NJ 08520.

Printed in the United States of America.

CORE

NETWORKS

- Bringing Quality of Service to IP 49

By Dinesh Dutt

RSVP allows networks using IP to establish QoS connections between applications.

OPERATING SYSTEMS

- MkLinux: Linux for the Power Mac 51

By Tony Cox

The Power Mac has a new Unix-like OS that's robust

enough to host Web, name, and e-mail servers.

CPUs

- TriMedia Powers a Videophone 57

By Osman Khan

Philips' chip implements video, audio, and modem operations.

PROGRAMMING

- Storing Java in a Relational Database 61

By John Dreystadt

Java's object-oriented nature

makes database programming and maintenance easier.

DATABASES

- Data-Warehouse Scalability 63

By Ron Fryer

The decisions you make when you first build the warehouse will determine whether it can grow with the company or become a project stopper.

WINDOWS

Gnawing Doubts 14
When you get past the squid-ink pasta and the Gorgonzola, is Windows 98 just macaroni and cheese?

Intel Launches Hasty Low-Cost Counterattack 24
Intel's new Celeron is a down-scale Pentium II aimed at low-cost PCs. We test its performance against other CPUs.

Visual InterDev Grows Up Fast..... 41
Microsoft Visual InterDev 6.0 is a decent RAD tool for building distributed apps.

SmartSuite Heads for the Millennium 42
The new Lotus suite boasts Office-beating Web features, but are they worth the switch?

Win 98 Road Map..... 66
Our cover story will help you choose the right fork in the road to follow.

Inside IA-64 81
The technology behind the processor that could someday power your PC.

Eight-Way Servers Race for the NT Prize 114
The BYTE Lab tests Pentium Pro-based multiprocessing servers running NT.

A Pentium II Notebook That Talks to You 122
Digital's PII-based HiNote runs at 266 MHz but doesn't take a hit in battery life.

C++ Forever! 124
Borland's C++ Builder 3 helps keep C++ relevant as an alternative for writing distributed, browser-based applications.

100-MHz: A System Bus for Tomorrow..... 125
We check out four PCs with Intel's faster system bus to see if they turbocharge performance.

A "Box" Designed for Manageability 128
Toshiba's Equium is more than just another ho-hum PC.

A Smarter Windows 95... 129
It all begins when Plug and Play problems lead Jerry to install Windows 95b.

MACINTOSH

Unabashed BYTEmarks ... 25
Does the Power Mac CPU really run twice as fast as the Pentium II? Yes, with a caveat.

MkLinux: Linux for the Power Mac 51
A PowerPC version of the Unix-like OS, MkLinux can host Web, name, and e-mail servers.

UNIX

Inside IA-64 81
The techniques behind the 64-bit architecture that Intel and HP say will go "beyond RISC."

Is That Really You Speaking?..... 123
Nuance Verifier authenticates users by analyzing their speech.

JAVA

Storing Java in a Relational Database 61
Java's object-oriented nature makes it easier to program and maintain databases. Here are some tricks you can use.

Rapid Java Development 109
Though Vision Jade is technically a Java product, developers will likely find themselves writing remarkably little Java code.

DATABASES

Storing Java in a Relational Database 61
Java's ability to run on multiple platforms makes it a good choice for building databases.

Data-Warehouse Scalability..... 63
Here's help with the decisions the warehouse manager will face.

Enterprise Databases Battle On..... 97
What the major players are doing to meet user demands.

Relations with Your Data 100
We test major relational systems from IBM, Microsoft, Oracle, and Sybase.

Rapid Java Development 109
Using a kind of automated visual programming, Vision Jade helps quickly build enterprise databases.

NETWORKS

GartnerGroup Report: Firewalls Proliferate 34
"Which firewall is right for me?" The answer is no longer straightforward.

Software Security Guard 40
A CTO at AT&T Labs talks about detecting hackers.

Visual InterDev Grows Up Fast..... 41
Microsoft's RAD tool for data-enabled Web apps has server-side debugging and a VB-like environment.

Qube Is Convenience Squared 47
This little box delivers services to small LANs.

A Portable Device for PBX @Home 48
With this gizmo, no one will know you're not in the office.

Bringing Quality of Service to IP..... 49
The Resource Reservation Protocol implements data paths with predictable delays over IP-based networks.

Getting a Grip on Scripts .. 89
Why you should be looking at scripting languages, and some you should consider.

Local Web Servers 105
HTTP servers are an excellent way to distribute services.

Eight-Way Servers Race for the NT Prize 114
We test SMP machines to find the best at handling demanding network traffic.

Is That Really You? 123
A speaker-verification system that can secure access to proprietary data networks.

BYTEmarks	25
Bus technology	125
CeBIT	30
Celeron	24
Chips	24, 57, 81, 129
Compilers	81
C++	124
Databases	61, 63, 97, 100, 109
Data warehouses	63
Desktop PCs	125, 128, 129, 155
Development tools	41, 61, 109, 124
Distributed computing	97, 105
EPIC	81
Firewalls	34
Future technology	111
Graphics accelerators	155
HTTP	105
IA-64	81
Internet/Web	17, 38, 41, 42, 51, 49, 66, 89, 105, 155
Java	61, 109, 124, 155
Linux	17, 51, 66
Low-cost PCs	24
Merced	81
Multiprocessing	81, 114
Networking	14, 34, 47, 48, 49, 66, 89, 105, 114, 123
Notebooks	122, 155
Office suites	42
Operating systems	51, 66, 129
Perl	89
Plug and Play problems	129
Programming	41, 61, 81, 89, 105, 109, 124
Python	89
Quality of service	49
Quantum mechanics	111
Relational databases	61, 97, 100, 109
Rexx	89
RISC	81
RSVP	49
Scripting	89
SMP	114
SQL	17
Security	34, 40
Servers	47, 114, 155
Tcl	89
Telephony	48
Videophones	57
VLIW	81
Voice technology	123
Windows 98	14, 66

Reliability you can depend on
Sentinel keys are consistently
the industry's most reliable, with
performance records far better
than any other hardware key.

A strong commitment to R&D
Rainbow invests 11% of
its revenue in research and
development to make the world's
leading protection even better.



Quick and easy to implement
The SentinelWizard™ GUI is
an innovative software tool
that guides you easily through
the implementation process.

Manage network licenses
NetSentinel is the only
software protection to undergo
rigorous testing by and receive
approval from Novell.



The industry's highest quality
Rainbow is the first software
protection supplier with ISO
certified quality standards.

Truly transparent protection
Designed to perform invisibly to
end users, Sentinel automatically
identifies system drivers and is
transparent to peripherals.



Superior security and flexibility
Proprietary ASIC technology, multiple
encryption algorithms in a single key
and more make Sentinel the most
flexible and secure protection available.

SentinelSuperPro is shown larger than actual size.

Compatible with your software
Rainbow's partnerships with Apple,
Microsoft and IBM ensure the security
of your software on any platform
today and in the future.



Why Sentinel protects more software than all other dongles combined!

Over 11 million Sentinel® keys protect software worldwide. In fact, 55% of all protected software has a Sentinel key, from Rainbow Technologies.

Sentinel is easy to implement, transparent to your end-users and backed by the world leader. When you need on-time delivery and global support, you need Sentinel.

Only Sentinel gives you leading-edge technology, ISO 9002 certified quality and over 99.99% reliability.

Protect your software investment.
Order a *Sentinel Developer's Kit* now. Each kit comes complete with technical documentation, software drivers, utilities and a Sentinel key.

Call the Rainbow office or distributor nearest you today or visit www.rainbow.com.



SENTINEL
Software Protection
The #1 solution to piracy



TEL: (714) 450-7300 • FAX: (714) 450-7450 • EMAIL: sentinel@rainbow.com • FRANCE: (33) 1 41 43 29 00 • GERMANY: (49) 89 32 17 98 0 • U.K.: (44) 1932 579200
©1997 Rainbow Technologies, Inc. Sentinel, SentinelSuperPro & SentinelWizard are registered trademarks of Rainbow Technologies. All other product names are property of their respective owners.

ALGERIA: AFAK (213) 41 85 61	CHINA (East): Shanghai Pudong Software Park Electronics Company 180 21 5417 8628	EGYPT: ZEDAN-ADS (202) 248 8994	ISRAEL: BARAK (972) 3 5622976	(M) Sdn Bhd (60) 3 241 1188	PORTUGAL: COMELTA (351) 1 4725190	SWITZERLAND: BV AG (41) 1 745 92 92
ARGENTINA: Agra-Adi S.A. (54) 1 8038336	CHINA (North): CS&S 986 10 6217 7722 X2404	GREECE: Rik Computer S.A. (30) 1504 1728	ITALY: BFI IREXSA SPA (39)23 36 23215	MEXICO: Impres. S.A. de C.V. (52) 66 210 291	RUSSIA: MultiSoft Int'l (7 0951) 76 35 84	SWITZERLAND: S&B Corrad SA (41) 241 5385
AUSTRALIA: LOADPLAN (61) 3 9690 0455	CHINA (Southern): Shenzhen Futetech Research Co., Ltd. (86) 755 3205906	GUATEMALA: Soft Coprocess (502) 2 300006	ITALY: sisostemi (39) 30 24 411	MOROCCO: (212) 2 40 03 97	SAUDI ARABIA: ZEDAN (966) 2 665 1804	TAIWAN: Esoteric Tech. (886) 2 820825
BELGIUM/LUXEMBURG: EZS (32) 9 221 0383	CHINA (Southern): Shenzhen Futetech Research Co., Ltd. (86) 755 3205906	HONG KONG: Atilink Tech. (852) 2333 0626	JAPAN: Giken Shoji Co., Ltd. (81) 52 972 6544	NETHERLANDS: WiroCom (31) 74 2430 105	SCANDINAVIA: Henco AS (47) 2249 1500	THAILAND: Bus. Comp. Sys. (66) 2 319 4451
BRAZIL: M&P Sistemas Ltda. (55) 11 574 8696	COLOMBIA: Constaldata (57) 1 622 6011	HUNGARY: Polyware Kft. (36) 76 481 236	JORDAN: CDG Engineering (962) 68 63 861	NEW ZEALAND: Software Images (64) 93 320750	SINGAPORE: Systems Design (65) 747 2266	TUNISIA: Soft Info. Tech. (216) 17 19 486
BULGARIA: KSIMETRO (359) 9279 1478	CZECH REPUBLIC: AKOIN Int'l (420) 231 036 52	INDIA: JNC Engineering Co. (91) 11 4615680	KOREA: Genesis Tech. (82) 2 578 3528	PERU: DensSoft (51) 1 225 3077	SOUTH AFRICA: SOFTSECURE (27) 11 887 3943	TURKEY: BIMEKS, Ltd. (90) 216 472 0434
CENTRAL AMERICA: SoftCoprocess (502) 2304036	ECUADOR: SOFTUNO S.A. (593) 4 308251	INDONESIA: PT. Pongradef (62) 21 375 166	LEBANON: National Group Cons. (961) 1 322829	PHILIPPINES: Mannsoft Tech. (63) 2 813 4162	SPAIN: MECCO. (34) 3 422 7700	VENEZUELA: HRTM Oms (58) 2 81 4282
CHILE: TOPsoft (562) 235 4456		IRAN: GAIM Electronics (98) 21 87 44 901	MALAYSIA: Eastern Systems Design	POLAND: Chandy Software (48) 22 44 18 40		

©1997 Rainbow Technologies, Inc. Sentinel, SentinelLM, Sentinel Express and Sentinel Professional Services Group are trademarks of Rainbow Technologies, Inc. All rights reserved.

SIEMENS
NIXDORF

REMPEN & PARTNER

The Intel Inside Logo and Pentium are registered trademarks and MMX is a trademark of Intel Corporation.





od deal

Long live the notebook, long may it be a source of profit and pleasure.

But where to find a true prince of notebooks? One that's so easy to use and upgrade with the newest processor, extra hard disk or RAM capacity. One that makes possible multimedia presentations fit for a prince.

Like to find out more about the SCENIC Mobile and such a safe investment? Visit us at <http://www.sni.com/pc>
Anything else we can do for you?

Personal Computer
Siemens Nixdorf: User Centered Computing

Enter HotBYTEs No. 452 at <http://www.byte.com/hotbytes/>

EDITOR IN CHIEF

Mark Schlack
Lexington, MA, 781-860-6827
mark.schlack@byte.com

Editorial Assistant: Chrystie Terry
Lexington, MA, 781-860-6294, chrystie.terry@byte.com

EDITORIAL

EDITOR

Cynthia Morgan
Lexington, MA, 781-860-6298
cynthia.morgan@byte.com

EXECUTIVE EDITORS

International: Rich Friedman
Peterborough, NH, 603-924-2523
rich.friedman@byte.com

New Media: Jon Udell
Peterborough, NH, 603-924-2622
jon.udell@byte.com

MANAGING EDITOR

Jenny Donelan
Peterborough, NH, 603-924-2511
jenny.donelan@byte.com

WEST COAST

Bureau Chief/Features Editor:
John Montgomery
San Mateo, CA, 650-513-6809
john.montgomery@byte.com

NEWS

News Editor: David L. Andrews
Lexington, MA, 781-860-6296
dave.andrews@byte.com

Senior Editor: Rainer Mauth
Frankfurt, Germany, +49 69 5801 123
rainer.mauth@byte.com

Associate News Editor: Jason Krause
San Mateo, CA, 650-513-6931
jason.krause@byte.com

REVIEWS

Director: David Essex
Lexington, MA, 781-860-6299
david.essex@byte.com

Technical Manager, BYTE Lab:
Al Gallant
Lexington, MA, 781-860-6389
al.gallant@byte.com

Technical Editor: Michelle Campanale
San Mateo, CA, 650-513-6810
michelle.campanale@byte.com

Technical Editor: Russell Kay
Lexington, MA, 781-860-6207
russell.kay@byte.com

Technical Editor: Dan Tanner
Lexington, MA, 781-860-6425
dan.tanner@byte.com

Technical Administrative Assistant:
Robert Pickering
Lexington, MA, 781-860-6241
robert.pickering@byte.com

FEATURES

Senior Technical Editor at Large:
Tom Thompson
Lexington, MA, 781-860-6302
tom.thompson@byte.com

Senior Technical Editor:
Edmund X. DeJesus
Lexington, MA, 781-860-6959
ed.dejesus@byte.com

Senior Editor: Tom Halfhill
San Mateo, CA, 650-513-6915
tom.halfhill@byte.com

Senior Editor: Scott Mace
San Mateo, CA, 650-513-6833
scott.mace@byte.com

NEW MEDIA

Production Associate:
Joy-Lyn S. Blake
Web Site Applications Developer:
Dave Rowell

SENIOR RESEARCHER

Rowland Aertker
rowland.aertker@byte.com

ASSOCIATE TECHNICAL EDITORS

Dennis Barker, Cathy Kingery,
Warren Williamson

PRODUCTION

Production Coordinator:
James J. Perry

EDITORIAL ASSOCIATE

Linda Higgins
Peterborough, NH, 603-924-2689
linda.higgins@byte.com

SENIOR CONTRIBUTING EDITOR

Jerry Pourmelle
jerry.p@bix.com

CONTRIBUTING EDITORS

Udo Flohr, Rick Grehan,
Stella Kao, Dick Pountain

CONSULTING EDITORS

Stephen Apiki, Raymond GA Côté,
Robert L. Hummel, Alan Joch,
Stan Miastkowski, Barry Nance,
Roberta Pourmelle, Peter Wayner

DESIGN Peterborough, NH

Acting Design Director: Sharon Price
Associate Design Director/Graphics:
Joseph A. Gallagher

Designers: Cindy Sands,
Donna Sweeney

VICE PRESIDENT/PUBLISHER

Kevin McPherson
Lexington, MA, 781-860-6020
kmcphers@mcgraw-hill.com

Publisher's Assistant: Lois Beninati
Lexington, MA, 781-860-6126

ASSOCIATE PUBLISHER

Michael P. Walsh
Lexington, MA, 781-860-6714
mike_walsh@mcgraw-hill.com

Associate Publisher's Assistant:

Jean Tenuta
Lexington, MA, 781-860-6516

ADVERTISING STAFF

(Domestic and International)

See listing on page 153.

Sales Support:

Kathi Andrick, 614-899-4909

LICENSING/ELECTRONIC

REPRODUCTION

Copyrights Manager:
Faith A. Ellington, 603-924-2525
fax: 603-924-2602
faith_ellington@mcgraw-hill.com

FINANCE AND OPERATIONS

Director: Jack Casey

FINANCE

Senior Financial Analyst:
Charles Barber
Manager, Information

Systems & Technology:
Peggy Dunham

Systems Administrator:

Mike Naglie

Junior Financial Analyst:

Jason Wanatick

CIRCULATION

Subscription Circulation Director:

Don Nicholas

Circulation Operations

and Newsstand Manager:

Corrine L. Callahan

Marketing Manager:

Jennifer Veerman

Planning Manager:

Steve Masten

Circulation Coordinator:

Jill Wood

Back Issues: 603-924-9281

fax: 603-924-2683

ADMINISTRATION

Human Resources Administrator:

Pat Burke

HOW TO CONTACT THE EDITORS

We welcome your questions, comments, complaints, kudos, and submissions.
MAIN OFFICE: 29 Hartwell Ave., Lexington, MA 02173, 781-860-6336.

Peterborough: One Phoenix Mill Lane, Peterborough, NH 03458, 603-924-9281.

San Mateo: 1900 O'Farrell St. #200, San Mateo, CA 94403, 650-513-6912.

GERMANY/EUROPE: Emil von Behring Strasse 2, 60439 Frankfurt, Germany, +49 69 5801 123.

ELECTRONIC MAIL: Send to "editors@byte.com." Most BYTE editors and columnists also have individual addresses for easy access.

MCI: 250-0135 BYTE Magazine. Many editors also have individual MCI addresses in their own names.

WEB: http://www.byte.com

U.S. fax: Editorial: 781-860-6522

Advertising: 603-924-7507

U.K. fax: +44 171 495 6734

SUBMISSIONS:

Authors: We welcome article proposals and submissions. Unacceptable manuscripts will be returned if accompanied by sufficient return postage. Not responsible for lost manuscripts or photos.

Vendors: We welcome news of your new products; please call the News department or the Reviews department at the earliest possible date. We cannot be responsible for unsolicited product samples.

ARTICLE REPRINTS:

For information on: **Electronic:** Contact Faith Ellington, BYTE, at 603-924-2525. **Hard copy:** Contact Mike Guyer, Reprint Services, at 612-582-3856.

AWARDS/LOGOS:

Fax requests for BYTE award logos to 781-860-6307. Please include e-mail address for prompt processing of request.

SUBSCRIPTION CUSTOMER SERVICE

Inside the U.S., 800-232-BYTE; outside the U.S., +609 426 7676. E-mail-based customer service: p91cs@mcgraw-hill.com; Web-based customer service: http://www.byte.com/admin/mpadddch.htm. International subscribers may also contact our international customer-service facility in Galway, Ireland, by calling +353 91 752792 or via fax: +353 91 752793.

For a new subscription, 800-257-9402 U.S. only; e-mail: p91ords@mcgraw-hill.com; or write to BYTE Subscription Dept., P.O. Box 555, Hightstown, NJ 08520.

Subscriptions are \$24.95 for one year, \$49.90 for two years, and \$74.85 for three years in the U.S. and its possessions. In Canada and Mexico, \$34.95 for one year, \$64.95 for two years, \$87.95 for three years. Internationally, US\$60.00 for fast surface delivery, US\$85.00 for air delivery. Single-copy price is \$3.99 in the U.S. and its possessions, \$4.99 in Canada. Foreign subscriptions and sales should be remitted in U.S. funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue.

PHOTOCOPY PERMISSION:

Where necessary, permission is granted by the copyright owner for those registered with the Copyright Clearance Center (CCC), 222 Rosewood Dr., Danvers, MA 01923, to photocopy any article herein for personal or internal reference use only for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC, 222 Rosewood Dr., Danvers, MA 01923. Specify ISSN 0360-5280, \$1.50. Copying done for other than personal or internal reference use without the permission of The McGraw-Hill Companies, Inc. is prohibited. Requests for special permission or bulk orders should be addressed to Faith Ellington, copyrights manager, 603-924-2525. BYTE is available in microform from University Microfilms International, 300 North Zeeb Rd., Dept. PR, Ann Arbor, MI 48106 or 18 Bedford Row, Dept. PR, London, WC1R 4EJ, U.K.

BYTE

A Division of The McGraw-Hill Companies

Copyright © 1998 by The McGraw-Hill Companies, Inc. All rights reserved. BYTE and **BYE** are registered trademarks of The McGraw-Hill Companies, Inc. Trademark registered in the United States Patent and Trademark Office.

Member Audit Bureau of Circulation

THE BYTE SITE

Home Page	http://www.byte.com/
Story Archive	http://www.byte.com/art/art.htm
Conference	http://www.byte.com/discuss/discuss.htm
Benchmarks	http://www.byte.com/bmark/bmark.htm
Virtual Press Room	http://www.byte.com/vpr/vpr.htm
Product Information	http://www.byte.com/hotbytes/
Media Kit	http://www.byte.com/media/kit.htm
Subscriptions	https://www.byte.com/orders/mporders.htm

OFFICERS OF THE MCGRAW-HILL COMPANIES:

Chairman and Chief Executive Officer: Joseph L. Dionne; *President and Chief Operating Officer:* Harold W. McGraw III; *Senior Vice President and General Counsel:* Kenneth M. Vittori; *Executive Vice President and Chief Financial Officer:* Robert J. Bahash; *Senior Vice President, Treasury Operations:* Frank D. Penglase; *President, Information Services Group:* Michael K. Kehir; *Group Vice President, Information Technology and Communications Group:* Kevin C. Harold.

Founder: James H. McGraw (1860-1948).

The **smart** definition of a complete **VPN**

- **Security**
- **Traffic Control/QoS**
- **Enterprise Management**


It takes more than encryption to implement a secure, reliable virtual private network. More than authentication. More than any single point tool can offer. A complete VPN solution integrates comprehensive security, traffic control and enterprise-wide management. Which is exactly what Check Point Software Technologies delivers for our more than 5,000 VPN customers worldwide.

Whatever your VPN implementation – intranet, remote access or extranet – Check Point meets all of your security, reliability and manageability requirements:

Comprehensive security: Access control with standards-based authentication and encryption guarantees the security of network connections, the authenticity of local and remote users, and the privacy and integrity of data communications.

Traffic Control/QoS: Only the Check Point VPN solution allows customers to assign a higher priority to VPN traffic, precisely controlling the bandwidth for improved VPN quality of service and performance.


Enterprise management: The ability to define a single enterprise-wide security policy that includes VPNs, to distribute this policy to multiple enforcement points and to manage it from a central management console is available only from Check Point.




Check Point is the market leader in VPN installations.

Worldwide VPN installations

No one defines a complete VPN like Check Point. For more information visit our VPN reference site and download our VPN White Paper at www.checkpoint.com/VPN.





Wh

*Your
network
manager's
Discovery*



SECURE AND EASY INTERNET SOLUTIONS

oop!

One Mouse Click and all your PCs are on the Internet!

Self-Configuration:

You select your provider and your MultiCom router configures itself and all your PCs

Security from Switzerland:

- Award-winning security
- 128 bit Encryption and SecureWall™



LIGHTNING Instrumentation SA
Av. des Boveresses 50 • 1010 Lausanne
Switzerland
Phone: + 41 21 654 2000
Fax: + 41 21 654 2001

Internet: <http://www.lightning.ch>

MultiCom®

Our complete ISDN & Leased Line product range:

- **LAN Access Center** up to 200 remote locations
- **Access IV** for 4 ISDN & BRI lines and 8 simultaneous users
- **Backup IV** for 2 additional leased lines
- **Classic MultiCom** for ISDN + leased line
- **Pocket MultiCom** for ISDN and as many PCs as you have

• TeleNetCom Zürich - Hall 6, Booth 126 - CommunicAsia Singapore - Booth 6E5-01 • NetWorld+Interop Tokyo - Intl.

SECURE AND EASY INTERNET SOLUTIONS

Enter HotBYTES No. 463 at <http://www.byte.com/hotbytes/>

Gnawing Doubts

Why I'm underwhelmed by a pretty good upgrade.

Windows 98 seems an awful lot like nouvelle cuisine to me. Sounds great on the menu, looks good on that big white plate, but after dinner I'm still hungry and feeling vaguely ripped off.

When you get past the squid ink pasta and the Gorgonzola, is Windows 98 just macaroni and cheese?

Actually, Windows 98 breaks new ground when it comes to integrating the desktop and the Internet. That's a permanent and significant shift in computing that we highlighted in our cover story about network user interfaces in the July 1997 issue. So why am I less excited about this NUI than I am about the whole idea of NUIs?

In part, it's because bandwidth and server bottlenecks are still universal problems. But equally it's the sense that Microsoft still believes it can dictate the terms of network computing.

Out of the box, the Win 98 NUI is ActiveX and ActiveServer Pages. These are powerful tools, and they're sometimes dismissed too readily. However, they're not enough in a permanently heterogeneous world. Microsoft missed the chance to use its money and skill to create the world's best universal desktop. Netscape hardly has the resources to do so, and the Suns and Oracles of the world basically just want to replace Microsoft with their own lock-in.

Beyond the standards issue, Win 98's NUI is unimaginative. In this month's Web Project (see page 105), Jon Udell demonstrates that Web technology has the potential to combine connected and disconnected desktop computing in new ways. It's that kind of innovation that I had hoped to see from Win 98 when it was still known as Memphis. But it's not what I'm getting. And my biggest disap-

pointment with Win 98 is its lack of reliability.

This is surprising, since the inclusion of network-update features in Win 98 lays the foundation for the whole concept of subscription computing. Turn on, tune in, and get a computer-health checkup.

But that's probably for the best, anyway. Win 98 is a six-story building sitting on DOS's log-cabin foundation. The Leaning Tower of Redmond can't take much more expansion.


So if Win 98 is not the *pièce de résistance*, what is? Let me suggest a radical notion: It's time to abandon the idea of one desktop for everyone. Microsoft itself recognizes this and is doing a pretty good job of segmenting its OS line.

Once upon a time, we all wanted just one server OS. We had to give up on that in the early 1990s to gain the efficiency of NetWare for LAN services, NT for small-

er application servers, Unix for larger ones, and large host OSes—such as MVS, OS/400, and VMS—when they were appropriate. The world is better for this: It has allowed IT organizations to focus on the right tool for the job.

Now you have at least four different solutions to choose from. Microsoft's Win32 application environment runs nearly everywhere and is quite rich. Java runs in even more places and should get richer. Plain old browsers with scripts are as universal as it gets. And yes, you can even use all of them together—shocking, but true!

Of course, there are many noteworthy proprietary application environments besides Microsoft's, although few have that kind of breadth and depth. But this can



be a blessing—as in highly specialized computing, be it real-time, scientific, or other niche scenarios.

A year from now, we'll know a lot more about the future of Windows. For me, NT 5.0 will be a watershed for the user community. If Microsoft can't deliver a ful-

It's time to abandon the idea of one desktop for everyone.

ly scalable server platform and a highly manageable and reliable desktop platform, I think people will look elsewhere.


Lord knows the wolf is at the door, but Gates would be foolish to look at the situation just in those terms. Microsoft will have forced the user community to consider alternatives if, after nearly a decade of broad-scale Windows deployment, the platform still hasn't lived up to its full promise. Meanwhile, my stomach's still grumbling.

Mark Schlack

Mark Schlack, Editor in Chief
mark.schlack@byte.com

The leaders in new technology

do it again!



ViewSonic's "Short depth" CRTs put high performance in less space.

ViewSonic® proudly introduces the PS790, the world's first 19" (18.0" viewable) short depth monitor.

The PS790 simultaneously upgrades and downsizes, providing extra screen real estate while taking up the desk space of a typical 15" (various viewable) monitor. But that's not all. A super fine 0.25 dot pitch and flicker-free resolution, as well as SuperClear™ screen technology for a brighter image, provide superb, leading-edge level of performance.


It's deja vu all over again.

Not long ago, we introduced our first 17" (16.0" viewable) short depth monitor. The GS771 redefined sleek. Its compact footprint takes up less desktop space than a conventional 14" (various viewable) monitor. Like its space saving new PS790 sibling, the technologically innovative GS771 offers the kind of spectacular performance that runs in the family.

Both of these brilliant monitors are PC and Mac® compatible. Both are in full compliance with TCO '95, the world's strictest standards for low radiation, safety, power management and recyclability. Both feature the industry's best 3 year warranty on CRT, parts and labor.

And both are available with our exclusive 48-hour Express

Exchange™ Service option. The space saving monitors from ViewSonic. They'll improve your short-depth perception. Again and again.



For the dealer nearest you, call ViewSonic at (800) 888-8583 and ask for agent 81266, or visit our website at: www.viewsonic.com.

(800) 869-7976 Fax: (800) 869-7958 • Internet: www.viewsonic.com • Specifications subject to change without notice • Copyright © 1998, ViewSonic Corporation • All rights reserved. Corporate names and trademarks are the property of their respective companies.



ViewSonic PT813
January 1998



ViewSonic P815
ViewSonic 17GA
June 1997



ViewSonic PT775
July 1997
January 1998



ViewSonic G810
January 1997


Monitor	GS771	PS790
Screen Size/ Viewable	17" (16.0" viewable)	19" (18.0" viewable)
Dot Pitch	.27	.25
Maximum Resolution	1,280 x 1,024	1,600 x 1,280
Recommended Resolution	1,024 x 768 @ 87Hz	1,600 x 1,200 @ 76Hz

See The Difference!® That Earned Over 300 Awards Worldwide.



Enter HotBYTEs No. 119 at <http://www.byte.com/hotbytes/>


HASP[®]



Protects Your Software

HASP – The Professional Software Protection System*

- Rated #1 in industry tests
- Unequaled security
- Unparalleled flexibility
- Genuine ease-of-use and transparency
- Supported under Windows 95, 98 and NT, Mac, OS/2, NEC, UNIX, and LANs
- ISO 9002 quality and reliability
- New - USBHasp!



HASP Protects More

North America Aladdin Knowledge Systems Inc. 800 223-4277, 212 564-5678, Fax: 212 564-3577, Email: hasp.sales@us.aks.com
Int'l Office Aladdin Knowledge Systems Ltd. +972 3 636-2222, Fax: +972 3 537-5796, Email: hasp.sales@aks.com
Germany Aladdin Knowledge Systems GmbH & Co. KG +49 89 89 42 21-0, Fax: +49 89 89 42 21-40, Email: info@aladdin.de
UK Aladdin Knowledge Systems UK Ltd. +44 1753 622266, Fax: +44 1753 622262, Email: sales@aldn.co.uk
Japan Aladdin Japan Co., Ltd. +81 426 60-7191, Fax: +81 426 60-7194, Email: sales@aladdin.co.jp
France Aladdin France SA +33 1 41-37-70-30, Fax: +33 1 41-37-70-39, Email: info@aladdin.fr
Benelux Aladdin Software Security Benelux B.V. +31 24 648-8444, Fax: +31 24 645-1981, Email: sales@aladdin.nl
Russia Aladdin Software Security R.D. Ltd. +7 095 925-0588, Fax: +7 095 926-6781, Email: aladdin@aladdin.msk.ru

■ Australia Conlab 03 98985685 ■ China (Beijing) Feilian 010 62567389 (Hong Kong) Hastings 02 5484629 (Shenzhen) Hastings 0755 2328741 ■ Czech Atlas 02 766085 ■ Denmark Berendtsen 039 577316 ■ Egypt Zaineldeen 02 3604632 ■ Finland ID-Systems 09 8703520
■ Greece Unibrain 01 6756320 ■ India Solution 011 2148254 ■ Italy Partner Data 02 26147380 ■ Jordan ProgressSoft 06 5623820 ■ Korea Dae-A 02 8464481 ■ Mexico Sisoft 091 80055283 ■ Poland Systherm 061 8480273 ■ Portugal Futumatica 01 4116269 ■ Romania
Ro Interactive 062 353645 ■ Singapore ITR 065 5666788 ■ South Africa Adroll 011 8864704 ■ Spain PC Hardware 03 4493193 ■ Sweden Kordab 455 307 300 ■ Switzerland Opag 061 7169222 ■ Taiwan Teco 02 25550676 ■ Turkey Mikrobeta 0312 4670635 ■ Yugoslavia Asye 021 623920
© Aladdin Knowledge Systems Ltd. 1985-1998 HASP-nd (4/1998) 1-12-41111 HASP is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective

Your software is your baby – and you want to look after it. You created it, you developed it, you saw it right through to the moment it was ready for market. Now protect it. 50% of business software is stolen; \$11 billion of developers' income is lost to piracy.* Is your software a statistic?

All over the world, more developers are protecting against piracy. They're protecting more products, on more platforms, with more security – and selling more as a result. And more of these developers are protecting with HASP.

To see why 25,000 developers worldwide protect with Aladdin, call and order your HASP Developer's Kit now!



1-800-223-4277

www.aks.com

ALADDIN[®]

The Professional's Choice

Amen!

My hat is off—again—to BYTE, this time for facing quality issues head-on. “Crash-Proof Computing” (April cover story) and “Reliability Counts” (May editorial) express my sentiments exactly. It is painful to find customers already angry at the whole computer industry when I show up for a meeting with them. While they vent their frustrations, I find myself apologizing for sins I didn’t commit, before I can even try to help them deal with their disasters. OS weaknesses are the most frustrating. And yes, cheap, poorly made, and virtually unsupported hardware is a big problem, too. Apparently many vendors are forgetting to tell customers that good PCs actually cost less in the long run.

George Rogers Clark
grclark@usaconnect.com

Embedded Risk

“Crash-Proof Computing” is right on target: Reliable software is simply not a high priority for software vendors or for their customers. You also correctly say that embedded systems are generally more reliable than PC software. But embedded systems threaten to become more like PCs, as pressure rises for reduced development costs, shorter time-to-market, and shorter product life cycles. Most disturbing, the exploding complexity of embedded systems is comparable to

what happened in the PC industry 10 years ago, and embedded systems developers have started to emulate the PC industry even where this is irresponsible. For example, many developers switch from languages like Ada, Pascal, or Modula-2 to C, rather than to safe languages like Java or Component Pascal.


One final note: A single-address-space operating system is not a bad thing per se; it’s even necessary for efficient component software. But we need better protection mechanisms, which can either be done in software, by using safe languages, or in hardware, by separating address mapping and memory protection.

Dr. Cuno Pfister
Managing director,
Oberon Microsystems
<http://www.oberon.ch/>

Blinded by SQL

In “Stored Procedures: Threat or Menace?” (March), authors Joe Celko and Jackie Celko state that E.F. Codd’s work indicates that SQL is sufficient for dealing with all database problems, and that nothing more is ever necessary. This is false. It is a theorem that certain kinds of database problems—for example, transitive closure problems—cannot even be stated in SQL. Many IS professionals are blind to the implications of transitive closure problems in the real world.

Carlie J. Coats, Jr.
Chapel Hill, NC



I would refer readers to my book Joe Celko’s SQL for Smarties (Morgan-Kaufmann, 1995) or my columns in the March-June 1996 issues of DBMS magazine. I discussed in detail how to manipulate tree structures in SQL by modeling them as nested sets instead of graphs. There is no need to do a procedural traversal in SQL, and I can produce results several orders of magnitude faster than procedural code.

The better example of procedural programming problems would be those with a combinatorial explosion that has to be pruned, using a criteria that involves the whole set. SQL and set-oriented solutions tend to produce the

combinatorial explosion in full before they can prune it. Fortunately, problems of this class do not come up often in commercial applications.
—Joe Celko

Web OS Fallout

In “The Best OS for Web Serving” (March Software Lab Report), you gave Caldera’s OpenLinux the lowest rating of the OSes you tested. The version you used is the oldest commercial Linux distribution sold. I’m sure you chose OpenLinux because it comes with FastTrack, but RedHat 5.0 would have been a better choice. It has features like automatic hardware probing and easy graphical system administration tools, and it will also run in 64-bit mode on Alpha processors, which should give it performance comparable to Digital Unix. Don’t judge a family of products by its oldest member.

Jason Fillman
jason2@ixc.net

Most BYTE readers today work in, for, or near a corporate IT department, and if

HOW TO CONTACT US

ON THE WEB
Visit The BYTE Site!
Search our archives.
Download articles. See
industry press releases.
Join on-line conferences
with other BYTE
readers! See <http://www.byte.com>.

BY FAX
781-860-6522

BY E-MAIL
Address letters to
editors@byte.com. To
reach individual
BYTE editors, see The
BYTE Site on the Web
for a directory. Letters
may be edited for
publication.

BY POST
Editors, BYTE,
29 Hartwell Ave.,
Lexington, MA
02173

**SUBSCRIPTION
CUSTOMER
SERVICE**
U.S. only: 800-232-
2983; international:
609-426-7676; or see
[http://www.byte.com/
admin/mpcstsvc.htm](http://www.byte.com/admin/mpcstsvc.htm).

For advertising and
other noneditorial
contacts, see pages 153
or 10 or click on the
information links on
The BYTE Site.

they have to maintain high-traffic commercial Web servers and sites, they don't normally want to be on the bleeding edge of OS development. They need something that's reasonably advanced but still stable and reliable, and with formal corporate support mechanisms behind it. That's why we finally chose the Caldera OpenLinux 1.1 standard version aimed at Internet/intranet server installations. That it came bundled with Netscape's FastTrack made it a more appealing choice for the corporate reader we had in mind. We know that many versions of Linux support multiple CPUs (even if it may require building a custom kernel) and run on other platforms; the one we tested did not. The features table applied only to OpenLinux 1.1. (We plan to review a group of free Unixes in the near future.)

Now, about our testing: Because these diverse OSes don't run on the same hardware, we opted to go into the field to examine real-life installations, and where we could take advantage of long-running experience. Some readers have objected that Solaris was tested on older Sun hardware. Surprise: Lots of OSes run on older hardware in the real world. Since there was no common platform, and since comparing OSes running on different processors is difficult to impossible, we ignored processor performance considerations and didn't try to generate comparable performance numbers. Based on tracings through portions of the OS, as well as an examination of the TCP/IP driver protocol stack and the disk driver modules, we concluded Digital Unix "is a turbocharged I/O engine" that "served up static Web pages

nearly instantaneously." We examined debug traces, memory dumps, and disassembly listings to find out which OS was more efficient and thus "performed" best. We also confirmed our findings by talking to other industry experts. —Russell Kay, technical editor

"The Best OS for Web Serving" contains factual errors about AIX in the features chart. AIX 4.3 fully supports 64-bit applications, based on industry agreement of the LP64 data model. AIX supports 12 CPUs, not eight; 16 GB of RAM, not 3.75 GB; and its maximum addressable memory range is 16 exabytes, not 4 GB. Maximum shared memory is 16 TB, not 4 GB, and the largest file system size is 1 TB.

I also question the testing methodology. You claim that "each OS was tested on the kind of hardware it's most likely to be used on." The IBM RS/6000 hardware most likely to be used for Web serving is not an R50 but an RS/6000 Model 43P, F50, or SP. The R50 is targeted at the database market. This review did not accurately reflect the proven performance of AIX and the RS/6000.

Miles Barel
Manager of AIX Marketing, IBM Austin, TX

We stand corrected about CPU and memory support under AIX 4.3. IBM documentation for the RS/6000 R50-based system we evaluated indicated the lower figures we published, which reflected hardware limitations particular to that system. Regarding our choice of the R50 system, we selected a real-world Web server installation that we could gain test access to in the time frame of our review.

Apparently that IBM customer had not been told it was using an inappropriate system. —R.K.

Yes, We Need a Vacation

In "Weaving a Better Web" (March cover story) you mention the ISO 8061 stan-



dard in connection with formatting dates. ISO 8061 relates to the quality of alpine skis! The correct reference is ISO 8601. I have a Web page with information about ISO 8601 and links to many other sites. I wonder if the author had his mind on his forthcoming holidays, rather than the article he was writing?

Ian Galpin
<http://ourworld.compuserve.com/homepages/dstrange/y2k.htm>

Taking Exception to Exceptions

I must take exception to "Better Performance with Exceptions in Java" (March Core/Programming). It is not clear from the article that "try/catch statements under Microsoft's virtual machine (VM) exact a substantial overhead," whereas the Sun VM does not (p. 54), since Mr. Orchard used the Sun compiler to run his tests on the Sun VM and the Microsoft compiler to run his tests on the Microsoft VM. Could the overhead be due to the compiler? C++

try/catch blocks exact a substantial overhead, even when exceptions are not thrown. Is it certain that the Sun VM (or compiler) does not add this extra overhead whether or not try/catch blocks are used, and that the Microsoft VM (or compiler) optimizes the case when no try/catch blocks are in use?

I disagree that slightly altering the loop syntax and adding the try/catch block around the loop improves code legibility. An experienced developer could look at the traditional solution and immediately understand it; it requires a doubletake (and some thinking) to understand how "clever" the altered solution is.

Also, I dispute whether exceptions can improve performance at all in real-world code. The altered solution yields better performance only because the body of the FOR loop is trivial. I do not question Mr. Orchard's empirical results, but without more information, they are at best inconclusive.

Roger Tawa
Montreal, Quebec

To reiterate the purpose of my article: The use of exceptions instead of array bounds checking may improve performance for applications, depending on the VM used. I had no intention of saying that a particular Java compiler or VM is faster or slower than another. I specified the performance difference that the technique caused in my environment. Additionally, I did run a test of the Sun JDK-compiled code using the Microsoft VM and the Sun Java VM, with the result that the Microsoft VM was responsible for poorer performance when exception handling was added to the loop. Perhaps in other environments the Microsoft VM will

Host-to-Web Integration



...in an Instant!

ViewMax is a powerful host-to-web integration tool allowing you to quickly provide BROWSER-BASED ACCESS to mainframe, midrange and virtually all other host machines. ■ Its RAPID APPLICATION DEVELOPMENT environment lets you provide universal access to data on diverse platforms and simplify complex host navigational structures. ■ ViewMax enables you to transparently RE-ENGINEER YOUR BUSINESS PROCESS without modifying a single line of your hosts' application code.

But don't take our word for it. Try it for yourself. Download now and access your systems via web browser in no time — or call today for a free Demo copy 888-846-3045.



From Intranets to Extranets —

ViewMax is the complete solution to your host problems.

ViewMax™

Host-to-Web Integration Tools

www.modcomp.com/viewmax

MODCOMP ©1998. All rights reserved.

MODCOMP is a registered trademark and ViewMax is a trademark of MODCOMP, Inc.

Enter HotBYTES No. 128 at <http://www.byte.com/hotbytes/>

inbox

respond better to the use of exceptions. If so, the technique is even more useful. I encourage readers to test this in their own environments.

You correctly point out that the more complicated the set of instructions within the loop, the less the performance improvement in "real-world" code. I have found many times, especially in image processing algorithms, that loops contain very simple instructions. It is up to readers to see if they have complicated or simple loop contents and then decide whether or not to use the technique.

—David Orchard

FIXES

In "Scriptlets Simplified" (April Core/Programming), the `hideMe` function was left out of the code listing on page

56. Here is the code that should have followed the function `selectMe`:

```
function  
public_hideMe() {  
    document.all.tags("P")  
    .item(0).style.display="none";  
}
```

In the chart "Notebook Performance on Five Photoshop Tests" (May Bits, page 24), the footnote for the Mac G3 PowerBook is incorrect; the system was tested with 64 MB of RAM, not 96 MB.

In the Details section of the May issue's Hardware Lab Report ("333-MHz Pentium IIs: Slow-Bus Swan Song"), we indicated that there was a 64-bit PCI slot in the NEC PowerMate Professional P9000. The slot is a 32-bit slot with a SCSI RAID extension.

COMING UP IN JULY

SPECIAL REPORT

Java

BYTE brings you a Java road map, Java creator James Gosling's manifesto on programming for the next 25 years, tips on tweaking Java performance, and Buyer's Guides to JavaBeans and Java development tools.

BUILDING NETWORK APPLICATIONS

Year 2000 Survival Guide

Even if you've begun work to eliminate Year 2000 problems, odds are you won't finish in time. And if you do, one of your business partners won't. Here's a detailed look at what systems can be affected by Year 2000 bugs—and what you can do about them.

HARDWARE LAB REPORT

Flat-Panel Displays

Color LCD panels are poised to move from expensive novelty to viable replacements for desktop LCDs. We perform quality and usability tests on the latest generation of LCD panels, some of which sell for under \$1000.

REVIEWS


Hands-On Hand-Helds

With an upgraded Windows CE and even color screens, tiny PCs acquire more desktop-level functions, while proprietary systems such as the Palm Pilot also grow in popularity. BYTE tests hand-helds for usability and desktop connectivity.

www.byte.com

DPT SOLVES THE FIBRE PUZZLE

PM2554UWF



RS/7E
Fibre Channel
Storage Array



Fibre Channel
Rack
(Up to 882GB)



Total Fibre Channel Solutions

RAIDstation Fibre Storage Arrays offer up to 882GB capacity in one cabinet.

No compromises with choices from 7 to 98 drive bays.


Fibre Channel and SCSI cabinets can even be attached to the same controller in a single slot.

At DPT, we understand the importance of delivering solutions you can depend on.

DPT's RAIDstation Fibre Storage Arrays are fully tested to assure compatibility with SmartRAID V Fibre Channel controllers.

Introducing SMART RAID V Century

The World's Fastest Intelligent Fibre Channel Controller *or your money back!*



Speed Plus Intelligence

DPT's intelligent Fibre Channel controller offers performance and ultra flexibility that surpasses all others. In addition to hardware RAID 0, 1* and 5* on the world's fastest Fibre Channel controller, you also get unsurpassed Ultra SCSI performance and connectivity. From a single card you can connect up to 126 Fibre Channel devices. Plus Century offers internal and external Ultra Wide SCSI connectivity for disk, tape, CD-ROM, etc.

DPT's new P³ technology allows data transfer up to 132MB/s with sustained throughput of 66 MB/s handling thousands of concurrent commands. Because the controller has an onboard Intel i960 processor, SmartRAID V controllers deliver top throughput without zapping your host CPU performance.

Setup is a snap with DPT's ROM-based SMOR utility (Storage Manager on ROM). And SmartRAID V is fully I₂O-compliant for guaranteed compatibility with current and future OS releases from Microsoft, Novell, SCO and others.

Call today to try one at 50% off. Prove for yourself it's the world's fastest or your money back.



1-800-860-4589

www.dpt.com/fibre

Enter HotBYTES No. 110 at <http://www.byte.com/hotbytes/>

DPT distributors include:



* Available with RA4050 module.

Limit one per reseller. 50% off promotion on PM2554UWF. 40% off on Fibre Storage Array products. Cannot be combined with any other DPT promotion. If not satisfied, PM2554UWF must be returned within 30 days of purchase date. Offer expires August 1, 1998.

DISTRIBUTED PROCESSING TECHNOLOGY • 140 Candace Drive • Maitland, FL 32751 • 407-830-5522 • Fax 407-260-6690 • sales@dpt.com



BYTE International Partners

Argentina

lrodan@trade-venezuela.com
Circulation: 20,000

Brazil

mpetrilli@rever.com.br
Circulation: 60,000

Bulgaria

angel@topsteam.bg
Circulation: 4,500

Chile

lrodan@trade-venezuela.com
Circulation: 10,000

China

bytechina@cbigroup.com
Circulation: 40,000

Colombia

lrodan@trade-venezuela.com
Circulation: 17,000

Greece

tsl@dolnet.gr
Circulation: 30,500

Hungary

tomkolossa@compuserve.com
Circulation: 10,000

Italy

c.giustozzi@mcclink.it
Circulation: 40,000

Japan

ishii@nikkeibp.co.jp
Circulation: 80,000

Korea

dawor2@nuri.net
Circulation: 10,000

Mexico

nwbaker@mindspring.com
Circulation: 11,000

Middle East

khaldoon@arabia.com
Circulation: 20,000

Romania

rmaier@agora.ro
Circulation: 10,000

Spain

amenezo@mcediciones.es
Circulation: 40,000

Taiwan

claire_lin_at_twp@acer.com.tw
Circulation: 16,000

Thailand

wiroj@ar.co.th
Circulation: 30,000

Turkey

ac.ucisik@byte.com.tr
Circulation: 22,000

Venezuela

lrodan@trade-venezuela.com
Circulation: 18,000

Yugoslavia

vujadin@byte.co.yu
Circulation: 10,000



For more information on publishing BYTE in your country, contact:

Brad Browne, International Licensing Director
The McGraw-Hill Companies, Inc.

One Phoenix Mill Lane, Peterborough NH 03458

Tel: 603/924-2501 Fax: 603/924-7620 e-mail: bbrowne@mcgraw-hill.com

Intel Launches Hasty Low-Cost Counterattack

Intel's latest foray into low-cost CPUs delivers less-than-stellar performance.


Intel's latest chip, the Celeron, may help the company capture a bigger portion of the low-cost PC market, but its design hobbles both performance and the justification for the proprietary Slot 1. The Celeron, Intel's hastily improvised answer to rapidly plunging PC prices, is a Pentium II chip, minus the secondary (L2) cache and cartridge case.

Intel designed the chip this way to reduce its production costs, so it could better compete in the sub-\$1500 and sub-\$1000 PC markets. At \$155 (in quantity 1000), the Celeron's price is low compared to the prices Intel usually commands (between \$300 and \$600) for a mainstream processor. But in tests against Intel's own Pentium II, AMD's K6, and Cyrix's 6x86, BYTE found the Celeron lacking in some key respects.

Stripping off the L2-cache static RAM (SRAM) chips doesn't lower the cost much. The only other thing Intel could do was to cheapen the packaging. The most logical way to do this would be to sell the Celeron as an ordinary chip that fits Socket 7. Since the Celeron doesn't have an L2 cache, it doesn't need the back-side bus in Slot 1. But Intel wants to kill Socket 7 and drive the market toward its proprietary slots. So, Intel removed the Single Edge Contact (SEC) cartridge case. The naked circuit board and missing L2 cache blow away the last remaining technical justifications for Intel's proprietary slots and cartridges: easy, safe upgradability and support for a back-side bus.


The Celeron is electrically compatible with Slot 1. However, it wiggles around loosely, because there's no cartridge housing to grip the vertical guide rails on both sides of the slot. In fact, Intel had to design new guide rails especially for the Celeron. In effect, it's a new variation on Slot 1.

Sysmark/32 Performance Scores



BYTE was unable to fully run the Sysmark test suite on the AMD-based Polywell K266Qx.⁴

Performance on Five Photoshop Tests



¹Has 83.3-MHz system bus, Cyrix 6x86MX PR266+ (208 MHz) with 64 MB of SDRAM.

²Has 66-MHz system bus, 266-MHz Pentium II with 64 MB of RAM.

³Has 66-MHz system bus, 266-MHz Celeron CPU with 64 MB of RAM.


⁴Has 83.3-MHz system bus, 266-MHz AMD K6 w/MMX with 64 MB of RAM.

Intel's Celeron suffers in Photoshop and Sysmark/32 application benchmarks, due to its secondary cacheless design.

Geek Mystique

Top Consumer Products for E-Commerce

Computer hardware and software, books, magazines, music CDs, and airline tickets are the products and services considered by on-line purchasers as suitable for on-line shopping.



In a survey of 500 on-line users that was conducted by market research company Greenfield Online (Westport, CT), respondents most often chose software as a product that's suitable for cybershopping (see the table). The least suitable service, according to the survey results, was insurance.

Greenfield conducted the survey for BBBOnline (<http://www.bbb.org>), a wholly owned subsidiary of the Council of Better Business Bureaus.

The new name is another part of Intel's strategy. Internally, the Celeron is identical to the Pentium II. By renaming it, Intel is doing everything possible to distance the two products from each other.

"We believe Intel is out to devalue the sub-\$1000 market with an inferior Slot 1 chip," says Stan Swearingen, senior director of business management and marketing with Cyrix. "Its approach is simply to defeature a Pentium II; there's no innovation there."


BYTE tested the Celeron in a Polywell (800-999-1278, <http://www.polywell.com>) system. We swapped the Celeron out for a Pentium II to obtain comparative scores. We also tested a Polywell K266Qx, based on AMD's 266-MHz K6 processor, and the Cyrix 6x86MX PR266-based ValueMax B3, from CyberMax (800-345-8939, <http://www.cybmax.com>). All four systems retail for less than \$1300 (without a monitor) as tested. The Celeron is a relatively strong performer on tests such as BYTEmarks, which measure raw CPU power. But it suffers on some application-based benchmarks such as Photoshop and

like the Microsoft application suite," says Michael Takemora, a product manager for Compaq. But with the price of Pentium II systems coming down, aggressive an-

nouncements from competitors, and low sales expectations, the Celeron almost seems irrelevant as soon as it was launched.

—Jason Krause

Chip Benchmark



Sysmark/32, because the Celeron's missing L2 cache creates a bottleneck.

Intel doesn't expect big sales from the Celeron immediately, but it could be a successful stopgap measure, earning Intel a place in the cheap PC market and luring system vendors to the modified Slot 1, and corporate customers to the Intel name. A better solution is slated to arrive later this year, when Intel introduces a chip code-named Mendicino. It integrates a 128- or 256-KB cache on the CPU die, which should improve performance significantly.

Product managers for PC vendors expect relatively low demand for the Celeron initially. "Celeron is for you if you're committed to the Intel architecture and are replacing a 486 or a Windows terminal, and simply need to run something

Unabashed BYTEmarks

Is a Power Mac G3 really twice as fast as a PC using Intel's Pentium II processor? Yes, and no.

Recent Apple Computer "toasted bunny suit" advertisements claim that the processor in a Power Mac performs up to twice as fast as a Pentium II. In one ad, Intel's famous dancing lab technician dressed in a clean-room "bunny suit" gets "toasted" by the PowerPC's speed. Apple points to the high scores that its systems achieve on the BYTEmark integer tests to back up its claims.

We've received numerous queries from readers and the press about the BYTEmark suite, asking if those claims are true. Full details are available at our Web site (<http://www.byte.com>), but the bottom line: The 300-MHz Power Mac 750 processor executes the BYTEmark integer-based tests more than twice as fast as a 300-MHz Pentium II. Further tests show, however, that better integer processor performance doesn't always translate directly into better application performance.

The BYTEmark suite determines how a processor, including its FPU, influences overall system performance. Thus, it

can provide an idea of how well a given system will perform. The 10 tests in the BYTEmark suite simulate operations performed by popular business and technical applications. Seven BYTEmark tests measure integer performance. The other three, LU Decomposition, Fourier, and Neural Net, measure floating-point performance.

BYTEmarks do not, however, emphasize the performance of a system's OS,

Contents

Best of Show/CeBIT	30
Voice-Friendly Voice Mail	34
GartnerGroup on Firewalls	34
Hacker-Detection Tools	40

hard drive, or video subsystem. Differences in these and other subsystems and components can cause two machines using the same CPU to report very different results in an application-based test. This is why BYTE often uses both application benchmarks and BYTEmarks to test computer systems.

If you examine the table "PowerPC vs. Pentium II (Bitfield Test Enabled)," you'll notice that the PowerPC scores particularly high in the Bitfield test (which simulates what happens inside an OS that uses a bit map in memory to track the allocation of disk blocks). This is because the PowerPC compiler used to build the BYTEmark generates code that's different than the code generated by the x86 compiler we used.

From the beginning (see "BYTE's New Benchmarks," March 1995 BYTE), BYTE has said that compilers play an important role in how well a system scores running BYTEmarks. Compilers generate code based on developers' knowledge of the target processor's architecture, and the PowerPC compiler we use produces machine code that implements the Bitfield algorithm faster than the x86 compiler.


With the Bitfield test enabled, the 300-MHz PowerPC achieves BYTEmark integer scores that are more than twice as fast as a 300-MHz Pentium II. With the Bitfield test disabled (see "PowerPC vs. Pentium II [Bitfield Test Disabled]"), the PowerPC's advantage in its BYTEmark score is reduced, but it is still almost twice as fast in BYTEmark integer performance as a Pentium II.

BYTEmarks measure processor subsystem performance only, and a system's overall performance is also determined by many other components, as mentioned above. Performance tests run in Adobe Photoshop have shown that the Pentium II's MMX capabilities can help it equal or surpass the performance of a PowerPC in important operations such as the Unsharp Mask and Gaussian Blur. The Power Mac retains its edge in other operations that do not leverage MMX, such as an arbitrary rotation of a bit map.


In Photoshop operations that are not MMX-optimized, the PowerPC is still the faster performer. For example, our test 300-MHz Power Mac performed the Arbitrary Rotation test in the BYTE/Van Horn Photoshop test suite almost twice as fast as a 300-MHz Pentium II (3.8 versus 7.5 seconds; lower scores are better).

BYTEmark Showdown: PowerPC vs. Pentium II

PowerPC vs. Pentium II (Bitfield Test Enabled)




PowerPC vs. Pentium II (Bitfield Test Disabled)



Even with the Bitfield test disabled, the PowerPC beats the Pentium II in the BYTEmark tests.


Joe reboots his PC every day.

That's a fact.




Conventional OS Architecture

The monolithic OS on Joe's machine clumps all OS components into a single address space. One subtle programming error in just one driver, and **whoomp!**, Joe has to reboot – again.



Dave hasn't since 1994.

That's a fact too.



QNX® Microkernel Architecture

The QNX OS on Dave's machine runs every OS component in its own MMU-protected address space. So if a driver – or virtually anything else – fails, the rest of the system stays up.

- Deterministic realtime performance (1.95 µsec per context switch on a Pentium 133)
- Full MMU support for all processes
- Small memory footprint
- Fault-tolerant networking
- Inherent distributed processing
- Internet and mobile SDKs
- Embedded GUI & browser
- POSIX certified
- Embedded OEM pricing

Four years ago, Dave Cawfield at Olin Chemicals replaced expensive PLCs with OMNX Open Control Software and the QNX Realtime OS. "Since then," says Dave, "we've upgraded the control system regularly with new hardware and software – including parts of the OS itself. But not once have we had to reboot."

For a handy 12-point checklist on OS reliability, download Dave's paper, Which OS for PC-based Control?, at www.omnx.com/productinfo/technical_papers.htm.



Build Reliable Embedded Systems with QNX

Keep all your solutions running 24 hours a day, 7 days a week – nonstop. With QNX, your system can recover from software faults, even in drivers and other critical programs. You can hot-swap peripherals. Start and stop filesystems and network services. Change I/O drivers. Add or remove network nodes. Even access the OS after a hard disk failure.

All without a reboot.

Plus, QNX scales seamlessly from handheld consumer appliances to continent-spanning telephony networks. So you can use one OS for all your nonstop realtime needs. And that's a fact.

www.qnx.com

(don't miss our demo!)

call 800 676-0566 ext. 1065

QNX

The Leading Realtime OS for PCs

Enter HotBYTEs No. 115 at <http://www.byte.com/hotbytes/>

Apparently there are those who do not subscribe to an all-Microsoft approach.

How can we be surprised? With all the mainframes, clients, application servers, databases and who knows what else you guys run in your enterprise, it would surprise us if any of you did.

That's why we're working on making all technologies (both new and old) work together in one interoperable computing environment. For example, Microsoft® Windows NT® and Microsoft Visual Studio™ development system enable developers to build solutions that integrate data from mainframe and UNIX server alike. It's just a first step in building solutions that incorporate all the pieces of your enterprise puzzle. Because we know that, in the end, the only approach you're going to subscribe to is your own.

To learn more go to www.microsoft.com/msdn

Microsoft®

Where do you want to go today?®



Microsoft®

BackOffice™


Microsoft®

VISUAL
Studio
Visual Basic™
Visual C++™
Visual InterDev™
Visual J++™
Visual FoxPro™


Best of CeBIT

SuperNova's Visual Concepts, a development environment that lets you mix and match ActiveX, Common Object Request Broker Architecture (CORBA), and Java components visually, without having to write new code, won BYTE's Best of Show award at the CeBIT show in Hannover, Germany. Finalists in the category were Software AG's Bolero, an object-oriented development environment, and Langner GmbH's Luca 2.1 communications application framework.

The award for Best System went to Compaq's E2000 Platform Architecture. It clusters Pentium Pro-based Proliant 6500 PC servers and Virtual Interface Architecture-compliant (VIA) hardware and applications for reliable, scalable, and cost-effective enterprise computing. Finalists were Siemens Nixdorf's



Compaq's E2000 Platform features VIA-enabled PC servers.



Visual Concepts' application-modeling environment lets you assemble applications based on a wide variety of components.

Multimedia Integration Box, a PC TV, and MD-CO's Windows CE 2.0-based Vehicle Server for mobile users.

Best Technology winner was Swatch Telecom's SwatchTalk (see below). Finalist Ericsson's Intelligent Home Control is a wireless network for controlling devices over IP. The other finalist, Siemens Nixdorf's Fingertip Handy, provides communications security in a button-size pad.

The award for Best Internet Product went to Philips Speech's Access Point. It lets people access the Web by making verbal requests. Zoner Software's Calisto 3, a drawing and multimedia publishing program that supports Dynamic HTML (DHTML), and Intershop Communications' Intershop 3 e-commerce platform, were the two finalists.

Siemens' Scenic Mobile 800, a notebook with a magnesium case, smartcard reader, and removable keyboard, won

Best Portable. One finalist was Acer's Pentium II-based TravelMate 7300. The other two finalists were Philips' Nino 300 Personal Companion and Everex's Freestyle. Both keyboard-less pocket PC organizers run Win CE 2.0.

The Best Peripheral, the Siemens Virtual Touchscreen (SIVIT), projects an image onto a wall or other physical object and uses gesture recognition to interpret users' movements. Peripheral finalists were Toshiba's SD-W1101 DVD-RAM drive and Alps' MD-1300 MicroDry/photo-quality color printer.

Best Application Software winner was Star Division's StarOne, a full-featured Java component-based office suite. Finalists were Lotus Development's Notes 5.0 client and Dialogika's Multi-desk Workflow 3.0, a sophisticated work-flow automation server for Microsoft's DCOM environment.

The winner of Best Communications

Future Watch

Future Swatch Watch

Swatch Telecom is developing a new watch with an integrated cordless phone.

The watch is currently only a technology demonstration and isn't slated to become commercially available for another 12 to 15 months, according to Tomas

Vucurevic, international marketing director of Swatch Telecom. The watch will likely be based on the DECT standard.

For further out in the future, Swatch is planning a version of the watch that can tell time and also function as a mobile cellular telephone. "The most obvious cellular technology to do that for at the moment is Global System for Mobile Communica-

tions (GSM), which is not, unfortunately, very big in the U.S. and Japan, but is everywhere else in the world," Vucurevic says. However, he says that Swatch will monitor the adoption of other emerging mobile telephony standards, including universal mobile telephony standard (UMPS), which by the time Swatch is ready, may be more popular than GSM.



Swatch's watch/phone.


KINGSTON'S DATA STACKER IS JUST AS ADAPTABLE TO CHANGE.



Kingston's new cost effective Data Stacker™ can adapt to your changing storage needs just as smoothly and easily as the chameleon adapts to its changing environment. With Data Stacker's Snap-n-Stack design, it's simple to pop-on or off units effortlessly as your storage requirements change.

- Small footprint
- Platform-independent
- Poly/steel construction
- Supports 3.5" drives (including 10K RPM)
- Compatible with SCSI 2, 3 & ULTRA
- Enhanced, auto ranging power supply(ies)
- Adjustable high speed fans
- Stacked units can support multiple hosts
- 100% tested in collaboration with major device mfrs.
- 7-year warranty

www.kingston.com/storage



Call a Kingston® representative at (800) 435-0670 to find out how Data Stacker can make adapting to change easier.



Kingston
TECHNOLOGY
STORAGE PRODUCTS DIVISION



Kingston Technology Company, 17600 Newhope Street, Fountain Valley, CA 92708, USA (714) 438-1850, Fax (714) 438-1847. © 1998 Kingston Technology Company. All rights reserved. All other trademarks and registered trademarks are the property of their respective owners.

Enter HotBYTEs No. 112 at <http://www.byte.com/hotbytes/>

Best of Show/CeBIT Product Contact Information

BEST OF SHOW: SuperNova/Visual Concepts (212-686-2650, <http://www.supernova.com>).

BEST DEVELOPMENT SOFTWARE: SuperNova/Visual Concepts. *Finalists:* Luca 2.1 (+49 40 271006, <http://www.langner.com>). Bolero (<http://www.softwareag.com>).

BEST SYSTEM: E2000 VIA Platform Architecture (281-370-0670, <http://www.compaq.com>). *Finalists:* Vehicle Server (+32 3 4513060, <http://www.md-co.com>). MMIB PC TV (+49 180 52 11 100, <http://www.sni.com/pc>).

BEST TECHNOLOGY: SwatchTalk (+41 32 343 9193, <http://www.swatch.com>). *Finalists:* Ericsson Intelligent Home Control (+46 8 7190516, <http://www.ericsson.se>). Siemens Fingertip Handy (Manfred.Bromba@pn.siemens.de, <http://w2.siemens.de/pn>).

BEST INTERNET PRODUCT: Access Point (+49 241 8871 101, <http://www.speech.be.philips.com>). *Finalists:* Intershop 3 (650-373-1530, <http://www.intershop.com>). Callisto 3 (+420 545214788, <http://www.zoner.com>).

BEST PORTABLE: Scenic Mobile 800 (+49 821 804 2658, <http://www.sni.de/pc>). *Finalists:* TravelMate 7300 (800-733-2237, <http://www.acer.com>). Nino 300 (408-558-2200, <http://www.nino.philips.com>). Freestyle (510-498-1111, <http://www.everex.com>).

BEST PERIPHERAL: Siemens Virtual Touchscreen (+49 89 636 42 573, <http://www.siemens.atd.de/>). *Finalists:* SD-W1101 DVD-RAM drive (714-583-3000, <http://www.toshiba-teg.com>). Alps MD-1300 (+353 29 70677, <http://www.alps.ie>).

BEST APPLICATION: StarOne (+49 40 23 646 500, [.stardivision.com\). *Finalists:* Multidesk \(+49 6897 9350, <http://www.multidesk.com>\). Lotus Notes 5.0 \(617-577-8500, <http://www.lotus.com>\).](http://www</p>
</div>
<div data-bbox=)

BEST COMMUNICATIONS SOFTWARE: MRS 3.1 (Message Routing System), (+49 2404 901 0, <http://www.ppc.com>). *Finalists:* EWSD InterNode (+49 89 722 38824, <http://www.siemens.de/oen/products/sn.htm>). XaCCT 3.0 (+9723 6180040, <http://www.xacct.com>).

BEST COMMUNICATIONS HARDWARE: MC220 56K Platinum PC Card (+33 557 97 72 72, <http://www.com1.fr>). *Finalists:* Apollo Pro (+972 3 645 8555, <http://www.radlan.co.il>). Vanguard 6400 (+49 6151 880720, <http://www.mot.com/MIMS/ISG/>).

BEST MULTIMEDIA SOFTWARE: Cinema 4D 5.1 (+49 6172 5906 0, <http://www.maxon.de>). *Finalists:*

Voice Xpress German (+32 2 4560500, <http://www.lhs.com>). Video Clip MPEG-2 (+33 1 46 730606, <http://www.vitecmm.com>).

BEST MULTIMEDIA HARDWARE: 601 (425-489-5009, <http://www.fastmultimedia.com>). *Finalists:* mp-man (+822 3468 7296, <http://www.mpman.com>). Power VR Second Generation (800-338-9549 [NEC] or +44 1923 260511 [VideoLogic], <http://www.powervr.com>).

BEST SECURITY PRODUCT: First Access Enterprise (+972 4 840 3322, <http://www.access-1.com>). *Finalists:* ciPro-VPN (201-828-9611, <http://www.radguard.com>). Secure4U (+420 2 5731 3491, <http://www.acrmain.com>).

BEST OPERATING SYSTEM: UnixWare 7.0 (800-726-8649, <http://www.sco.com>). *Finalist:* Windows 98 (425-882-8080, <http://www.microsoft.com>).

Software was PP-COM's Unified Messaging Server MRS (Message Routing System) 3.1. Finalists were XaCCT Technologies' XaCCT 3.0, a reporting and auditing system for TCP/IP networks, and

Siemens' EWSD InterNode, which integrates a PBX with the Internet. Best Communications Hardware winner, COM One's MC220 four-in-one 56K Platinum PC Card, supports 56-Kbps modems,

ISDN (2B+D), GSM (data, fax, and SMS), and 10-Mbps Ethernet. Finalists were Motorola's Vanguard 6400, a multiservice edge networking device, and Radlan's Apollo Pro, which integrates up to 30 existing routers in a distributed router-switch network.

Maxon's Cinema 4D 5.1, a 3-D modeling, animation, and ray-tracing package, won Best Multimedia Software. Finalist Vitec's Video Clip is a low-cost MPEG-2 nonlinear editor that offers basic copy and paste functions. Lernout & Hauspie's Voice Xpress German was the other finalist.

The award for Best Multimedia Hardware went to Fast Multimedia's 601, a professional MPEG-2-based video-editing solution. Finalists were NEC and VideoLogic's PowerVR Second Generation 3-D Graphics Accelerator Technology, and Saehan's mp-man, a portable digital audio player that plays MPEG-3 files.

Best Security Product winner was First Access Enterprise, a contactless smart-card authentication system. Finalists were Radguard's ciPro-VPN and Advanced Computer Research's Secure4U program that protects against hostile code.

Best Operating System went to SCO's UnixWare 7.0. Win 98 was the finalist.

Bug of the Month

Microsoft Application Doubles as Ad

A recently discovered bug in Microsoft's Extensible Markup Language (XML) parser makes it appear that the company is trying a little too hard to promote the Microsoft Java virtual machine (JVM). While experimenting with the parser, a Java application that moves data back and forth between tagged-text format (XML) and an in-memory object representation, BYTE editor Jon Udell got hit with this error message:

```
IOException: UTF-8 is not supported by
your Java virtual machine. Try installing the
latest VM from http://www.microsoft
.com/java/download.htm
```

Java does UTF-8, which is one way to encode Unicode characters, so the problem was not with the JVM. Why did the application want us to download a new VM? Jon

found the offending bug in this string:


```
String version = System.get
Property("java.version");
jdk11 = version.equals("1.1") ?
true : false;
```

It became apparent, and Microsoft confirmed, that the error is triggered if the variable `jdk11` is false. This variable is false in our case because Jon was running Java Development Kit (JDK) 1.1.5. Microsoft wrote the program this way since the XML parser uses the JDK 1.1 `InputStreamReader` to implement XML encoding. This class does not exist in JDK 1.0, so the test was designed to prevent users from using 1.0. But the parser ought to test for a variable greater than 1.0, not merely equal to 1.1.

Microsoft has no immediate plans to fix the problem. It says the only way to fix it is to change the lines to read `jdk11 = true;` and recompile that class. —Jason Krause

Send yours to jason.krause@byte.com

FREE PowerChute® – one more reason to count on APC reliability for NT computing



Battery runtime
Displays remaining battery runtime for system use and subsequent outages


Utility line voltage
Power quality display for fast problem diagnosis

%UPS load
Load capacity display prevents UPS overload

UPS self test
Unattended scheduled self tests provide peace of mind

Min./Max. power line voltage
Useful in diagnosing system problems

UPS temperature monitoring
Proper UPS temperature extends battery life



According to Microsoft, "A UPS is an important part of any deployment of Windows NT systems..."

Now all APC's Smart-UPS® include Free PowerChute® plus software for Windows NT, providing the most comprehensive NT power protection solution available.

- **Complete protection** against the largest cause of NT data loss: power problems. An APC Smart-UPS reacts to power fluctuations by providing instantaneous surge suppression, voltage regulation and battery backup power, ensuring that your NT system receives nothing but clean, steady power.



"Our Editor's Choice goes to APC's Smart-UPS 1000 for its inherent flexibility and excellent software."

—PC Magazine

- **Graceful, automatic, unattended system shutdown** of Win NT and BackOffice servers protects system and data integrity by automatically storing data and gracefully shutting down your system during extended power outages.
- **FlexEvents™** allows you to plan for and con-

trol crisis situations. Want to be paged or run a command file if there is a power problem? FlexEvents allows you to customize the UPS's reaction to power events.

- **Remote UPS management via LAN and WAN and monitoring via web browser** eliminates the cost of trained personnel at remote sites to configure UPS parameters, reboot servers or diagnose power problems.
- **SNMP-ready PowerNet SNMP Agent** (included with PowerChute plus), adds SNMP management of UPS's protecting NT servers to all the capabilities of PowerChute plus. WebAlert® and WebAgent™ provide Internet user information and alerts.
- **UPS testing/status** ensures system administrators are informed of power problems before they impact system integrity.
- **Environmental/power monitoring** allows you to quickly diagnose power problems and decrease network downtime.

FREE! Server Solutions Kit

Just mail or fax this completed coupon for your FREE Server Solutions Kit. Better yet, order it today at:

<http://promo.apcc.com>



KEY CODE D239Z

YES! Please send my FREE Server Solutions Kit.

NO, I'm not interested at this time, but please add me to your quarterly newsletter mailing list.

Name: _____

Title: _____ Company: _____

Address: _____

City/Town: _____

State: _____ Zip: _____ Country _____

Phone: _____

Brand of UPS used? _____ # _____

Brand of PCs used? _____ # _____

Brand of Servers used? _____ # _____



OFFICIAL POWER PROTECTION SOLUTIONS
(888) 289-APCC x7299 • FAX: (401) 788-2797


APC has won more awards for reliability than all other UPS vendors combined.



Talk Your Way Out of Voice-Mail Purgatory

Customer-service experts have long advised companies to curtail or abandon the use of automated telephone attendants in favor of human receptionists, who can immediately respond to a customer's needs. But solutions are now available that let customers talk to

Auto-Attendant Voice-Mail Systems Are Easy to Use?



Source: Strategic Development Associates (Dallas, TX)

a computer—instead of a person—to quickly make the right connection.

Several companies now offer solutions that marry traditional corporate phone systems with personal speech-recognition technology. With these systems, instead of having to press a series of numbers on their telephone keypad, customers that call your business can get to the person they want by simply saying "John Smith."

Parlance (Medford, MA, 781-306-2200 or <http://www.parlance-ncs.com>), a developer of solutions that use speech-recognition technology, recently expanded its offering of NameConnector products. EmployeeConnector, PublicConnector, and PagerConnector make phone-system directory resources available to internal staff and external callers, via simple voice commands. Callers are greeted by a synthesized human voice. It invites the caller to say the name of the person they wish to reach. The Parlance system seeks a match in a user-defined registry of names and automatically forwards the call.

Parlance is not the only company in this market. Other products include the

GartnerGroup Report

Firewalls Proliferate

In the last three years, users' questions about firewalls have evolved from "What's a firewall, and why do I need one?" to "Which firewall is right for me?"

The answer is no longer straightforward. The firewall is here to stay, but a process of differentiation and market segmentation is under way. Choosing the right type of firewall is increasingly an issue of how much security you need.

We see three distinct market segments developing for firewalls. The first is the high-security segment, which includes enterprises in the health-care, high-tech, biotech, oil-exploration, and banking/financial industries. Among corporate entities with highly confidential intellectual property to protect, the chief selection criterion is a firewall's ability to resist attacks.

Network security is very important at these enterprises. They typically have a dedicated information-security staff. Ease of use is a secondary consideration. Invariably, products in this category are built on a modified version of Unix, the best of which effectively remove superuser privileges and base their designs on application proxies rather than multilayer packet inspection.


The second market segment, midrange

gies, the firewall products tend to be NT-based. This segment currently represents 80 percent of the total firewall market. Amazingly, we think the market share will shrink to about 40 percent by 2002, due to the exponential growth we are projecting in the third segment, low-end firewall users.

For this fast-growth segment, made up of companies with revenues of \$200 million or less, firewall protection often is viewed as a simple filter problem. They look for a simple, cheap, all-in-one firewall appliance that does for Internet access what purification filters do for water—keep the bad stuff out. These firewall appliances must boot in a default safe state and with minimal intervention, while permitting secure access to the Internet. Eventually, these devices will evolve into more than just security devices. Simple e-mail servers and Web servers will be incorporated into the firewall package. This utility mix may reduce the quality of security, but many users will find this trade-off acceptable.

Some analysts have questioned whether firewalls will be around in a few years. We believe firewalls will continue to be used for the foreseeable future (2002). It is true that application-based security offers the most

Estimated Firewall Sales Worldwide



enterprises, consists of traditional manufacturing and service industries that are not at high risk for industrial espionage. The biggest security threat comes from hackers who may be trying to make a statement or who use the enterprise's resources as a launchpad for an attack on a more attractive high-security target.

While recognizing the need to safeguard their Internet access points, these enterprises do not have to build fortress-like network defenses or maintain information technology (IT) security staff. Mirroring these enterprises' client/server network strate-


precise and fine-grained access control, and when combined with cryptography, it can provide what appears to be undefeatable security. Unfortunately, the great mass of desktops and current applications are unlikely to disappear in the next five years, and relying on users to secure desktops is a bad security risk. Combine this with the trend of more server-like software appearing on desktop PCs, and we have a demonstrable need for firewall-based solutions.

Michael Zboray, a vice president and research director at the GartnerGroup, has worked in the networking industry since 1979.

NetOp® Remote Control

NEW

Windows NT • Windows 95 • Windows 3.1x • OS/2 • DOS



Remote control DOS PCs.
Small TSR, only 3-6 kB of
memory required for the
network version.

Remote control Windows
3.1x and Windows 95
without replacing drivers in
.INI files, and without
loading any DOS TSR.

Remote control Windows NT
servers and workstations via
network or modem.

Remote Control Windows NT
4.0 with very fast screen
transfer.

Remote control OS/2
servers and workstations.
Also supports fullscreen
WIN-OS2.

Technology that helps

Probably the best remote control product in the world

One product for all your remote control requirements. With NetOp you can reach any Windows NT (3.x, 4.0), Windows 95, Windows 3.1x, DOS or OS/2 PC from your own desktop. View the remote PCs screen, control its keyboard and mouse. Transfer files back and forth. NetOp supports all major networking protocols: NetBIOS, NetBEUI, IPX, TCP/IP and APPC. NetOp furthermore supports dial-up via modem or ISDN (CAPI) - directly to a Host or via a Gateway to several Hosts on the network. Advanced non-polling communication architecture, a must for WAN connections with limited bandwidth. With NetOp, your communication needs are covered, today and tomorrow.

It's like being there

NetOp offers the speed needed, irrespective of screen resolution. Local screen caching, direct GDI transfer and compression assures excellent performance, also across slower links.

Technology that helps

Maximize the efficiency of your help desk. NetOp's unique SOS button help reduce PC support costs. Troubled users can report problems directly over the network to the help desk with the click of a button. Requests for help are instantaneously transmitted and listed on the screen of help providers. From the list, a help provider is only a click away from the troubled users screen, keyboard and mouse.

Advanced technology - easy to use

In spite of its state of the art technology, you do not need a master degree to use NetOp. Easy to install, easy to configure and very easy to use. Establish remote control sessions, chat sessions, file transfer sessions, all done simultaneously and cross platform. With NetOp you are an expert right away.

Today NetOp is used at sites running between 2 and more than 50.000

PCs - of course NetOp will meet your requirements too.

Enter HotBYTES No. 449 at <http://www.byte.com/hotbytes/>

Danware Data A/S:

Fax: +45 44 53 15 51
E-mail: danware@danware.dk
Home page: <http://www.danware.com>



Request free evaluation copy
from www.danware.com

FREE

The IT Group

Who we are.

Visionaries.


Agents of change.

Engineers.

Teachers.

Troubleshooters.

We do everything,
to accomplish one thing:
we keep our end users working.
From tight-knit workgroups
to global networks,
from novice clerks
to expert power users,
we are the ones
who keep things going,
so we are the ones
who have to get it right.



What we want.

Platform consistency.
Industry-leading components.
Expert support.

We need suppliers who can help us build the most stable of networks. Who are able to put together any kind of hardware or software we ask for. Who, as a matter of course, provide experienced support people at



any hour, day or night, and easy access to their top system engineers. We don't need vendors who try to push through off-the-shelf solutions – what we want, and what we need, are vendors who can do things *our way*.

Isn't it great when you can meet your wants and needs at the same time?

E-4200 High-Performance Network-Ready Desktop

- Intel Pentium® II Processor
Prices Starting at \$2499

NS-9000 Enterprise Class Server

- Up to Six Intel Pentium Pro Processors
Prices Starting at \$11,599

Solo® 2300 Value Class Notebook

- Intel Pentium Processor with MMX™ Technology
Prices Starting at \$1999

E-5000 Technical Workstation

- Up to Two Intel Pentium II Processors
Prices Starting at \$3599

At Gateway Major Accounts, we listen. We learn. Our whole business is built on giving our clients unique, customized solutions. In short, we do things your way. Please get in touch, and we'll be glad to show you what that means.



"YOU'VE GOT A FRIEND IN THE BUSINESS"®

CALL 1-888-217-4941 www.gateway.com

Gateway 2000 Major Accounts, Inc.



©1998 Gateway 2000, Inc. All rights reserved. The Intel Inside Logo, Intel and Pentium are registered trademarks of Intel Corporation. All other brands and product names are trademarks or registered trademarks of their respective companies. Many Gateway products are custom engineered to Gateway specifications, which may vary from the retail versions of the software and/or hardware in functionality, performance, or compatibility. All prices and configurations are subject to change without notice or obligation. Prices do not include shipping and handling or any applicable taxes. Gateway 2000 Major Accounts, Inc. is a wholly owned subsidiary of Gateway 2000, Inc. Call us for a free copy of our limited warranty. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

NT-based Virtual Operator, from Registry Magic (561-367-0408 or <http://www.registrymagic.com>); and Voice Control Systems' Ready Receptionist (972-726-1200 or <http://www.voicecontrol.com>), which is available in versions for businesses from small ones with no PBX to large ones with PBXes. And PP-COM (+49 2404 901-0 or <http://www.ppc.com>), winner of a BYTE Best of Show/CeBIT award for its unified messaging software, has added a voice-friendly front end to its MRS.

A big justification for programs such as these is their ability to improve the cost-effectiveness of your current phone sys-

tem. "There are people who will use these speech-recognition phone systems that wouldn't otherwise use a system requiring them to spell a name," says Jim Norman, speech-recognition analyst at Wohl Associates. "The greater the number of callers, who may be customers, the greater the return on investment."

Brad Prizer, director of marketing at Voice Control Systems, agrees. He says that a recent survey indicates that just over half of the respondents said automated voice-mail attendants are easy to use (for more information, see the figure on page 34). "We weren't expecting that almost half of those surveyed would find

it difficult to use auto-attendants," Prizer says. Mobile users are also using the technology to remotely access phone registries, report generators, and third-party phone systems.

Given the newfound flexibility this technology offers, why hasn't its adoption been more widespread? "The opportunities are tremendous," says Norman. "However, the target market is not necessarily endowed with all the resources to take advantage of them. With all the companies developing in this segment, the one who helps the user best understand and reach this potential will win the day."
—Dan Coyle

Book Reviews

The Black Art of Data Broadcasting

The excitement of static Web pages has worn off. Now it's time to face more difficult challenges, such as seamlessly extracting live data from corporate databases and automating the delivery of Web content.

Datacasting: How to Stream Databases Over the Internet discusses Web-based access to a wide range of database technologies, from displaying flat files to tapping desktop databases, from exporting data with Java applications to porting legacy COBOL to the Web. The book is chock full of juicy technical information.

Datacasting canvases the tools and strategies recently adopted by the major database vendors to support Internet connectivity. For example, IBM Connectors is a set of gateways for deploying enterprise applications and data over the Internet. IMS Web Studio lets browsers download a set of Message Format Services (MFS) source files, generates C++ and HTML files for transactions, and compiles the C++ code as an executable CGI-BIN program. Sample code shows how to convert a legacy payroll system to a Web-based application. Other connectivity solutions cover Sybase's web.sql, Informix-Universal Web Connect, Oracle Designer/2000, and Progress Software's WebSpeed for securing Internet transactions.

Refreshingly, shareware solutions are not left out. MiniSQL, developed by David J. Hughes, supports a subset of SQL, a database engine, and a C programming API. A second shareware component, basically a CGI scripting mechanism, provides the interface between MiniSQL and the Web. WDB, a shareware application written to archive and access observations made with the Hubble space telescope, installs as a CGI script and generates a standard HTML form for accepting database queries.

Three chapters are devoted to database access with Java. Java's portability, security, and object-oriented architecture make it ideal for Web-based development, but these same features cause problems for database access. For instance, security restrictions prevent Java applets from connecting to a server other than the one that downloaded the applet. Databases generally reside on dedicated servers. A three-tier approach employs middleware such as Jet-

Express or OpenLink to accept the Java query on the Web server and pass it to the database server. *Datacasting* also grapples with client-side implementation issues when deploying proprietary interfaces, ODBC, or JavaSoft's Java Database Connectivity (JDBC) drivers. Other chapters cover specific database optimizations for Web applications, natural-language interfaces, Directory Services, and in-depth case studies.

Delivering Push explores technologies for dynamically sending up-to-date content to Web-enabled desktops (it's not really push; it's automated pull). The first four chapters present an overview of push technology and the push market. The rest of the book covers the major push architectures, including Netscape's Netcaster, Microsoft's Active Channels, the PointCast Network, and Marimba's Castanet.

An inordinate amount of space is devoted to the end-user software (how to subscribe to channels, schedule downloads, work off-line, and so on). But the end-user component in a push architecture is typically easy to use. Because you would normally deploy only one vendor's offering on your desktop, you would be better off with a book (or on-line manual) detailing the features of your chosen interface.


The chapters in *Delivering Push* on developing channels are more compelling than the ones on the end-user component, especially if you intend to broadcast content from your own Web site. Here, you get key information on the

development of channels for each major push architecture (you'll need to consider all the major protocols to support your potential clients). These development chapters give you a good idea of the tools and the coding required to build and broadcast your own content channels.

Stanford Diehl is a frequent contributor to BYTE.

Datacasting: How to Stream Databases Over the Internet
by Jessica Keyes, McGraw-Hill,
ISBN 0-07-034678-X, \$39.95

Delivering Push
by Ethan Cerami, McGraw-Hill,
ISBN 0-07-913693-1,
\$49.95



www.sgi.com/go/workstations

The Performance to realize your Dreams.

FROM YOUR IMAGINATION TO REALITY.

Create the most compelling 3D animation content in the shortest possible time. Work with freedom from rebooting after every animation. No swapping 3D cards to try another effect. No creative compromise or missed deadlines. Satisfy yourself and your clients and increase your opportunities for repeat business.

Silicon Graphics® O2™ and OCTANE™ workstations give you the power to try as many versions of an animation as you can imagine. Combined with the massive rendering performance of our Origin2000™ servers, you have the ideal tools to visualize your most vivid 3D dreams. The processing and applications performance of Silicon Graphics helps you meet those crazy deadlines with better results. And when your work is a product of your imagination, only Silicon Graphics can help you visualize that kind of success.



Desktop Performers.

The O2 and OCTANE workstation solutions starting at \$5902*.

at the core of

entertainment



SiliconGraphics

© 1998 Silicon Graphics, Inc. All rights reserved. Silicon Graphics is a registered trademark, and O2, OCTANE, Origin2000 and the Silicon Graphics logo are trademarks, of Silicon Graphics, Inc. Turtle images courtesy of Microsoft/Softimage. Cowboy image courtesy of Alias|Wavefront.

* Price quoted is valid for U.S. only.

Blasts from the Past

5 Years ago in BYTE

Five years ago, Microsoft was marketing or planning numerous versions of Windows. In addition to Win 3.1 and Win



for Workgroups, Microsoft had Win NT plus a new "32-bit" successor to Win 3.x, code-named Chicago. Modular Windows, for interactive TV and other devices, is defunct. WinPad, a version for hand-held PCs and PDAs, never happened: Microsoft went back to the drawing board and now we have Win CE.

10 Years ago in BYTE

Our product focus looked at modems that "take transmission rates to a blazing 9600 bps and beyond." Also in the news: America's PC industry was starved for memory chips, thanks to a U.S. trade policy that was supposed to stop the "dumping" of low-cost chips in the U.S. However, that policy backfired and instead actually caused the shortage.

15 Years ago in BYTE

An article by Tim Paterson of Seattle Computer Products discussed the pluses and minuses of an OS originally called QDOS (Quick and Dirty Operating System) in August 1980. Microsoft eventually bought all rights to the OS, which became MS-DOS and had reached version 2.0 status at the time of the article.

20 Years ago in BYTE

Shugart's new fixed disk drive cost \$2550 (quantity one) for a 14.5-MB version, \$2500 for 29 MB.

Software Security Guard

Edward Amoroso, author and chief technical officer of the Information Security Center at AT&T Labs, discusses cracker detection.



BYTE: Does anyone really know how much network hacking is going on?

Amoroso: Honestly, it's very difficult to say for sure. We can only know for certain those things that we detect, and we certainly cannot detect everything. Whether we see most, some, or only a tiny bit of the real hacking going on is undetermined. However, statistics from organizations such as Computer Emergency Response Team (CERT), National Fraud Center, and the FBI suggest a huge increase in real security breaches.

BYTE: Do you need a security expert on your staff to catch a hacker?

Amoroso: I can see how it might seem that way. Most of the incidents to date that have been reported in the literature and in books have involved experts using their own tools while an incident is occurring. Luckily, automated tools are available that make this sort of thing more feasible for mere mortals like the rest of us.

BYTE: What kind of hacker-detection tools are being developed?

Amoroso: Intrusion detection is the term most often used to describe them. Companies such as Network Flight Recorder, Internet Security Systems, ODS Systems, and the WheelGroup make intrusion-detection products that you can purchase for prices that range from \$40,000 to \$50,000 down to free.

Early adopters of this technology are finding it useful in their network security architectures, but it remains to be seen if these tools will ever reach mass markets. The recent purchase of the WheelGroup by Cisco signals that the big boys are paying attention to this technology.

BYTE: How do these tools work?

Amoroso: Most of them encode some sort of internal representation of known attacks and search for these representations by either watching live network traffic or parsing through audit-trail data. Some tools include "dirty-word" checkers that will search for suspicious strings such as '/etc/shadow' in a Unix networking environment. In addition, intrusion detection relies on profiles of what is considered normal, so that observed behavior can be compared with expected behavior. Alarms are generated when there is a significant difference.

BYTE: Some intrusion-detection systems are free but a little limited. But, the alternative seems to be the \$20,000 mondo software product. Is there anything in between? Will there be in the future?

Amoroso: Freeware will always have its place in the network security administrator's toolbox. But as network security becomes more mainstream and important, organizations will demand products that are supported commercially. We now have with intrusion detection what happened in the early days of firewalls—price chaos. But firewalls have settled into a more reasonable pricing strategy, and so will intrusion-detection systems.

Edward Amoroso's new book, *Intrusion Detection: An Introduction to Internet Surveillance, Processing, Traps, Trace Back, and Response*, will be available later this year from Intrusion.Net books (located at <http://intrusion.net>).



The people matter.
The work matters.
The tools matter.

} Introducing e-business tools.



- The new IBM PC 300PL.** Built-in Alert on LAN
- Up to 400MHz¹ Intel Pentium®II processor
 - Intel 440BX core chip set ▪ 3D AGP graphics
 - Integrated Intel 10/100 ethernet with Wake on LAN
 - Up to 6.4GB³ SMART hard drives
 - Starting at £889⁴.

When you
 people better to
 telling them
 of company they



- The new Netfinity 3000 Server.** Lotus Domino
 Intranet Starter Pack ▪ 90 day start-up support ▪ 3 year
 on-site warranty ▪ Up to 350MHz¹ Intel Pentium®II processor
 ▪ Level 2 cache: 512KB ▪ Up to 384MB SDRAM ECC memory
 ▪ 100MHz¹ Bus speed ▪ Starting at £1,250⁴.

These e-business tools don't just help you do better e-business, they help you do better business, full stop. Today, your employees need access to your company's resources all of the time. So we produced the **ThinkPad 600**: the thinnest ThinkPad ever to have full docking capabilities. At their desks too, people need to get connected and stay connected. The **PC 300PL** makes it easy to do both. It's network ready. And its industry-leading Alert on LAN can notify an IT manager of potential problems even when it's turned off. Peace of mind also comes as standard with a **Netfinity 3000** server. Affordable, easy to set up and incredibly reliable, it's designed and tested to run important network operating systems such as Windows NT. Best of all, plug it in now and later today you could be doing better business. You could be doing e-business.





u give
s, you are
what kind
work for.

The new ThinkPad 600. ■ Up to 266MHz¹ Intel Mobile Pentium® II processor ■ 3.65cm. high x 30cm. wide x 24cm. deep ■ 2.23kg² ■ High resolution, full colour up to 13.3in. screen ■ Up to 4GB³ hard drive ■ 32MB fast SDRAM ■ CD ROM and integrated 56KB modem on all 13in. models
■ Launches April 28th.



} Find e-business tools that matter at www.ibm.com/pc/europe

IBM SystemXtra lets you acquire the hardware you want and then tailor services, software and financing to fit your needs. IBM Business Partners can also customise packages that work for you. To discuss SystemXtra, find your nearest IBM Business Partner or discover more about IBM e-business tools, please call:

0870 601 0137 (Brian Legg, UK)

0801 800 801 (France)

0180 232 43 53 (Germany)



ScrollPoint mouse.



WorkPad.



Flat Panel Monitor.



Netfinity 5500 Server.




IntelliStation M Pro.

The new IntelliStation M Pro. Power and connectivity. Stunning graphics performance. Continually optimises key Windows NT applications.
The new Netfinity 5500 Server. An e-business engine. Reliable, easy to maintain, serviceable via the Web and rackable, it runs Windows NT and others.

Flat Panel Monitor. Do e-business more comfortably. IBM Flat Panel Monitors offer flicker-free, clear, brilliant images in a sleek, small footprint.

IBM WorkPad. Small enough to fit in your pocket, big enough to hold contacts, to-do lists and handle e-mail. The ideal PC companion.

ScrollPoint mouse. See that built-in TrackPoint? The ScrollPoint mouse lets you cruise through big spreadsheets and web sites without making constant trips to the navigation bar.

 e-business tools

BYTE EXTRA

INTERNATIONAL

Secure Electronic Transactions

Banks in France and Belgium have developed an extension of SET that integrates better with smartcards. [Page 40IS 3](#)

Smarter Switching

PBXes are merging with communications servers, and gradually with IP telephony. [Page 40IS 4](#)

Web Translation

Making the Internet more accessible to people who do not read English. [Page 40IS 5](#)

Flat-Panel Displays

LCDs get larger, thinner, cheaper. [Page 40IS 11](#)

Content-Sensitive Firewall

Secure4U filters hostile Internet code at the proxy/firewall level. [Page 40IS 16](#)

Control 2 to 3,048 CPU's from one keyboard & monitor!

Any business with more than two cpu's
(small offices, data centres, server farms)
can retain perfect control while saving:

MONEY SPACE ENERGY

Guaranteed
Return On
Investment
Within
Weeks



Cybex Switch Products
Also Incorporate:

Multi-Platform, Multi-User
& Multi Media Capabilities.

For more information on the benefits of Cybex products, or details
of our nearest office, contact our European Headquarters on:

Tel: +353 61 471 877



CYBEX

Cybex Europe Limited, Cybex House,
Shannon Free Zone, Shannon, Co. Clare, Ireland.

Fax: +353 61 471 871 Email: info@cybex.ie <http://www.cybex.ie>

Cybex is a registered trademark of Cybex Computer Products Corporation
Enter HotBYTEs No. 450 at <http://www.byte.com/hotbytes/>



I.S. EN ISO 9002

Chip-Secured Electronic Transactions

Banks in France and Belgium have developed an extension of Secure Electronic Transaction that better integrates with smartcards.

In many Western European countries, electronic payment over the Internet is turning PCs and phones into ATMs. For example, since January, ISP EUNET in Belgium and Unisource are providing holders of the bankcard Proton with smartcard-enabled secure payment transactions. This was closely followed by the French e-COMM project, which began in March. Microsoft Network and France Telecom's Wanadoo are the first ISPs to offer e-COMM-secured electronic-payment transactions.

Telecash in Germany supports GeldKarte for Internet transactions. The Chipper card in the Netherlands is expected to enable an Internet payment solution this summer. Mondex in the U.K. is still running trials but is expected to roll out national services later in the year.

Instead of going to the local ATM, these schemes allow subscribers to use their PCs equipped with a smartcard reader to load cash cards over the network of choice, either Internet or Public Switched Telephone Network (PSTN). They can use the same smartcards issued by their banks for

shopping on the Web or home banking.

The transaction protocol for these electronic purses is in most cases Secure Electronic Transaction (SET), which is defined by Visa and MasterCard, and backed by companies such as GTE, IBM, Microsoft, and Netscape. Financial institutions in France and Belgium, however, promote a more secure extension of SET called Chip-secured SET (C-SET), which directly integrates with a smartcard to increase security.

One of the reasons for the development of disparate solutions in France and Belgium is that SET 2.0, which will support smartcards, is not available yet and probably won't be installed for the next two or three years.

The C-SET architecture was defined by the banking association Groupement des Cartes Bancaires. It's suited for small payments but not yet for micropayments. Currently, only Banksys's Proton cards, Europay's CyberCard, and the Cartes Bancaires cards are C-SET-compliant. However, several information services in France and Belgium have announced support for the C-SET scheme.

C-SET's key benefit is that it integrates with existing French bankcards. It also offers on-line merchants an alternative to the international certification providers associated with EMV (Europay, MasterCard, and Visa) cards. National certification with a local bank, for example, often involves lower handling fees.

In France, the debate over protocols is becoming even more complicated, because SET and C-SET are not mutually exclusive. A translation gateway can automatically generate the appropriate SET certificate.

Additionally, although SET was designed as a software-only solution, the French e-COMM project runs a hybrid solution of SET plus a smartcard. The primary difference between the e-COMM solution and the solution enabled using C-SET is customer-side security (see the table below).

These two approaches to secure electronic transactions may, however, move closer together, with e-COMM increasing the security in its reader, and C-SET lightening security in other parts of the security chain.

-Valerie Thompson


Security Standards in Flux

Product	Concept	Transaction	Certification	Where's the money?	Security	Used in
SET	Pure software wallet	Requires clearinghouse authorization plus clearinghouse/credit-card issuer.	Both customer and merchant require certification from credit-card issuers.	Monetary value stored in software virtual wallet (refill by transferring money from credit-card account).	Sensitive data is linked to virtual wallet on the home PC.	Global
SET plus smartcard	Smartcard and software	Like SET, but smartcard adds more security.	Both customer and merchant require certification from credit-card issuers.	Limited monetary value stored on smartcard. Larger payments as in SET.	Sensitive data stored on smartcard but requires the PC to handle payment amounts.	France
C-SET	Smartcard and software	Smartcard enables authorization at point of sale.	Single merchant certificate enables transactions with customers regardless of the card-issuing organization. (Translation of SET certificates possible.)	Limited monetary value stored on smartcard. Card can be reloaded via Internet or ATM.	Executes sensitive processes in the card reader. Reader handles payment amounts instead of PC.	Belgium, France

Smarter Switching

Next-generation PBXes will be the corporate control station for voice and data communications. At least, that's how the computer telephony (CT) industry sees it. "Open systems determine the nature of next-generation telephone switching equipment," says Tony Duerinck, marketing development manager for Dialogic Telecom Europe. "Telephony will be fully integrated with unified messaging, fax, videoconferencing, IP telephony, and local-area networking."

Companies such as Harris, SDX, and Siemens have started promoting the combination of a robust switching fabric with smart third-party CT plug-in boards. But increasingly, IP telephony is becoming part of the corporate communications equation. Bosch Telecom offers an integrated Internet/intranet gateway. This voice hub supports IP telephony and enables PBX-type least-cost routing. In the future, there will be similar hubs that are interconnected via an intranet, thereby enabling companies to build up a distributed best-route switching system



for all their communications traffic.

SDX has put NT into its Index PBX and is working on a solution that routes data (IP and IPX) from an Ethernet LAN in the same way as voice calls. Voice-type features such as optimized alternate routing function can now be used for data communication (see the figure above).

This platform also supports Digital European Cordless Telecommunications (DECT), which lets users make and receive calls on their regular number while they move around their offices. DECT radio technology replaces conventional wiring and can therefore be installed in any office infrastructure. **-Bob Emmerson**

My Computer Knows When I'm Here

The real problem with making security work is that it calls for a serious level of personal discipline. You must remember to do it.

A new Israeli company, First Access, has developed a smartcard-based contactless security system that promises to simplify security implementation in many situations. The heart of the system is an arch-shaped hardware sensor near each secured workstation that detects the user's First Access card (which might also double as an ID badge) from several meters

away and automatically logs the user into the workstation.

If the user leaves the workstation, the sensor determines that the card is no longer present and immediately and automatically logs the user out. The key is that all that matters is the user's presence; he or she doesn't have to remember to take any specific action.

This system has the power and scalability to secure an entire enterprise. A central component is First Access Server, which supports encryption protocols and maintains a SQL database for authentication information about cards, workstations, and users. An administration tool, First Access Manager, makes it easy to monitor and manage security through remote access.

First Access Server is available for Windows NT, 3.5x, 4.0, and 5.0 Server, with Unix, NetWare, and Java versions in the works. Workstation clients also work with Windows 95/98 and NT Workstation.

The system works with multiple users and computers, where more than one card and detector are present. It operates



A contactless reader will simplify security implementation.

in densely populated environments, in large open working areas, or in small offices. OEMs and resellers can integrate First Access authentication directly into their products and applications using Microsoft's Smart Card Software Development Kit (SDK).

The system is based on patent-pending technology combining encryption, Rivest-Shamir-Adleman (RSA) and Triple-DES; certificate generation; and authentication codes that change automatically every 5 seconds. Because they are smartcards, they can store more than authentication data for specific applications.

-Russell Kay

WHERE TO FIND

First Access, Ltd.
Haifa, Israel
+972 4 840 3322
fax: +972 4 849 3399
<http://www.access-1.com/>

Real-Time Web Language Translators

On-line help is getting good enough to provide the gist of a page or e-mail message.

By Tania Hershman

Around 40 percent of Internet users do not speak English, according to Euro-Marketing Associates (<http://www.euromktg.com/globalstats/>), and this figure is rising. However, 80 percent of Web sites are still in English, which presents an excellent opportunity to road-test a technology that has been challenging scientists for almost 50 years: machine translation (MT). The first Web translation tools are just hitting the marketplace.

MT, which became a serious research field in the early 1950s, matured in the 1980s with advances in hardware together with new linguistic approaches to language analysis. However, shunned by professional translators, the technology had not found a market niche, until now.

"The Web has created an environment where these kinds of solutions have finally found the right problem," says Philip Resnik, assistant professor at the University of Maryland's Computational Linguistics and Information Processing Laboratory (<http://www.umiacs.umd.edu/labs/CLIP/mt.html>).

The *wrong* problem was an attempt at human-quality machine translation. MT simply has not reached those heights. What today's technology can do very well is provide the gist of a text. For the multilingual surfing community, this might just be enough.

Web users got their first taste of this type of translation last December when MT pioneer Systran teamed up with AltaVista, the Web search engine company, to offer a free Web page and text translation service from English to French, German, Italian, Spanish, Portuguese, and back again. "We and AltaVista both wanted to test the acceptance of MT by the millions of Internet

users," says Christian Raby of Systran, developer of the oldest translation software, which has been used since the early 1980s to produce automatic translations for, among others, the European Commission. The response to its Web service has been "overwhelming and tremendous," he says.

AltaVista is offering users a translation from and to English


of any search results and any URL or text cut-and-pasted in. All AltaVista had to do with Systran's MT servers was put a CGI wrapper around them, says AltaVista chief technology officer Louis Monier. AltaVista uses a 10-processor Alpha server to cope with enquiries. Rather than cautioning users to avoid complicated phrases, the site encourages them to try idioms and slang "for a few laughs."

It does a pretty good job, returning a readable English translation of a German newspaper article in about a minute. "Ninety-nine percent of the users of the service are very enthusiastic," according to Monier. "The professional translators are not amused, though they should not worry: This technology is just so you can understand the page. Professional quality is a long way off."

Also dipping its toes in the on-line translation waters is

Globalink, whose Comprendre service for e-mail translation has been available free during its beta-testing period. Comprendre will be extended to translation of Web page documents, chat rooms, and newsgroups, the company says.


From the Comprendre home page (<http://www.comprendre-globalink.com>), you can send e-mail that gets translated from English to French, German, Italian, Portuguese, and Spanish and vice versa. But unlike the case with Systran, users are instructed



to keep language simple and avoid colloquialisms. The e-mail translation is sent within 5 minutes, and the quality is fair. Translations from English to a second language and back again are a good test of this technology, and Comprendre's results were no worse than any of the other Web translation engines.

The most ambitious Web translation project is to be launched this summer by language specialists Lernout & Hauspie. Code-named Coronado, this will be an on-line search and translation service initially in English, German, Spanish, and French, with plans to add Chinese, Dutch, Italian, Japanese, and Portuguese.

With Coronado (see the figure at right), the user will be able to search in any of the supported languages, and search results will be automatically translated into the user's language. You will be able to submit text, even whole documents, for summarization or full translation, with the option of additional human translation. Coronado is divided between client and server: The Web page handles user registration, the download of the client application, and on-line help. The server contains the MT engines, a job queue manager, and communications infrastructure to ensure that the translation is returned to the user. The T1 translation technology was developed by Lernout & Hauspie's GMS division. The system "uses natural language processing and 'subject domains' to reflect a more accurate translation," according to L&H product manager Greg Stone. (The service was unavailable for testing at the time of writing.)



The server contains the MT engines, management software, billing systems, and a connection to human translators.

If a document is marked for human translation, it is automatically routed to an L&H subsidiary, Mendez Language and Technology, which is one of the largest such outfits in the world. Mendez then

passes it to the appropriate translator. "Documents can be submitted 24 hours a day," says Stone. "Due to the multiple locations around the world, there will almost always be someone doing transla-

One Word at a Time

People who browse the Internet don't need full text translation. They have some knowledge of English. They need a little helper like this," declares Shuki Preminger, CEO of Babylon Ltd. (Or Yehuda, Israel; <http://www.babylon.co.il>). His company produces a unidirectional point-and-click translation tool. It reads any English word in any Windows application by means of optical character recognition, then instantly pops up a box with the translation.

Babylon is currently available for downloading free from the company's Web site, in Hebrew, Spanish, German, French, and Japanese versions. It is specifically aimed at those who get stuck on the more difficult words, and its custom-made dictionaries are tailored to this market. Words such as "unfettered," "appellate," "attenuate," and "arbitration" did not stymie Babylon.

The software also scans a few words around the target word to improve accuracy and is capable of translating well-known phrases, such as "UN Secretary-General." Babylon is quick, and due to its basis in optical character recognition, it can generally translate words inside

graphics or on buttons. "Speed is the key," stresses Preminger.

WordPoint, from Accent Software (Jerusalem, Israel; <http://www.accentsoft.com>), is more of a point-and-hover translation tool: Place the mouse on a word and the translation appears. WordPoint does not rely on OCR but uses a patent-pending method to "trap the calls to the operating system and determine the actual text that was written, regardless of font, size, or style," says Accent CEO Robert Rosenschein. In this way, where Babylon may occasionally misread a word, this will never happen with WordPoint. However, WordPoint's current dictionary is more limited, failing to return a translation of "unfettered" and "appellate," for example.

The current version of WordPoint cannot translate within graphics or buttons, and it deals with single words only, with no phrase recognition. WordPoint is bidirectional, though, currently offering translations from English to French, German, Italian, Dutch, and Spanish and back again. And Accent recently added a text-to-speech capability so users can hear how the translated word sounds. While Accent is marketing WordPoint as a stand-alone product, it is primarily selling the program to application developers who want to integrate translation capabilities into their software.

When it comes to processor choices, which comes first, performance or price?




Let's be honest,
you're faced

with a dilemma. You need a high-performance processor compatible with Market leader's technology.

It's what your customers expect in today's system designs. Problem is, you need this kind of performance at a competitive price, and if you go with the market leader, there go your margins. On the other hand, sourcing from anyone else means your peace of mind might just go, too.

Well, there is a better way. You could talk to IBM. That's right, IBM, because we've manufactured a microprocessor using an architecture that makes us more than competitive with everything else on performance and price. It's our brand-new 6x86MX™ processor, and it comes in three flavors: the PR166, PR200 and PR233.



All improve on the competition's performance (check out the Winstone 97 Benchmark chart), and they do it for a great price.

Which should make them everything you are looking for.

IBM's quality process technology combined with an efficient super-scalar architecture allows the 6x86MX PR233 processor to run cooler than the Market leader's processor (19 watts maximum power consumption versus 34 watts!). And because it's socket 7 compatible, you can keep costs down by continuing to use existing chip sets and motherboards in present and future designs. It all adds up to maximum performance with minimum expenditure. And isn't that what your business is all about? To find out more

about our 6x86MX processor, visit www.chips.ibm.com/x86 and discover the kind of competitive advantage it can give you. Alternatively call **+41 (22) 840 47 47** for the nearest systems supplier offering PCs with the unbeatable IBM 6x86MX processor. Without question, the IBM 6x86MX processor will become your first and only choice for affordable system performance.



Solutions for a small planet

tion work somewhere around the globe."


When Coronado is launched, it will have no direct competition, but that will be only temporary. Globalink says it is planning Human Touch, a similar service that will provide on-line access to human translation via the company's in-house translation division. AltaVista is not currently planning to add the human dimension, says Monier, but is intending to enlarge the range of languages on offer.

Translators in a Box

There are now slews of off-the-shelf packages for full document translation, which also have Web page and e-mail translation capabilities. Systran Professional, from Systran, Power Translator, from Globalink, Universal Translator, from LanguageForce, and Transcend, from Transparent Language Corporation, are the main contenders.

Systran Professional employs the same technology used in the vendor's collaboration with AltaVista. The translation quality is the same, although, unsurprisingly, the software is slower when running on a 133-MHz PC.

LanguageForce's Universal Translator offers 25 languages in one box, but the speed and accuracy were far from stellar when I worked with the program. The



Direct translation doesn't analyze context. Indirect translation incorporates an intermediate step to do more analysis.

software could not translate many of the words in my test document (the German newspaper article), and the result was not very clear. However, in terms of the quan-

tity of languages available, this package beats the competition hands down.

Transparent Corporation's Transcend document-translation package contains a

How Does MT Work?

Machine translation techniques have undergone substantial evolution over the past half century. The first methods were based on a direct, word-by-word approach whereby text in one language was transferred into another. Results were pretty poor, since context was not taken into account.

Today's technology works on complete sentences. "Modern linguistic thinking is that all languages appear to have a common blueprint which uses the phrase as its building block," says Dr. Ulrike Schwall of Lernout & Hauspie's GMS. "In any language, words are grouped into phrases and these phrases are grouped into larger phrases and sentences on the basis of phrase structure rules." Current MT approaches use these rules to translate sentences in a more indirect three-step approach.

There are two variants of this indirect method: transfer systems and interlingua systems. "A transfer system looks like this: analyze source language; convert source language structure into target language structure; generate target language," explains Robert Frederking of Carnegie Mellon University.

The analysis of the source language identifies the nouns and verbs in a sentence and their connections according to the syntactic rules of that language, and then converts this structure according to the syntactic rules of the target language. Systran, for example, uses the transfer method.

The interlingua system employs the same kind of analysis but then

inserts a language-independent step: The source text is first converted into a language-independent intermediate representation and then transformed into the target language. "In an interlingua system," says Frederking, "the analyzer and generator are bigger, but there is no middle step that depends on the two specific languages. So if you are doing many different languages, you save effort."

In the past few years, two new nonlinguistic approaches have been developed. Example-based MT compares the source text with a body of previously translated typical examples and uses the closest match as a model for the target text. This is thought by some to be close to the way that humans translate. Statistics-based MT uses probabilities "learned" from analysis of large amounts of translated text. Both of these approaches have the advantage of not requiring special dictionaries, but the quality of their translations has not reached that of older methods.

Also researching ways to improve translation processes is Xerox, whose Multilingual Theory and Technology research group (Grenoble, France; <http://www.xrce.xerox.com/research/mltt/home.html>) is working on novel analysis techniques for developing descriptions of languages and the relationships between them. One of the tools developed by the research group is Language Guesser, which attempts to divine, from a sentence of at least five words, the language of the text. Another area of research at Xerox involves multilingual text mining for extracting structure from text and for cross-language information retrieval. Xerox researchers are also working on multilingual natural language representations. (For more about what's going on in the company's R&D labs, see "Xerox Looks at Context," page 40IS 10.)

Internet Translation Products and Services

Company	Product	Price	For use with	Bidirectional	Languages	Word	Phrases	Full Text
Accent	WordPoint	\$29.95	Windows 95	✓	Fr, Ger, Sp, It, Dut	✓		
Babylon	Babylon	Free	Windows 3.1, 95, NT		Heb, Sp, Ger (Soon Japanese)	✓	✓	
Globalink	Comprende	Free during beta test	E-mail	✓	Fr, Ger, It, Sp, Port (Soon Chi, Japan, Russ)	✓	✓	✓
Globalink	Power Translator	Contact company	Windows 3.1, 95, NT	✓	Eng, Fr, Ger, Sp (Soon Chi, Japan, Russ)	✓	✓	✓
LanguageForce	Universal Translator	\$99	Windows 95	✓	Chi, Czech, Dan, Dutch, Esperanto, Fr, Ger, Greek, Hun, It, Indones, Latin, Japan, Korean, Norw, Port, Rom, Russ, Slov, Sp, Swahili, Thai, Turk, Ukr, Viet	✓	✓	✓
Lernout & Hauspie On-line translation Service	Coronado	Contact company	Any text, docs, search results	✓	Eng, Fr, Ger, Sp (Soon Chi, Dut, It, Japan, and Port)	✓	✓	✓
NeocorTech	Tsunami	\$195	Windows 3.1, 95, NT		English to Japanese	✓	✓	✓
NeocorTech	Typhoon	\$890	Windows 95/NT		Japanese to English	✓	✓	✓
Systran/AltaVista	On-line translation service	Free	Any documents, Web pages, e-mail	✓	Eng, Fr, It, Ger, Sp, Port	✓	✓	✓
Transparent Language Corp.	Transcend	Contact company	Windows 3.1, 95, NT	✓ (except It, Port are only one-way, from English)	Fr, Ger, Sp, It, Port	✓	✓	✓

✓ = yes

Web-page translator. It's impressive, returning a fairly good French translation of the CNN home page in 2 minutes. Globalink's Power Translator uses the same "Barcelona" technology employed in Comprende. Its Web Translator feature was a little slower on a 133-MHz Pentium than the competition, taking about 5 minutes, but the program returned an intelligible translation of the test German newspaper article.

None of these tools offers translation between two non-English languages, and none of them can really provide more than a "gist translation." So what exactly have MT researchers been doing for 50 years? "One challenge for machine translation," explains Alan K. Melby, director of the Translation Research Group at Brigham Young University (<http://www.ttt.org>), "is that we do not know how humans translate."

Somehow our brains deal with the ambiguity inherent in language, instinctively differentiating between words such as "flies," which could refer to the winged insects or to part of the verb "to fly." How do you teach this to a machine? "The engineering effort in representing all

that knowledge in the computer is awesome," says Robert Frederking from the Language Technologies Institute at Carnegie Mellon University's Department of Computer Science (<http://www.lti.cs.cmu.edu>).

The computer requires precise rules for analyzing the input in one language and transforming it into intelligible text in another, and each language works according to a different set of laws. "Each and every language is difficult and carries its own complexities," says Christian Raby of Systran.

When it comes to document translation, context is everything. "Any computer system or indeed any human attempting word-for-word translation is doomed to failure and ridicule. The results will often be gibberish," says Dr. Ulrike Schwall of GMS, the division of L&H that provided the MT technology behind Coronado. In an ideal world, the machine would take the entire document into context, but given the power and speed of current computers, this is not an option. So, apart from those packages that specialize in word-by-word translation (see "One Word at a Time," page 40IS 6),

today's commercial software works on a sentence-by-sentence basis.

"The fundamental issue is how many words need to be parsed to correctly analyze the grammatical structure of each sentence," explains James Coyer, the president of NeocorTech, developer of Tsunami and Typhoon, the first Japanese language translation packages. NeocorTech is focusing on Asian languages, which present their own unique challenges: for example, no definite word boundaries, and, in Japanese, the subject of a sentence is often omitted.

Each vendor develops its own MT dictionaries to cope with this formidable task. "Machine translation dictionaries require a great deal of linguistic information not typically found in conventional dictionaries," explains Dr. Schwall of GMS. Conventional dictionaries are just word-to-word translators. MT dictionaries include "word stems, prefixes, suffixes, and other word components, so that the parser and generator actually create words on-the-fly from word components as they are encountered, reducing precious search time," Coyer explains.

Software tools such as NeocorTech's

Xerox Looks at Context

One of the means of improving machine translation is to sharpen the linguistic analysis of the text. This type of analysis enables correct translation of words according to their context. In its research laboratory in Grenoble, France, Xerox is working on such tools, based on Finite State Technology (FST).

FST is a novel approach to the cataloging of large amounts of information in a compressed and easily retrievable form. This is especially applicable to the enormous lexicons necessary for translation. "In Finite State, you don't have to list each and every word, which saves time and makes for compact lexicons. We can read up to 10,000 words per second," says Xerox researcher Jean-Pierre Chanod.

The first piece of software in Xerox's linguistic analysis suite performs tokenizing, where the document is broken down into sentences and individual words. Next, morphological analysis identifies all possible root forms of a word and spots the relation between the words "bought" and "buy," for instance. By analyzing the sentence, the word in question is then tagged as a noun, adjective, or verb; this approach can differentiate, for example, between the uses of the word "ground" as different parts of speech. For machine translation, this improves accuracy by removing ambiguity.

Translation Memory is another tool developed by Xerox scientists. It stores previously translated sentences and phrases in memory, thereby assisting with translation consistency as well as speed.

Currently, Xerox's tools cover the following European languages: English, French, German, Italian, Spanish, Portuguese, Norwegian,

Finnish, and Dutch. More recent additions to the list include Turkish, Russian, Polish, Hungarian, Romanian, Czech, and Arabic. "The underlying technology is the same for all languages," explains Chanod. "Same tool, same software. But then for each language, you need to do something specific, like listing words and rules which are particular to each language."

The group has already implemented these technologies in a point-and-click on-line translation aid, called Locolex, which does not simply provide a list of possible words but also examines the context. Another result of Xerox's research is the Language Guesser, which attempts to divine the language of a text. This software currently guesses among 31 languages, ranging from Bulgarian and Croatian to Korean and Swahili.

The researchers are working concurrently on expanding coverage to more Asian languages. They are also working on improving the underlying technology to better discern relations between words, which would help banish ambiguities. The research group has close ties with Xerox's business units, which find applications for the technologies, whether they be in-house or for an OEM. Xerox's tools have already been adopted by America Online and Infoseek, for example, to raise the "intelligence" of Internet search engines.

"Xerox is no longer just a copier company," says Chanod. "Most of the [company's] activity is in the field of documents, and now most documents are digital. This is the main reason why we do linguistics, because analyzing documents is part of our job."

Xerox Research Centre Europe, 6 chemin de Maupertuis, 38240 Meylan, France; +33 (0) 4 76 61 50 50; fax: +33 (0) 4 76 61 50 99; info@xrce.xerox.com; http://www.xrce.xerox.com.

Typhoon and Tsunami, which focus on one language pair (Japanese to English and English to Japanese, respectively), can achieve high translation speeds (300,000 words per hour) and fairly impressive accuracy. But this is nowhere near human-translation quality. "Internet translation is really the savior of this kind of translation," says Andrew Bredenkamp of the Computational Linguistics and Machine Translation Research Group at Essex University (Colchester, Essex, U.K.; [\[.essex.ac.uk\]\(http://clwww.essex.ac.uk\)\). "We are a long way from having fully automated high-quality MT. But the mileage you can get from quick MT is surprisingly high—that is, just to find out what something is about."](http://clwww</p>
</div>
<div data-bbox=)

So, now that MT has found its market, the next major challenge faced by vendors is the image problem: MT has had bad press, and the public is skeptical. "One of our biggest frustrations," says NeocorTech's Coyer, "is that most of the public still regards MT as a joke."

While these first offerings are less than serious translation tools, future incarnations should be more persuasive. "In the next few years there will be an improvement, but definitely not a quantum leap in machine translation quality," says Dr. Schwall of GMS.

"Translation accuracy will increase," says Coyer, and the number of languages will also rise. However, the big question is whether a machine will ever be able to translate as well as humans can. Opinions are divided.

"No," says Christian Raby of Systran. Others take a more optimistic long-term view. "Yes," says Philip Resnik of the University of Maryland. "I am a believer that there is nothing magical about human intelligence and that eventually we will be able to replicate it."

This may not be in our lifetime. "I believe that machines will eventually be able to translate as well as human beings," says Robert Frederking of Carnegie Mellon University, "but only when they achieve true artificial intelligence. That won't happen for a very long time." **B**

Tania Hershman is a frequent contributor to BYTE. You can reach her by e-mail at t_hersh@netvision.net.il.

WHERE TO FIND

Accent Software International
Jerusalem, Israel
+972 2 6793 723
fax: +972 2 6793 731
info@accentsoft.com
<http://www.accentsoft.com>

Babylon
Or Yehuda, Israel
+972 3 538 9400
fax: +972 3 538 9403
info@babylon.co.il
<http://www.babylon.co.il>

Globalink
Fairfax, VA, U.S.
+1 703 273 5600
fax: +1 703 273 3866
jramsay@globalink.com
<http://www.globalink.com>

LanguageForce
Orange, CA, U.S.
+1 714 279 9080
fax: +1 714 279 9368
info@wforce.com
<http://www.wforce.com>

Lernout & Hauspie Speech Products
leper, Belgium
+32 57 228 888
fax: +32 57 208 489
sales@lhs.com
<http://www.lhs.com>

NeocorTech
San Diego, CA, U.S.
+1 619 483 2524
fax: +1 619 483 2586
sales@neocor.com
<http://www.neocor.com>

Systran
Soisy-sous-Montmorency, France
+33 1 39 34 97 97
fax: +33 1 39 89 49 34
info@systranet.com
<http://www.systranet.com>

Transparent Language Corporation
Hollis, NH, U.S.
+1 603 465 2230
fax: +1 603 465 2279
admin@transparent.com
<http://www.transparent.com>

Xerox Research Centre Europe
Grenoble, France
+33 (0) 4 76 61 50 50
fax: +33 (0) 4 76 61 50 99
info@xrce.xerox.com

Flat Panels Take Off

TFT LCD development: larger, thinner, cheaper.

By Nebojsa Novakovic

Until now, flat-panel displays, based on a variety of technologies, were too expensive and too limited in resolution and screen size to seriously compete with CRT monitors. This year promises to change that.

Just two years ago, only top-end notebooks could claim a screen resolution of 800 by 600 pixels. Most offerings were still at the 640- by 480-pixel level. Now, 13.3- and 14.1-inch thin-film transistor (TFT) LCDs with 1024- by 768-pixel resolution are the norm on most high-end notebooks. Even higher resolutions are coming this year, with improved picture quality, thinner glass, and lower power consumption.

Leading LCD makers, such as Samsung, NEC, IBM/Toshiba, LG, Mitsubishi, Fujitsu, and Philips, say that 12.1-inch SVGA-resolution screens (800 by 600) are still the most popular for notebooks. The 13.3-inch XGA (1024 by 768) is also coming on strong. Other screen sizes are expected to catch on this year: 14.1 and 15 inches at the XGA level, as well as 13.6 and 15.1 inches at SXGA (1280 by 1024) resolution.

The slightly different size for SXGA panels is necessary due to their different aspect ratio (5 to 4 instead of 4 to 3). The only problem now is the lack of notebook graphics accelerators able to take advantage of 1280- by 1024-pixel true color resolution. However, Hyun-Seung Ahn, senior manager of the AMLCD division of Samsung Semiconductor, expects that the 15-inch size will remain the limit for notebook screens in the near future, simply because any further size increase will make the screen too large for a notebook.

Samsung, for example, has implemented three manufacturing lines to ensure maximum production of all display sizes: a 370- by 470-millimeter line for 12.1-, 13.3-, and 14.1-inch displays; 550 by 650 mm for 12.1- and 15.1-inch displays; and 600 by 720 mm for 13.3- and 17-inch displays. The 600- by 720-mm

line can produce six 13.3-inch (or 13.6-inch) or four 17-inch displays from one panel. The 370- by 470-mm line can produce only two 13.3-inch displays from one panel. Samsung has also reduced the thickness of its panels to 5.5 mm for 12.1-inch screens and 6 mm for 13.3-inch screens, enabling ultrathin notebooks.


The key improvements in notebook LCDs this year will be lower power consumption, as well as contrast and brightness doubling from the current 100-to-1 ratio and 70 candelas per square meter to 200 to 1 and 150 Cd/m².

The price improvements due to volume production are also expected to make the 13.3-inch display the most popular notebook screen size.

Toward the end of the year, Samsung, Toshiba, and Mitsubishi will embrace a new display technology that is expected to significantly improve LCD brightness and compactness. Toshiba's first 12.1-inch notebook screens that use this low-temperature polysilicon (LTPS) process feature smaller circuits for higher resolution compared to the standard amorphous silicon. LTPS screens achieve improved brightness and compactness by a so-called system-on-glass design, where the display-driving circuitry is placed between glass and plastic.

Basically, the LTPS process eliminates the tape-automated bonding (TAB) connection between the TFT glass and the driver IC. The TAB portion is the most costly part in a TFT module. By eliminating it, the cost drops and reliability improves. Getting rid of the TAB portion also helps reduce display thickness and weight, and increases resolution. Samsung is developing an LTPS-based TFT LCD with the ultrahigh resolution of 430,000 pixels per square inch, enabling 2048- by 1536-pixel resolution on a 14-inch display. Also, most large-size notebook displays this year will be able to display 16.8 million colors.

continued



PI MANUFACTURING CORP.


20732 CURRIER RD. WALNUT, CA 91789

TEL: (909) 598-3718 FAX: (909) 598-1430

E-MAIL: SALES@PIMFG.COM

HOME PAGE: WWW.PIMFG.COM

ENHANCED CATEGORY 5 JACKET INSULATION
350MHz BUCK CABLES
 (SOLID & STRANDED)
 MEDIATWIST:
 UNIVERSAL UTP
 CABLE FOR VIDEO,
 DATA, & VOICE



350 MHz PATCH CABLE
 (Assembly Type RJ-45 with
 Snag Free Boot)



110 TYPE VERTICAL TERMINATION KEYSTONE JACK Meets EIA/TIA TSB-40A standard : UL approved For 110 type IDC termination, 50U" gold plating on jack contacts. UP to 350 MHz

RAINBOW SERIES MULTI COLOR SNAP-IN BEZEL TYPE (FLASH MOUNT SOLUTION) SNAP-IN COUPLER



568B available in Beige & Black only.


COUPLER 568C-568B MODULAR



MULTI-MODE FIBER CABLE 62.5/125UM PATCH CORD Optical cable corporation, AX02-030N-W3SB/1UC-900-R, 62.5/125um ULTRA-FOX, Riser, type OFNR(UL)




PANEL-CL-16 cutout size: 583 x 768 in



ORGANIZING YOUR CABLING IS EASY WHEN YOU HAVE THE RIGHT PATCH PANELS Meets EIA/TIA 568A UTP

Category 5 standards, PCB RJ-45 jack with captive pin, 110 type, AT&T 110 D-4 or equivalent connector, 1.6 mm steel, black polyurethane semigloss, baked finish. Up to 350 MHz.



PI ALSO HAVE:

CISCO ROUTER CABLE, EVC CABLE, ADAPTOR, FIRE-WALL CABLE(IEEE-1394), USB TO CENTRONIC 36 PARALLEL CABLE, DIGITAL CAMERA CABLE



SCSI-3 68 Pin Both end SCSI-3 Thumb Screw to Centronic

USB-0401A USB A type PC board with 2 cable



V35-1 13W3 Female to HD-15 Male
 V35-2 HD-15 Female to 13W3 Male

POWER-Y ADAPTOR FOR ATX POWER SUPPLY(WS-073)




International

Flat Panels Take Off



Samsung's SyncMaster 520 TFT features an active-matrix LCD.



The higher-end SyncMaster 700 TFT has a 17-inch display.

Toshiba, Samsung, and other LCD vendors are also pushing for graphics chips with a digital interface to the LCD. Such an interface would enable higher definition and lower the cost (by eliminating the A/D conversion process) compared to the current analog interface found on most graphics controllers.

In the future, radical savings in LCD power consumption should be achieved by cholesteric liquid crystals. Compared to conventional twisted-nematic crystals, cholesteric liquid crystals have stable on and off states, keeping a displayed image without any refresh. Unfortunately, a major legal battle is being fought around this technology, with Kent Display Systems (Kent, OH, U.S.) claiming that Amer-

ican Display Systems (Amarillo, TX, U.S.) infringed on its C-LCD patent, licensed from Kent State University.

LCDs Move to the Desktop

While the majority of TFT LCDs still go to notebooks, more and more LCDs are replacing CRT monitors. Recently, Compaq and Mitac integrated LCD monitors into their PC systems. NEC, IBM, Fujitsu, Samsung, Mitsubishi and other LCD vendors now have desktop models ranging in size from 13 to 21 inches (keep in mind that this is visible inches—a 21.3-inch LCD has the same viewable size as a 24-inch CRT). Some vendors, such as Samsung, are already crossing the 30-inch barrier. At that display level, even 2048-

The Future of Displays?

This February, the U.K.-based Cambridge Display Technology, aka CDT, announced the development of the world's first plastic TV display, using a new technology that will also influence the future of computer displays. The company, whose list of investors includes Cambridge University, Intel, and even rock band Genesis, will produce the screens in collaboration with the giant Seiko-Epson. CDT's light-emitting polymer (LEP) technology, also called "glowing plastic," could enable a new generation of flat displays for use in both consumer and embedded electronics. Large-format superthin TV sets and computer screens will soon be produced using this technology, according to CDT. The first such screens are expected to be announced later in the year. There is work to be done in extending the lifetime of the devices from 1500 hours and adding to the brightness of the light emission.

The initial working flat TV, less than 3 inches diagonal and with a 2-mm thickness, was demonstrated by CDT recently showing full TV pictures. There were no limits on the viewing angle or refresh speed, which is common with LCDs. This should help in particular when playing video or using fast 3-D animation on systems with such screens.

Competing Flat-Screen Technologies

The thin-film transistor (TFT) LCD is not the only contender for quality flat-panel displays on both desktop and portable computers. However, its only serious challenger is the plasma display panel (PDP). Electroluminescent (EL), field emission display (FED), and other displays will not be able to match the momentum or capabilities of the LCD and PDP technologies.

To become a serious contender in the 1- to 20-inch display markets today, a display technology would have to combine the price, speed, and quality advantages of a CRT with the low power, light weight, and market size of the LCD. And that's not going to happen anytime soon with EL, FED, or other display technologies, says Fujitsu's Michael Beirne.

The PDP technology has several limitations preventing it from competing directly against the LCD. These include a relatively high price, operating heat and noise, weight, durability, and a low production yield. Its main advantage is that it can be manufactured in screen sizes of 40 inches and above, where the LCD probably will not go. Beirne says that 42 inches is the start of a new battlefield. CRTs cannot get that big (for all practical purposes), and LCDs can reach that size only by using projection or mosaic techniques.

Fujitsu's \$4000 42-inch PDP boasts a 300-candelas-per-square-meter white peak brightness and a contrast ratio of 70 to 1 with a wide 160-degree viewing angle, very good for a screen of such dimensions. By 1999,

Fujitsu will have a new PDP facility capable of 100,000 panels per month—10 times the current capacity. It will handle the next generation of PDP from 50 to 70 inches, including SXGA-, UXGA-, and HDTV-resolution (1920 by 1200 pixels) displays.

Four 25-inch panels can be made on the same-size substrate as a 70-inch PDP. This same production line will eventually be capable of churning out PDPs that are up to 100 inches. Fujitsu claims that eight companies in Asia are following its path in PDP.

The competitors will bring down the cost of materials and equipment, and expand the market. Therefore, as LCDs gobble up the small-size and midsize screen markets, and PDPs capture a bigger slice of the large-size market, the CRT will lose its last advantage—volume. That would lead to the eventual loss of its cost advantage over LCDs and PDPs.

Future LCD applications are even more farfetched, but intriguing. Consider continuous grain silicon (CGS), developed by Sharp and Semiconductor Energy Laboratory. This technology allows the creation of large glass panels that include both chips (e.g., LCD drivers, a CPU, and memory circuits) and a TFT LCD. With this technology, paper-thin, wallet-size computers are possible. This new technology opens the door to the world of computers, multimedia terminals, and even credit-card-size organizers all formed on a single glass sheet of any size. Imagine a notebook computer not much thicker than a floppy disk.

1536-pixel resolution becomes a reality. Samsung's current 21-inch displays provide UXGA (1600 by 1200) resolution in true color.

While notebook TFT LCDs will reach 150-Cd/m² brightness and a 200-to-1 contrast ratio this year, desktop LCDs have loftier goals of up to 300 Cd/m² and 300 to 1, and wider viewing angles. Power consumption is not that critical for desktop displays. Vendors are using new technologies to make desktop LCDs match CRTs in resolution and picture quality.

For example, Fujitsu's Multi-domain Vertical Alignment (MVA) technology dramatically enhances the image quality and simplifies the manufacturing of large-size LCDs. MVA LCDs have a wide viewing angle of more than 160 degrees,

both vertical and horizontal, and a high contrast ratio of 300 to 1. The response time of these new screens is only 25 milliseconds.

In October 1997, Fujitsu announced a 15-inch TFT LCD monitor for desktop PCs using MVA technology. It has XGA resolution with 16 million colors, 200-Cd/m² brightness, and an impressive 300-to-1 contrast ratio. The display weighs 6 kilograms, consumes 40 W maximum, and has a suggested retail price of 358,000 yen (a little more than \$3000).

MVA technology uses four-sided pyramid-like (in the future, even sphere-like) protrusions in each domain to align the liquid crystals in four directions. This enables the liquid crystals to react faster to changes and also provides excellent

Save time
develop
3D graphic
engineering
applications
with ONE tool

time learning

time in development

time in testing

time to market



Eagle

"one-for-all"

combines powerful
technology in one
co-ordinated system

Visual Programming, ACIS,
DCM Variational Geometry,
DLLs, Web, Ray-tracing,
Open Language, VRML,
Network transparent,
ODBC, Motif, Windows,
Java, C++, Event Driven,
OpenGL, and more....



www.macrovision.ie

macrovision
CREATIVE SOFTWARE

Franklin House, Pembroke Road, Dublin 4, Ireland
+353.1.6671111 +353.1.6671418
info@macrovision.ie

All trademarks are the property of their respective owners.

viewing angles vertically and horizontally.

Mitsubishi is also using a new technology to widen the viewing angle on desktop LCDs. In-plane switching (IPS) widens the viewing angle while not compromising the response time. The liquid crystal material has a high viscosity. In the future, antiferroelectric LCDs (AFLCDs) will arrive with very fast response times (under 1 ms—sufficient for displays to handle 100 frames per second) and a very wide viewing angle. AFLCDs are more difficult to manufacture because of the alignment of the liquid crystal molecules. These displays also require a larger electrical charge.

A large price disparity still exists between LCDs and CRT displays, but it is getting narrower. NEC, for example, has cut the prices of its flat-panel monitors. An entry-level 14.1-inch XGA-resolution model sells for \$1599.

Mitsubishi's 15-inch model retails for about \$2000. That is still over four times the price of a 15-inch CRT monitor with a similar viewable area and resolution.



LCD technology enables notebook-thin desktop monitors.

Flatter CRTs

Meanwhile, CRT technology continues to advance. Several vendors, including Sony and Samsung, by now have produced CRTs that, while keeping the usual CRT

depth and weight, come with totally flat front-viewing surfaces, eliminating most if not all environment reflection. In this respect, the viewing experience with some of these screens can remind you of the highest-quality LCD or plasma screens, especially if they're combined with a darkened-glass or black-matrix CRT.

Expect to see totally flat front surfaces on CRTs to become the norm within the next two to three years, as the initial technology hurdles are solved, and prices come within the range of usual, more "curved" monitors.

Fujitsu's Michael Beirne says LCDs will be able to compete with CRTs only when the volumes of LCDs exceed those of CRTs. He anticipates it will happen over the course of the next one to three years. Only at that point will LCDs be able to challenge CRTs seriously in the desktop display market or midsize TV market. **B**


Nebojsa Novakovic is a freelance writer based in Singapore. You can contact him at nova@pacific.net.sg.

CONTROL MULTIPLE CPUs

from one or two
keyboards, monitors
& mice

The ADDER SmartView PRO keyboard, monitor and mouse switch uses standard connectors and off-the-shelf cables. No more expensive, custom-made cables, just fast, convenient installation and unrivalled quality. And with its dual control and monitor ports there's no more running between your office and the server room.

- ▶ Eliminates the need for monitor, mouse and keyboard at each CPU
- ▶ Dual control and monitor ports, for local and remote control
- ▶ Channel switching from on-screen menu, keyboard, mouse, front panel key, RS232 or remote control
- ▶ High video bandwidth supporting screen resolutions of 1600x1200
- ▶ Supports mixed mice PS/2, RS232 and Intellimouse
- ▶ Choice of four models: 4, 8, 12, and 16 ports, all cascable



SmartView PRO



Make the connection with Adder Technology today!

Visit our Web site at www.addertec.com Tel: +44 1954 780044 Fax: +44 1954 780081

All trademarks acknowledged.

Generic OCXs & DLLs

Bar Code		Multi-Function	
Bar Code Pro	£136	ActiveX Component Suite	£243
d-Barcode-32 Developers Kit	£136	OLETools	£163
		Stamina	£150
Charts & Graphs		Reports	
Chart FX Enterprise 3.0 (16&32)	£263	Crystal Reports Pro 6.0	£221
First Impression 5.0	£135	Crystal Reports Standard 6.0	£93
Graphics Server 5.0	£210	Report FX Win32	£218
Light Lib 3D Business Graphics Std	£186		
Olectra Chart	£263		
Comms		Spell Checkers	
CommTools/DLL	£215	Sentry Spell-Checker Engine	£226
Greenleaf CommLib 5.2 (DLL)	£235	VisualSpeller 2.1	£102
Sax Comm Objects Pro	£350		
Data Grids & Spreadsheets		Sundry Components	
DataTable OCX	£132	App-Link RADX Workstation	£139
Formula One 5.0	£135	Eval-O-Matic Suite	£188
Spread 2.5	£212	Input Pro	£110
		Schedule/OCX	£188
Database		Text Editors	
Classic Data Control for Btrieve Std	£175	ALLText HT/Pro OCX	£325
CodeBase 6.3	£295	HighEdit Pro	£347
VBtrv Toolbox Controls 4.1	£209	TX Text-Control Collection OCX	£263
Graphics			
Fastgraph for Windows	£189		
InterAct	£275		
GUI			
AceToolbar	£75		
ActiveListBar	£99		
Light Lib Magic Menus Std	£80		
WinX Component Library	£132		
XRosyGUI	£233		
Images			
ImageGear Std ActiveX 6.0	£495		
ImageMan ActiveX Suite 5.0	£343		
LEADTOOLS ActiveX16/32 Pro	£375		
Light Lib Docs & Images Std	£186		
TWAINWizard	£89		
VectorFX	£244		
Victor Image Proc for Win32	£390		
Internet			
Distinct Visual Internet Toolkit-32	£345		
dsSocket OCX 1.7	£70		
SocketTools	£186		

LOW PRICES

FOR MICROSOFT & BORLAND PRODUCTS

Visual Basic Prof 5.0	£350
Visual Basic Enterprise 5.0	£825
Visual C++ 5.0 Enterprise	£825
Visual C++ 5.0 Professional	£350
Visual C++ 5.0 Learning Edition	£72
Visual Studio 97 Professional	£701
Visual Studio 97 Enterprise	£1031
C++Builder 3 Standard	£83
C++Builder 3 Professional	£393
Delphi 3 Standard	£84
Delphi 3 Professional	£393

WITH FULL TECHNICAL SUPPORT

DELPHI

Delphi 3 Standard	£84
Delphi 3 Professional	£393
Delphi 3 Client/Server	£1377
Abbrevia	£117
ABC for Delphi	£114
Apollo Standard 4.0	£148
Async Pro 2.5	£116
BoundsChecker 5.0 for Delphi	£330
Charting Tools for Win - Delphi	£174
DB Power 2.0	£148
Essentials	£44
Helping Hand 3.0	£104
ImageLib Win32&Win16	£116
InfoPower 3.0	£142
Light Lib Docs & Images Std	£186
List & Labels for Delphi 5.0	£227
Mobius Draw Kit	£99
Mobius FastSprites	£105
MultiLanguage for VCL Std 3.0	£201
Orpheus 2.15 (32 & 16-bit)	£117
Raize Components	£150
SysTools	£98
Transform: Component Expert	£110
VB2D Standard	£76
VisualPROS 1.1	£125
WinG Sprite Kit	£99

Multi-Function

ActiveX Component Suite	£243
OLETools	£163
Stamina	£150
Reports	
Crystal Reports Pro 6.0	£221
Crystal Reports Standard 6.0	£93
Report FX Win32	£218
Spell Checkers	
Sentry Spell-Checker Engine	£226
VisualSpeller 2.1	£102
Sundry Components	
App-Link RADX Workstation	£139
Eval-O-Matic Suite	£188
Input Pro	£110
Schedule/OCX	£188
Text Editors	
ALLText HT/Pro OCX	£325
HighEdit Pro	£347
TX Text-Control Collection OCX	£263

GREY MATTER

Prigg Meadow, Ashburton, Devon TQ13 7DF

Prices do not include VAT or other local taxes but do include delivery in mainland UK.

Please check prices at time of order as ads are prepared some weeks before publication. This page lists some products - call us for a complete price list. ORDER BY PHONE WITH YOUR CREDIT CARD

(01364) 654100

FAX: (01364) 654200
www.GreyMatter.co.uk
maildesk@GreyMatter.co.uk

C & C++ FOR WINDOWS

Charts & Graphs		BoundsChecker Visual C++ 5.0	
3D++ Class Library	£290	C-Cover	£557
GraphiC/NT 7.0	£360	CC-Rider 6.0 (Win32)	£347
Real-Time Graphics Tools	£315	Exemplar Setup Toolkit Pro	£130
Comms		PROGRAMMER'S TOOLS	
COMM-DRV/LIB 16.1	£124	CASE Tools	
Fax C++ SDK for Win16/95	£905	BPwin	£2053
Compression		EasyCASE Pro	£694
Compression Plus 5.0	£174	EasyER 1.5	£485
Crusher! Win32	£225	EasyOBJECT 1.5	£485
Greenleaf ArchiveLib 3.0	£210	Visible Analyst Corporate	£1833
PKWare Data Comp Lib Win32	£225	Help Tools	
Database		AnswerWorks 2.0	£424
DISAM96 for Win95	£715	Doc-to-Help 2.5 (Win32)	£299
HyperView++	£1002	Documentation Studio	£544
ProtoGen+ Client/Server	£1360	DotHLP Pro	£89
Raima Engine + EADS 4.0	£740	Help Magician Pro 95	£207
Report Writer Visual Coder	£75	HelpSite	£196
Velocis + EADS (Offer)	£250	HyperText Suite	£292
Visual SQL	£958	NextHelp	£131
Images - Bitmap		RoboHELP 5.5	£304
Ad Oculus Win32	£333	RoboHELP Office 5.5	£426
Image SDK Plus for NT	£595	Visual Help Pro 3.1	£156
Maths & Stats		Installers	
IMSL C Numerical Lib w/Sub	£650	InstallSHIELD Express 2.0	£170
System Level		InstallShield 5.1 Professional	£545
Driver::Works (Win98 & WinNT)	£592	PC-Install (Win32 & Win16)	£150
VToolsD (Win95)	£369	Wise Installation System	£247
WinDK 2.5	£635	Wise Installation System Enterprise	£605
WinRT Developer's Toolkit Win95	£280	Macro Languages	
WinSCSI-32	£129	BasicScript VBX	£390
Tools		Cypress Enable (32- & 16-bit)	£741
BoundsChecker C++Builder	£330	Sax Basic Engine Pro	£369

PROGRAMMING TOOLS

ActiveX Basic	Ada
Comms	C/C++
Custom Controls	Components
Debuggers	Database
Editors	Delphi
Graphics	Fortran
Internet	GUI
Modula-2	Lisp
Pascal	Multi-Tasking
Smalltalk	Prolog
Version Control	SQL
Windows	Visual Basic
	Xbase

We stock many items for which there is no space in these advertisements

JAVA

Jamba 1.1	£127
JBuilder Standard	£82
JBuilder Professional	£390
JBuilder Client/Server	£1681
JDesignerPro	£623
Parts for Java	£70
PowerJ Enterprise	£1550
SuperCede Java	£99
SuperCede Java/ActiveX	£169
SuperCede Database	£455
Visual Café for Java Web Edition	£68
Visual Café for Java Professional	£197
Visual Café for Java Database	£348
Visual J++ Professional 1.1	£70
VisualAge for Java Professional	£66
VisualAge for Java Enterprise	£1250

C++ COMPILERS

Borland C++ 5.0	£245
C++Builder Standard 3	£83
C++Builder Professional 3	£393
C++Builder Client/Server 3	£1575
Learn to Program w/C++Builder 1	£42
Power++ Developer 2.0	£315
Power++ Professional	£625
Power++ Enterprise	£1233
Salford C/C++ Dev Bundle	£295
Symantec C++ 7.5	£75
Visual C++ 5.0 Learning Edition	£72
Visual C++ 5.0 Professional	£350
Visual C++ 5.0 Enterprise	£825
VisualAge for C++ 3.5	£309
Watcom C/C++ 11.0	£219

News & Views

C++Builder 3.0

The C++ Holy Grail?

C++Builder 3.0 is the first C++ compiler that can handle all your Win32 programming tasks! Whether you are writing simple console applications, sophisticated GUI front ends, powerful database applications, ActiveX controls, web server applications or even multi-tier systems, C++Builder 3.0 can handle it all.

Wise Installation System

Create Installations Even More Easily

The Wise Installation System is the shortest route from final build to first customer ship. No matter how simple or complex the installation, no matter if you need to install on a single machine or across an international enterprise, Wise delivers the perfect mix of power, ease-of-use and functionality. The latest version 6.0 includes an updated Installation Expert with Wise's Click-and-Script technology for simple creation of installations as well as enhancements to the Script Editor. The Enterprise Edition now has an integrated debugger for analysing more complicated installations.

Cold Fusion Studio 3.1

The Fast Way to Develop Web Applications

Cold Fusion Studio 3.1 is the new integrated development environment (IDE) for Cold Fusion. Studio gives developers visual programming and database tools to create powerful dynamic Web applications. Studio also includes collaborative features like integrated version control to enhance teamwork among developers.

WebTrends

If You Have A Web Site, Then You NEED This Tool!

WebTrends is the first and only product on the market to deliver a set of integrated management and reporting tools, required by Web Professionals in their everyday job to deliver, manage and maintain quality Internet and Intranet sites. The latest version monitors IP devices, system servers, database application servers, disk space, etc., and sends alerts by alpha-numeric pager, numeric pager, email, or audio alarm, whenever a device goes down or stops responding.

SylvanMaps/OCX 2.0

Do Your Programs Handle Geographic or Demographic Information?

Nothing conveys geologic, geographic or demographic information as quickly and meaningfully as a map. And there's no faster, more flexible, open-standard mapping solution than SylvanMaps/OCX. Just place the map object on a form, bring in map data from any ODBC-compatible database, and give your end users instant mapping with no runtime royalties. Version 2.0 gives you better graphics and more run-time user interface options than ever before. Plus you'll receive a planet-full of free mapping data, improved file format translators and converters between nearly every conceivable projection.


Cypress Enable 3.2

Would Your Customers Like VBA-Compatible Scripting in Your Applications?

Cypress Enable 3.2 is a VBA and VBScript compatible Scripting Language designed to be embedded in software applications or web pages to automate complex tasks. Users can also create scripts for launching and manipulating other applications via OLE Automation or external DLLs. Enable is a complete programming language and is available under Windows 3.1, Windows 95 and Windows NT. New features in 3.2 include a colour syntax highlighting editor, improved error handling, VBScript interface and better memory management.

What's New

PREVIEW



MM220
£995

Enter HotBYTES
No. 1035.

Motion Media Technology
Bristol, U.K.
+44 1454 313444
fax: +44 1454 313678
[http://www.mmtech.co.uk/
product/](http://www.mmtech.co.uk/product/)

Video- and Dataconferencing on a Standard ISDN Phone

Motion Media Technology's MM220 videophone combines videoconferencing with advanced telephony features. The system has a phone keypad, offers one-touch control of the main phone functions, and includes such features as 10-number storage, caller ID, and a call timer. It also has a two-way speakerphone with full-duplex echo cancellation, plus a handset for privacy.

For video, the MM220 has a built-in camera that can be manually tilted and a full-color, high-resolution LCD video screen with optional picture-in-picture. It can make or receive three types of calls, including speech only, which uses one ISDN channel; video, which uses both ISDN channels; and, for economy, half-rate video, which results in a reduced-quality image but uses only one ISDN channel. Because the MM220 is an H320 device, it supports national ISDN variants and conforms to all international standards, which means the unit can be used internationally.

The MM220 has composite video input and output connectors for recording and playing back prerecorded video clips, as well as audio input and output sockets. The system also has an RS-232 serial connection that allows for collaborative working and dataconferencing.

—Peter Hofland

Systems

Industrial PC

THE INDUSTRIAL PC ICON SYSTEM FITS INTO standard 19-inch racks as well as on a workbench. It provides power monitoring with an optional alarm



and warning system. A status display offers CPU diagnostics and internal temperature monitoring. The machine can accept any CPU, ranging from a 486 chip to a Pentium II processor.

Price: Call company.
Contact: Blue Chip Technology, Ltd., Chester, U.K., +44 1829 772 000;
<http://www.bluechiptechnology.co.uk>.

Enter HotBYTES No. 1024.

PC with On-Board 3-D Graphics

THE ACERPOWER 5000NW IS A PC WITH an AMD K6 or Pentium CPU and on-board 100Base-T or 10Base-T, respectively, plus an Ethernet inter-



face with integrated wake-on-LAN functionality. The built-in graphics circuits consist of an ATI Mach 64 GT chip with 3-D acceleration and 2 MB of video memory. The system ships with 16 MB of RAM, a floppy drive, and a 2-GB hard drive.

Price: Starts at DM 2000.

Contact: Acer Computer GmbH, Ahrensburg, Germany, +49 4102 488 0;

<http://www.acer.de>.

Enter HotBYTES No. 1033.

Input Devices

Bar Codes and Ballpoint

THE INFOPEN IS A BAR-CODE SCANNER THAT is integrated into a standard-size ballpoint pen. It allows you to read bar codes printed on retail pack-



ages and transfer the data they contain to your PC via the system's docking station. This product lets you scan bar codes for products you see in a catalog and then transmit your order directly to a retailer via the Internet.

Price: Call company.

Contact: Symbol Technologies International, Wokingham, U.K., +44 118 977 1399;
<http://www.brodeuraphus.com>.

Enter HotBYTES No. 1025.

A firewall that blocks hostile applets, software for sharing an Internet account, and an ISDN phone with advanced telephony.

Communications

ISDN Switch for Macintosh

THE ACERISDN T30 ISDN SWITCH NOW comes in a Macintosh version. In addition to its least-cost-routing feature and two analog ports, the switch offers a comfortable configuration tool that allows you to



choose from among the supported V.110, V.120, SLP/MLP, PPP/MLP, and HDLC protocols and enable the bandwidth on demand (BOD) function, which actively regulates the use of one or two B-channels, depending on the amount of data to be transferred. You can also receive incoming telephone calls while you are on-line.

Price: DM 500.

Contact: Acer Computer GmbH, Ahrensburg, Germany, +49 4102 4880; <http://www.acer.de>.

Enter HotBYTES No. 1026.

A Deck of PC Cards

PORTABLE ADD-ONS OFFERS THREE PC Cards: the Ethernet+ Cardbus PC Card, a 32-bit 10/100 Ethernet card optimized for Windows 95 and NT;



the Ethernet+ Fast PC Card, a 16-bit 10/100 Ethernet card; and the NetMobile Fast, which combines 16-bit 10/100 Ethernet, a 56K modem, and GSM access. The NetMobile Fast card supports Alcatel, Ericsson, Nokia, Philips, and Siemens handsets and is flash-ROM-upgradable from the K56flex modem standard to the 56X2 standard.

Price: Starts at £109.

Contact: Portable Add-ons, Ltd., Guildford, U.K., +44 1256 361 333; <http://www.portable.co.uk>. Enter HotBYTES No. 1028.

ISDN Telephone Includes PC Adapter

THE POWERPHONE IS AN ISDN TELEPHONE that, besides the common ISDN phone features, offers the functionality of an ISDN card, including a digital answering machine, fax capability, and on-line connectivity features. All you have to do to set up the unit is connect it to your PC via a V.24 cable. The Professional Edition of the phone also provides 4 MB of RAM, so you can receive faxes while your PC is shut off.

Price: Starts at DM 199.

Contact: Gerdes AG, Meckenheim, Germany, +49 2225 916 00; <http://www.gerdes-ag.com>.

Enter HotBYTES No. 1027.

Networking

Ethernet Print Server

THE DP-301 PRINT SERVER INTEGRATES any printer equipped with a parallel interface into an Ethernet or Fast Ethernet network via its 10/100 RJ-45 NWay port. The device uses the Hewlett-Packard PJJ protocol to allow bidirectional communica-



tion with the printer to provide status interrogation while printing. In addition, since the DP-301 server supports Apple's EtherTalk and the IP, IPX, and NetBEUI protocols, it can be used in heterogeneous networks.

Price: DM 490.

Contact: D-Link GmbH, Kriftel, Germany, +49 6192 971 10; <http://www.dlink.de>.

Enter HotBYTES No. 1029.

Print Server for Epson

WITH THE INTERCON IC77-FAST-EPSON-TX, you can integrate your Epson printer into a 100Base-TX Ethernet network without having to



compromise the network's speed by narrowing the data path to 10-Mbps throughput. The device automatically recognizes the speed of your NetWare, TCP/IP, or Apple EtherTalk network. You can print all status or data information simply by pressing a button on the print server.

Price: DM 995.

Contact: SEH Computertechnik GmbH, Bielefeld, Germany, +49 521 942 260; info@seh.de; <http://www.seh.de>.

Enter HotBYTES No. 1030.

Storage

Fibre Channel RAID Controllers

ICP VORTEX NOW OFFERS TWO RAID CONTROLLER cards, the GDT6519RP and the GDT6529RP, that offer one and two Fibre Channel I/O interfaces, respectively. The PCI cards, which are based on the i960Rx RISC chip and the RAIDYNE OS, offer a transfer rate up to 100 MBps per channel. In addition, the controller cards



provide a Wide and Ultra SCSI connector with a dual-plug system that can connect to 50- or 68-pin SCSI devices.

Price: Call company.

Contact: ICP Vortex, Flein, Germany, +49 7131 59 720; info@vortex.de;

<http://www.icp-vortex.com>.

Enter HotBYTES No. 1031.

CD-Recording Solution for the LAN

WITH A RECORDING RATE OF MORE THAN 30 CD-Rs in 1 hour and a parallel recording rate of 8 CD-Rs in less than 15 minutes, the Replica Server can be used for archiving, duplicating, or recording a small series of CDs. The system integrates into any Token Ring or Fast Ethernet network and allows copying via the transferral of a virtual CD image from a workstation.

Price: Call company.

Contact: dts Computer GmbH, Siegen, Germany, +49 271 3842 150.

Enter HotBYTES No. 1032.

Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible. Send to:

BYTE

BYTE Magazine Subscriber Service
PO Box 555, Hightstown, NJ 08520
Fax: 609-426-7087

Phone: (9 a.m. to 8 p.m. Eastern Time,
Mon. - Fri.) 800-232-2983 (U.S.),
or 609-426-7676

A Division of The McGraw-Hill Companies



International

Software

SOFTWARE

Networking

Update of NT-Tools

NT-TOOLS, A PROGRAM IN THE NETINSTALL application-management software suite, has been released in version 2.0. It provides management of NT

Workstation users connected to a LAN from a single point without requiring administrator access rights or entries in the domain-controller database. Thus, access-control features, including the changing of passwords, definition of local workgroups, and other features, are available on any workstation.

Price: Call company.

PREVIEW

Secure4U Statistics

Last active: NavigatorTicker20	Web site: www.heise.de	
Since started: <embedded> ActiveX Java	(ok) 0	(blocked) 0
	1	0
	1	0
Active web browsers: Microsoft Internet Explorer		
Activities: (ok) (blocked)		

Secure4U 4.0
\$80

Enter HotBYTES
No. 1023.

Advanced Computer Research
Prague, Czech Republic
+420 57 31 34 9
<http://www.acrmain.com>

A Content-Sensitive Firewall

As more Web content integrates with dynamic scripts, as well as Java and ActiveX components, the threat of hostile applets increases. Thus, consistent monitoring and scanning of all computer activities is becoming mandatory. Secure4U can help you implement a security policy that shields your computer from rogue attacks.

Version 4.0 offers automatic scanning of incoming components and a database with references to hostile applets. But the system does not base its security mechanism on a comparison with a database of hostile-applet references; the new database is just for additional warning levels. New network and server components allow central configuration and administration of Secure4U in corporate networks as well as the self-learning filtering of hostile code at the proxy/firewall level.

Secure4U creates a shield around your Web browser. Within this sealed environment, any code or active content can run as long as it does not attempt to access resources outside this area. The program monitors all accesses of your Web browser to system resources, including devices, drivers, the registry database, and the network, to protect the privacy and integrity of your system.

Secure4U 4.0 is available for Windows 95 and NT in English, Czech, German, and Swedish language versions. —Rainer Mauth

Contact: NetSupport GmbH,
Ostfildern, Germany,
+49 711 340 1900;
<http://netsupport-gmbh.de>.
Enter HotBYTES No. 1011.

TV on the LAN

LANTV ALLOWS THE PUBLISHING OF TV PICTURES on a LAN at resolutions between 160 by 120 and 352 by 288 pixels. It makes use of the Multicasting data-transfer technique and generates just one data stream for all clients on a LAN. The product needs a powerful server with a hardware frame grabber and a sound card for each channel; clients require only a sound card and a 16-bit graphics board. The software allows the regulation of transfer rates during times of peak network traffic.

Price: DM 2398.

Contact: TechLog GbR,
Düsseldorf, Germany,
+49 211 9988 336;
<http://www.TechLog.de>.

Enter HotBYTES No. 1012.

Office

Electronic Document Archiving

FORMSCAPE 2.0, WITH ITS NEW ARCHIVE and Viewer modules, is intended to eliminate the requirement of paper file copies and microfilm archives. Archive indexes and stores an exact copy of an original document on CD, tape, or MO or RAID disks, while Viewer provides retrieval, viewing, and annotation features. Links to stored documents can subsequently be e-mailed via the Intranet.

Price: Call company.

Contact: AFP Technology,
Ltd., Fleet, U.K.,
+44 1252 618 712;
<http://www.formscape.com>.

Enter HotBYTES No. 1015.

Mixed-Media Archive for NT

AMASS FOR NT IS AN ARCHIVING SYSTEM that administrates data on optical storage devices, such as WORM or

CD drives, and then displays the content as if it were hard disk content in Windows NT. Data can be rearranged with drag-and-drop. The most frequently addressed data is stored automatically in a cache file on the server for faster access times.

Price: Call company.

Contact: Emass/Grau Storage
Systems GmbH, Böhmenkirch,
Germany, +49 7332 830;
<http://www.emass-grau.com>.

Enter HotBYTES No. 1016.

Data Acquisition

Ethernet and PC Card for Data Capturing

CAPTURING DATA FROM ETHERNET UNITS and PC Cards is Wavedisk in Windows' job. To help you get started quickly, it scans your hardware and builds a default setup file, allowing you to make immediate acquisitions or further adjustments via dialog boxes. Wavedisk gives you control of up to four input channels, with transfer rates up to 1 MHz. In addition, the product supports binary code, ASCII, Famos, and Replay file formats for storing captured data.

Price: Call company.

Contact: Biodata, Ltd.,
Manchester, U.K.,
+44 161 834 6688;
<http://www.microlink.co.uk/>.

Enter HotBYTES No. 1013.

Communications

FaxWare for NT

FAXWARE, A LAN-FAX SOLUTION, NOW runs with NT and NetWare networks. Both versions offer internal and external fax send-and-receive functions, including publishing of faxes to predefinable users or groups. Communication via e-mail is also possible, since internal mails are treated as faxes and external mails follow the SMTP standard. FaxWare provides support for SMS, so you can send up to 160 characters to a GSM handset.

Price: DM 1713.

Contact: Tobit Software
GmbH, Ahaus, Germany,
+49 2561 9130;
<http://www.tobit.com>.

Enter HotBYTES No. 1018.

Net.Point Helps Share Internet Accounts

NET.POINT MX IS A NETWORK SOLUTION that lets several users on a LAN share a single Internet connection and a single e-mail address. The latest module, Internet Mail Exchange, is intended for small companies with the need to centrally deliver, distribute, and manage the e-mail of all employees from any desktop. The package, which requires a TCP/IP Internet connection, supports SMTP and POP3 Internet mail.


Price: £99.

Contact: Imagine IT, Ltd.,
Harrow, U.K.,
+44 181 324 1240;
<http://www.imagineit.co.uk>.

Enter HotBYTES No. 1019.

Easy-to-Learn Mail Client

VERSION 4.0 OF THE SMARTMAIL E-MAIL client software enables you to collect several users' mail at a single workstation without loss of privacy. Another new feature of version 4.0 is the extended and compre-



hensive help-file system, which offers guidance for users with different amounts of computing experience. It enables any user to develop e-mail-management skills and to learn advanced functions at his or her own pace.

Price: £66.

Contact: NetcPlus Internet
Software, Ltd., Milton Keynes,
U.K., +44 1908 374 166;
<http://www.netcplus.com>.

Enter HotBYTES No. 1020.

We Make You Personal Communicator

- We make you personal communicator

What's "personal communicator"?

The unlimited communication capability - between any individuals, in any place, using any content, to meet any needs.

To find out more about personal communicator, please visit our booth A434 at COMPUTEX

What's We Made?

Color Scanner	SEK Modem	DECT Wireless PBX
DBFAX 901	Color F.O.	DTAD
DBFAX 800/810	C.I.D. Cordless 46/60 MHz	ADSI E-Mail Phone
Wireless LAN Card	SST Wireless PBX	ANALOG 900MHz

How to find us:


Visit us at www.ditel.com.tw

DITEL Inc.
No. 29, Tzu Chiang Street,
Tai-Cheng, Taipei, Taiwan, R.O.C.
Tel.: 886-2-2366-2081
Fax: 886-2-2268-1964

DHB Communication Corp. Ltd.
Unit C, ATA House,
Boundary Way, Hemel Hempstead,
Hertfordshire, HP2 7SS, UK
Tel.: +44-1442-267088
Fax: +44-1442-266678
Mobile Phone: +44-07705511988

COMPUTEX TAIPEI '98 Booth A434

No more hard core !



£31.95 ISBN: 0 672 31175 5

Also available

Teach Yourself MCSE
Networking Essentials in 14 Days

Teach Yourself MCSE
Windows 95 in 14 Days

Teach Yourself MCSE
Windows NT Workstation in 14 Days

Teach Yourself MCSE
TCP/IP in 14 Days

Teach Yourself MCSE Microsoft
Exchange Server 5.5 in 14 Days

Teach Yourself MCSE
Internet Information Server in 14 Days

Your MCSE Core and Elective
exam requirements made easy
with SAMS
Teach Yourself in 14 Days

Available from all
good bookshops
including

Academic Bookshop

Cairo, Egypt 20 2 3362341

Academon

Jerusalem 972 2 5882953

All Prints

Distributors
Abu Dhabi, UAE
971 2 338572

Al-Mutanabbi

Bookshop
Abu Dhabi, UAE
971 2 325920

Arnold Busk

Copenhagen, Denmark
33122753

Bicaklar

Ankara, Turkey
90 312 2316531

Bug Multisystem

Bnei Brak 51201, Israel
972 3 5794711

Campus de la Doad

Villeurbanne, France
04 72 44 93 92

Distributors SARRL

Beirut, Lebanon 961 1 347133

Elit Kitabevi

Ankara, Beyoglu-Istanbul,
Turkey
90 212 2499780

Flammarion

Lyon, France 04 72 56 21 34

Harel Decitre

Grenoble, France
04 76 03 70 40

Hoggis Fingis

Dublin Ireland
00353 16774754

Jarir Bookstore

Riyadh, Saudi Arabia
966 2 4626000

KSB Electrical Est

Jeddah, Saudi Arabia
966 2 6511754

Kuwait Bookshops

Co Ltd
Safat, Kuwait, Kuwait
965 2424266

Levant Literatur

Beyoglu-Istanbul, Turkey
90 212 2924120

Librairie Decitre

Lyon France 04 72 40 54 74

O'Mahony's

Limerick, Ireland
00353 61418155

Osiris Office for

Books
Cairo, Egypt 20 2 3911489

Soloneion Book

Centre
Nicosia, Southern Cyprus
357 2 466799

Surcouf

Paris, France 01 53 33 20 83

University of

Limerick Bookshop
Limerick, Ireland
00353 61202048

United Kingdom
bookshops

Austicks Business

Bookshop
Leeds 0113 2342243

Blackwells

Oxford 01865 792 792
Sunderland 0191 515 3985
Bristol 0117 9652573
Manchester 0161 274 3331
Dundee 01382 322184
Nottingham 01159 417307
Brighton 01273 329012
London 0171 292 5700

Books Etc

London 0171 379 6838
London 0171 628 9708

Dillons

London 0171 636 1577
Nottingham 01159 473 53
Newcastle 0191 261 7757
Exeter 01392 423044
Uxbridge 01895 257991
S'hampton 01703 232118
B'ham 0121 631 4333
Glasgow 0141 248 4814
Oxford 01865 790212
Cambridge 01223 351688

Foyles

London 0171 4375 660

Heffers

Cambridge 01223 568 568

James Smith

Booksellers
Barking 0181 591 9090

James Thins

Edinburgh 0131 556 6743

Jarrolds

Norwich 01603 660661

John Smith

Glasgow 0141 221 7472

Methvens Bookshop

Woking 01483 771047

Modern Book Co

London 0171 402 9176

PC Bookshop

London 0171 823 0022

The Bookshop

Camberley 01276 683222

Waterstones

London 0171 434 4291
Manchester 0161 8321 992
B'ham 0121 6334 353
Leeds 0113 2444 588
Reading 01734 581270
S'hampton 01703 633130

Croyden 0181 686 7032

Richmond 0181 332 1600

Plymouth 01752 256699

Manchester 0161 832 1992

Hull 01482 580 234

Leicester 01162 516838

Leeds 0113 244 4588

B'mouth 01202 299449

Salisbury 01722 415596

Swindon 01793 488838

Edinburgh 0131 226 2666

Glasgow 0141 332 9105

Worcester 01905 723397


Preston 01772 555766

SAMS
PUBLISHING

© Prentice Hall Europe
The Publishing Operation of
Viacom, Inc.
Tel: +44 (0)1442 881891

BYTE

18TH COMPUTEX TAIPEI



**5 Days that
Redefine IT**

June 2-6

INSIDE:

- ★ Your guide to the hottest products at the show ★
- ★ Full exhibitor listings ★ Do-it-yourself scorecards ★

Bottled Up Inside Your LAN?



Let D-Link Switches 'Uncork' You

D-Link switches open up your network bottleneck by providing transparent 100Mbps connections to existing 10Mbps LANs. So, rather than continuing to add 10Mbps stations to an already overburdened network, you can quickly and easily start upgrading your entire network to 100Mbps, and break out of your network bottle.

D-Link®

Building Networks for People

U.S.A. / Tel:1-714-7880805 Fax:1-714-7537033
 Europe / Tel:44-181-2355555 Fax:44-181-2355500
 Singapore / Tel:65-7746233 Fax:65-7746322
 Taiwan / Tel:886-2-29161600 Fax:886-2-29146299

WWW HomePage:www.dlink.com



SYMBOL OF EXCELLENCE
 WINNER DES-5016

DES-3216



16 N-Way port Switch

DES-3208



8 N-Way port Managed Switch

DES-5016



16 N-Way port Chassis System Switch

DES-802



1 Combo, 1 10/100Base-TX port Switch

DES-1008



8 N-Way port Switch

DES-810



8 10Base-T, 2 10/100Base-TX port Switch

DES-1012



12 N-Way port Switch with Optional Fiber Module

DES-815



12 10Base-T, 2 10/100Base-TX, and 1 Mil port Switch



COMPUTEX TAIPEI '98 BOOTH NO. A330



Enter HotBYTEs.No. 436 at <http://www.byte.com/hotbytes/>

D-Link is a registered trademark of D-Link Corporation.

Specifications are subject to change without notice.

18th COMPUTEX TAIPEI

Five days that redefine IT

Your visit to the eighteenth COMPUTEX TAIPEI (Taipei International Computer Show) places you in the heart of the dynamic IT industry. Vendors and buyers know that past COMPUTEX TAIPEI shows have helped put Taiwan on the map by staging major IT changes, and this year's show (June 2-6) will be no exception.

Premiering in 1998 are top-notch professional conferences and seminars launched by the China External Trade Development Council (CETRA), and Taipei Computer Association (TCA), the organizers of the show.

So much is going on at COMPUTEX TAIPEI that we're giving seminar-goers a head start by beginning conferences one day before the show. On June 1, you can attend the greatly awaited "Inside the Tornado" conference, jointly sponsored by the show organizers and BYTE magazine. It will be chock-full of the cyber-visions and tips you need for high-tech marketing success.

Meanwhile, I apologize to the hundreds of companies who are still on the waiting list for the very limited space at COMPUTEX TAIPEI. If you didn't get a booth, please understand that we've tried our best. We've stretched this double-venue exhibition to record size in order to encompass 900 high-tech vendors. And, we're working to offer you more space at next year's show by hammering together a third venue.

For the first time in the show's history, 67 accessory companies will join with 22 world-famous computer firms in the Stellar Hall of the Taipei International Convention Center.

You will discover many hot products at the Taipei World Trade Center Exhi-



bition Hall in areas devoted to Computer Systems, Components & Parts, Communications, Board-level Products, Displays, Peripherals, Software & Applications, Overseas Exhibits, and the Trade Media. As in previous shows, the Convention Center will be open until 6 p.m. for the first four days, one hour longer than the Exhibition Hall.

I urge you to profit from and enjoy Asia's largest IT marketplace, COMPUTEX TAIPEI '98. To plan your visit in advance, drop by our Web site (<http://www.computextaipei.org>) for details on the conferences and seminars, as well as free services offered by us.


See you at the show!

Ricky Y.S. Kao


Secretary General, China External Trade Development Council

Table of Contents

Welcome to Computex Taipei	3
How to use this guide	5
Communications	7
Displays—CRT	9
Displays—LCD	11
Hand-held devices	13
Input devices	15
Mobile computing	21
Motherboards	23
Multimedia	25
Networking tools	27
Scanners	29
Servers	30
Exhibitors	16



GET TOMORROW'S DESKTOP PC TODAY



90°

21st
c
e
n
t
u
r
y
d
e
s
k
t
o
p
P
C

MITAC ECO

When you choose to sell or own MITAC ECO, you know you're settling for a desktop computer of the future, one that's loaded with a heap of consumer benefits.

ECO does a 90° rotation, is light, easy to assemble/disassemble & upgrade, takes up only 1/3 of the space a traditional desktop PC occupies, saves energy and the consumer's pocket. Emitting no harmful X-rays, it's the environment's godsend.

ECO supports up to 333MHz Intel Pentium® II processor. It also supports 256 MB of RAM, 4 of VRAM, 20X CD-ROM, 3D graphics and sound, and a slew of networking functionalities, thus offering the user complex graphics, rich color, impeccable video, majestic sound and great savings on total cost of ownership.

Contact us TODAY for this PC and/or other great offerings like it.

Computex Taipei '98

June 2-6

See Us At

Room 101B, TICC

Interested Distributors, Please Contact:

MITAC INTERNATIONAL CORP. (TAIWAN)

Tel: 886(3)3289000 Fax: 886(3)3280926

E-mail: market@smtplink.mic.com.tw (URL): <http://mitac.mic.com.tw/>

*The Intel Inside logo and Pentium are registered trademarks and MMX is a trademark of Intel Corporation.

*Specifications are subject to change without notice.

Enter HotBYTES No. 431 at <http://www.byte.com/hotbytes/>

MITAC 

Global Resources Serving Individual Needs

Confused by all the choices at the show?

Maybe we can help.

As you stroll down the aisles at Computex, you'll see that some products belong in a class by themselves. We've listed some of them here, and in subsequent pages of this guide, to give you an idea of what you'll find at the show. We've also included a handy scorecard you can use to jot down products, specifications, booth numbers, and pricing information as you tour Computex.

Get Connected to the Internet The Internet's increasing popularity has brought us several new ways to connect, from very high-end RAS servers to inexpensive devices whose sole purpose is to provide a quick connection.

NetPCs are coming on fast, for example, but manufacturers are hedging their bets by giving them PC-like features. FIC's PY-200 series are 82440LX- and BX-based NetPCs with optional snap-in expansion boxes that turn them into full-featured desktop units. Mitac's Essentia II, a NetPC that weighs a mere 5 kilos, also accepts desktop-style upgrades.




And there are various devices that let you navigate the Internet and access your e-mail, but that provide no storage or memory functions. Designs include set-top boxes, video game-type machines, and smartphones.

Acer's ST-300 is an example of a set-

top design based on a digital broadcast satellite receiver with an LSI logic engine. The ST-300 supports DVD functions including MPEG-2 and AC-3 decoding.

Moniputer A moniputer is an all-in-one system that can best be described as a cross between a desktop and notebook computer. Harking back to the original Macintosh design, the all-in-one monitor takes up very little space on a desktop. The moniputer works equally well as a home computer or connected to a corporate LAN.

Mitac's moniputer, prominently positioned at the show, sells for about 20 percent less than a comparable notebook. The Eco LCD PC offers a DSTN or TFT LCD screen, in 13.3- or 15-inch styles. The screen pivots 90 degrees, and the system operates on wake-up mode and LAN wake up, in the event that it is connected to a LAN.



PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Product type			
Platforms supported			
Additional features/Notes			
Volume pricing options			
Delivery options			

ZyXEL

ZyXEL Communications Corp.

<http://www.zyxel.com>

E-mail: sales@zyxel.com.tw

VPN ISDN



Total Internet Access Solution

DSL

PSTN



ROUTER

ISDN TA

MODEM RACK

MODEM



Enter HotBYTES No. 442 at <http://www.byte.com/hotbytes/>

Demand for Comm Tools Grows



With increased Internet traffic, demand for high-speed communications links and the tools to enable them is growing at an unprecedented pace.

Cable and telephone companies throughout the world are vying for a piece of the hottest communication action by offering high-speed designs. At the same time, more traditional modem manufacturers are pushing the speed envelope to the limits of standard dial-up connections. Devices that directly connect you to the Internet are emerging in all shapes and sizes, from T1 connections to set-top boxes.

When selecting a device, ask the vendor questions about the following important features. Your answers will help you select the most appropriate communications technology for your needs, geographic location (probably the most important consideration of all), and, of course, your budget.

Infrastructure support This is vital, since newer technologies are usually extremely limited in availability. What types of devices can I use in my local area? While analog telephone service or standard T1 lines are available in many areas,

your region may not support more exotic choices such as cable modem or ADSL.

Internet service availability Ask if your local Internet service providers (ISPs) support this communications device before buying. What are the additional charges for this service?

Top transmission rates When considering the purchase of a new communications technology, be sure to ask the vendor about the devices' maximum transmission speeds in both the upstream (user to host computer) and downstream (host computer to user) directions. With many newer technologies, upstream speeds can sometimes be a fraction of the overall downstream rate. ADSL, v.90 (formerly known as 56K), satellite, and sometimes cable modem transmissions fall into this area.

Typical connection costs The base Internet access price advertised by most ISPs is for standard analog phone connections. Switch to a faster transmission method, such as the ones listed below, and you may pay higher—sometimes much higher—prices in order to make your connections.

Configuration How does the device connect to your computer? Does it require an Ethernet card, PC expansion slot, or serial port? Does it require a separate power connection?

Technology types: 56K (V.90) The recent adoption of the V.90 standard means you'll see plenty of new modems (and upgrades for older modems) at this show. Check to make sure which 56K standards your ISP supports, however, before making a choice.

Cable Cable TV lines potentially can carry data hundreds of times faster than the best analog modems. Older systems are one way only. Two-way solutions, such as E-Tech's DataBurst, provide turnkey connections up to 2.56 Mbps upstream and 30 Mbps downstream for as many as 16 users.

ISDN The expense of Integrated Services Digital Network (ISDN) has prevented its widespread adoption. However, prices are dropping. At the show, look for E-Tech's TA128E/USB, an ISDN terminal adapter that features Multilink PPP at 128 Kbps using bandwidth allocation control protocol (BACP)/BAP. It supports USB interfacing.

ADSL An evolving standard, Digital Subscriber Line (DSL) technologies can move data as fast as 30 Mbps. Asymmetric DSL (ADSL) lets you use the same line for voice and data.

GVC's ADSL modem, highlighted at the show, is backward-compatible with V.90 and V.34 modems. It features PC-based implementation, easy deployment and installation, and provides ATM cell mode by supporting PPP over ATM.

T1 Need a fast, reliable connection? Try an old-fashioned T1 line. GVC's remote access server provides virtual private network (VPN) connections over the Internet using older 1.5-Mbps T1 technologies. It simultaneously offers four channelized T1/E1 connections for up to 96/128 Internet calls and two nonchannelized T1/E1 connections for a remote corporate LAN.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Infrastructure support			
Internet service availability			
Max. upstream/downstream speed			
Typical connection costs			
Configuration requirements			
Type of technology			
Volume pricing options			
Delivery options			



COMPUTEX TAIPEI
 JUNE 2~6, 1998
 SEE US AT
 TWTC EXHIBITION HALL
 BOOTH NO. D225
 AND
 GRAND HYATT HOTEL
 SUITE NO. 1541~1542

ARTMEDIA'S TRINITRON® DISPLAYS SHARPEN YOUR IMAGE

To meet the needs of corporate users as well as graphics and multimedia professionals, Artmedia's new generation of Trinitron monitors embody our commitment to delivering the best image quality along with superior ergonomics. Making exclusive use of Trinitron technology, our new A-720, 92kHz, 17" Artmedia Trinitron monitor, delivers the highest cost-performance display solution with all of Trinitron's advantages. Last but not least, our new Artmedia flat panel displays will open new business opportunities for you. You will be impressed by the newest members of our family! Come check it out.


artmedia
 ARTMEDIA HIGH END DISPLAYS

PACIFIC TECHNOLOGY

Head Office / Pacific Technology Co., Ltd
 7F, No.285 Chung Hsiao E. Rd. Sec. 4, Taipei
 Taiwan, R.O.C
 Tel: 886-2-27785850 Fax: 886-2-2741-9521
<http://www.ptc.com.tw>

North America Office / Pacific Technology America
 2050 Flamingwood Ave, San Jose, CA95131 USA
 Tel: 1-408-980-8988 Fax: 1-408-980-8999
<http://www.artmedia.com>

Germany Office / Artmedia Electronics GmbH
 Poppenbuetler Bogen 90, 22399 Hamburg, Germany
 Tel: 49-40-608703-0 Fax: 49-40-608-703-33



Enter HotBYTES No. 438 at <http://www.byte.com/hotbytes/>

Artmedia is a trademark of Pacific Technology Co., Ltd.
 All other products and brand names are trademarks of their respective companies.

Tried-and-True Monitors, New Prices



They're not as glamorous as newer LCD screens but cathode ray tube (CRT) monitors continue to dominate the display market. In selecting a CRT, the following are important specifications to keep in mind:

Tube type With CRTs, there are essentially three choices of tube: aperture grille, Invar shadow mask, and NEC's CromaClear. This year's Computex will include several variations on the technologies, but in general, the aperture grille displays a bright and crisp image; the Invar shadow mask produces a more detailed image, and the CromaClear is known for its excellent horizontal focus.

Size/Form factor The viewable screen area of a monitor is measured diagonally across the screen. Today's monitors are large, with 17 inches fast becoming the standard desktop size. With prices coming down and increased use of graphically oriented operating systems, 21-inch monitors are gaining popularity. For example, see the AcerView 211c from Acer Peripherals, a 21-inch CRT based on Hitachi's high-contrast CRTs. Mag's XJ910 is another 21-inch monitor that's worth a look.

The depth of larger monitors is a concern for many desktop users, and manufacturers have responded by offering mini-neck and short-depth CRTs, which take up less depth on the desktop while offering the same viewable screen area. Chuntex Electronics' 1995SL, making its debut at the show, is a 19-inch short-length mini-neck CRT monitor. Using Hitachi's super-high-contrast tube, the 1995SL consumes approximately the same amount of power as a traditional 19-inch unit.

Resolution Resolution (the number of pixels in a given space on the screen) is an important consideration. Lower resolution means less information on the screen,



Mag XJ810-U



Chuntex Electronics 1995SL

but the text is larger and easier to read.

Dot pitch is the amount of space between phosphors of the same color. Measured in millimeters, dot pitches often range from .25 to .51 mm. Aperture-grille CRTs use a similar measurement, known as stripe pitch. In general, the smaller the dot pitch, the sharper the image on screen, but beware: Not all manufacturers measure dot and stripe pitch in the same way.

Refresh rate The refresh rate, measured in Hertz, tells you how many times per second the monitor redraws the image. A standard refresh rate is at least 75 Hz at 1024 by 768. Anything lower than 75 Hz shows a discernable flicker, which can result in eyestrain and fatigue.

USB standard The Universal Serial Bus (USB) standard allows you to connect up to 127 devices to a PC without internal cards or specialized slots. Mag Innovation's XJ810-U is a 19-inch monitor with Hitachi's high-contrast CRT that supports the USB standard. It offers an optional USB base, an integrated monitor base, and a USB hub.

Safety standards Low-emission monitors emit Extremely Low Frequency (ELF) or Very Low Frequency (VLF) electromagnetic radiation (EMR). But for those concerned with meeting the most stringent emissions standards, you're safest with monitors that adhere to TCO 95 or Swedish MPR II standards.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Tube type			
Form factor/Screen size			
Resolutions supported			
Refresh rate			
USB connections			
Safety standards supported			
Volume pricing options			
Delivery options			




GVC Unveils Flat Panel Displays

The First Consumer Priced Desktop 15" Color LCD Monitor

Again GVC Corporation takes the lead in display field with L5MX, an ergonomic 15" LCD monitor. This large screen, small foot-print monitor with PnP and rotating function software for ultra-crisp XGA display is the best overall buy.

- Ergonomic ID Design
- Pivotal Display
- Most Green
- Detachable Audio System & Microphone
- USB
- Imbedded Power System



90° Pivotal



Ergonomic ID



Detachable Speaker



GVC CORPORATION

5F., No. 331, Sec. 1, Tun Hwa S. Rd., Taipei, Taiwan, R.O.C.

Tel: 886-2-27012226 / Fax: 886-2-27040338

Email: monitor@gvc.com Web: <http://www.gvc.com.tw>

Enter HotBYTES No. 434 at <http://www.byte.com/hotbytes/>

Flat Is All the Rage

Liquid crystal displays (LCDs) are not just for notebooks anymore. Advances in LCD technology have now made color LCD monitors available in larger sizes that are comparable to traditional cathode ray tube (CRT) monitors.

The attractive—and extremely fashionable—LCD panels take up far less room on the user's desktop than a standard monitor. They also come in a wide range of sizes; some ultrawide versions may be 48 inches (or more) across. Prices on these peripherals are dropping rapidly as the demand for them grows; you'll see some very affordable LCD models at the show.

Active or passive matrix Passive matrix is the less expensive of the two color technologies used in LCDs. The pricier active matrix or Thin Film Transistor (TFT) technology produces color that is as sharp and clear as that of a top-of-the-line CRT.

Passive-matrix displays using new CSTN and DSTN technologies, however, can produce sharp colors as well. In fact, some newer passive-matrix displays are every bit as sharp and high quality as their active-matrix cousins.

Size One of the biggest advantages of LCD monitors is that they are slim and don't weigh very much. That's why in the past this technology was used primarily for notebook computers. But today's lower costs are now making LCD monitors popular for integrated desktops such as moniputers.

Most flat-panel displays can also be mounted on a wall; some versions are actually used in well-appointed offices and homes as "dynamic art galleries." Many flat-panel displays offer optional wall-mounting kits for a nominal charge.

For an example of a high-quality large-screen LCD at Computex, take a look at Mag Innovision's LT810 and LT811, which are both 19.1-inch digital and analog active-matrix LCD monitors with maximum resolutions of 1280 by 1024 pixels.

LCDs are available in both landscape and portrait orientations. Landscape, with a greater horizontal dimension, is the more traditional. Some LCDs let you toggle between the two modes.

Analog vs. digital Most LCD monitors today are digital; analog, the technology most commonly used in stan-



dard CRT monitors, is relatively rare. You'll see some exceptions here at the show, however.

Acer Peripherals' AcerView F61, a 16.1-inch analog LCD monitor, for example, is built around IBM panels. It can provide a maximum resolution of 1280 by 1024 pixels. A digital version is in the works.

Speakers So that multimedia users won't have to go without sound, some LCD manufacturers include speakers in the base of the LCD. If your PC doesn't already have a sound system, this might be a desirable option.


Energy consumption Most LCDs consume very little energy, which makes them perfect for portable use. Large LCDs are also very energy efficient. If efficiency is a concern, look for those that meet Energy Star, MPR-II, or TCO 95 standards.

PanelLink Keeping electro-magnetic interference (EMI) levels down is a major concern for notebook manufacturers. As LCDs offer higher resolutions with greater color depths, more data lines are needed to run from the display to the motherboard.

PanelLink is a technology developed by Silicon Image that enables notebook manufacturers to reduce the number of signal lines between the motherboard and flat-panel display. Acer Peripherals' AcerView F50 is a 15-inch digital LCD that comes with a PanelLink interface.

P R O D U C T S C O R E C A R D			
Product/Booth #			
Manufacturer contact			
Technology used			
Form factor/Screen size			
Analog/Digital?			
Speakers included?			
Energy consumption			
Panel link included?			
Volume pricing options			
Delivery options			

EVEREX



Call 1-888-PALMPC-4
or visit our home page at
www.freestyle.everex.com

Get a grip. Go Freestyle!TM

When you purchase a Palm - size PC powered by Windows CE between May 1 and June 30, 1998, you are eligible to receive a coupon worth approximately \$109 to get **Windows 98 Upgrade** when available*. please see your local reseller for details.

SEND & RECEIVE E-MAIL *

VIBRATING NOTIFICATION

TAKE A VOICE NOTE

JOT DOWN AN APPOINTMENT

SYNCHRONIZE DATA

Powered by Microsoft Windows[®] CE, the Everex Freestyle[™] Palm-size PC lets you record voice notes on the run, jot down appointments in your own handwriting, and access your most vital data at the touch of a button - all from the palm of your hand. When you get back to your desk, kick back and watch your Everex Freestyle and PC take over - as they instantly synchronize your latest information and let you get a grip.

* Windows 98 Upgrade offered via a mail-in coupon. \$4.94US/7.50CDN shipping and handling fee applies. Offer good in the United States and Canada only. Must purchase a Handheld or Palm-size PC powered by Windows CE 2.0 operating system between May 1 and June 30th, 1998. 2.0 upgrades do not apply. To receive your copy of Windows 98 Upgrade, pick up the promotional mail-in coupon at your local reseller or print it off our Web site at www.microsoft.com/windowsce/palmpc/. Please follow the mailing and proof of purchase instructions. Please allow 6 to 8 weeks for product delivery once available.



Everex Systems, Inc. Taiwan Branch

3 Fl.-2, No 248, Sec 3, Nanking East Road, Taipei, Taiwan, ROC. • Tel: 886-2-2773-2266. • Fax: 886-2-2778-3505

Enter HotBYTES No. 433 at <http://www.byte.com/hotbytes/>



Computing in the Palm of Your Hand



In the past, hand-held and palmtop computers failed to take the computing world by storm. Their screens were largely thought to be difficult to read, if not unviewable, their keyboards were too small for adult hands, and they offered very few useful software applications.

Today's hand-held computers are a radical change from those early designs. They offer much better screens, function-oriented applications, larger keyboards or more responsive writing surfaces, and operating systems that more easily synchronize with your desktop system.

When choosing a palmtop or hand-held computer, first consider how you plan to use it. If your only real need is to keep track of names, phone numbers, and a few days' worth of appointments, you'll want a simple and inexpensive organizer.

On the other hand, a powerful new hand-held can do real computing work. Some of the latest models even double as presentation devices. Many of the hand-held computers making their debut at Computex can display PowerPoint slide presentations.

For the best success, make a list of your requirements first, then look for the device that has features and options that most closely match your work style. The

features we've listed here correspond to the most common user needs.

Operating system Microsoft's Windows CE is an operating system designed for hand-held and palmtop computers. While not every manufacturer has embraced the Microsoft operating system, CE is a standard. Some manufacturers offer proprietary operating systems, which still have a full slate of functions. But if you want to go with a standard operating system, you may want to stick with Windows CE.

One of the hottest CE devices you'll see here, Hightech Computer's hand-held PC (HPC) VR-4111, uses a NEC MIPS 66- or 100-MHz processor, has 8 MB of RAM, and supports CompactFlash cards.

The hand-held also includes a 33.6-Kbps or 56-Kbps software fax/modem and an optional one-way pager card that lets you access Internet information, fax, modem, and telephone messages. It comes with a foldable cradle that serves as the docking station and recharger.

Form factor Hand-held devices range from tiny, plum-size two-way pagers with address-book capabilities to keyboard-style units that will never begin to fit into

the average business suit's shirt pocket.

Size and weight play an important role in the everyday use of a hand-held computer. Before you purchase any hand-held information appliance, make sure you'll be comfortable carrying the device for long periods of time.

Display type Hightech Computer's VR-411 sports a 3.8-inch active-matrix color LCD screen with a maximum resolution of 240 by 320.

Of course, not everyone needs full color, or even multiple shades of gray, in a hand-held device. If your work involves mainly sending and receiving e-mail and faxes, for example, a monochrome display may be all you need. Some hand-helds offer touch-sensitive screens useful for handwriting recognition and application navigation.

Input One of the greatest deterrents to using a computer is not feeling comfortable with the keyboard or input device. Today's palmtops and hand-helds have come a long way in this area, and many now have keyboards that adults can use with ease. Most also come with small pen-like pointers that you touch to the screen as if using a mouse.

Connectivity options To connect to the home office when on the road, make sure your palmtop or hand-held comes with a modem. And for updating and synching files on your desktop system, look for a docking station such as that which comes with the Hightech VR-4111. Be forewarned, however, that compatibility with desktop applications can be a problem. What you run on your hand-held may not completely translate to your desktop.

Batteries Lithium-ion batteries will give you the longest mobile work sessions. To keep working while unplugged, opt for more than one battery. For the most practical power, look for a palmtop or hand-held that comes with a recharger. And be sure to check with the vendor on estimated battery life; adding a modem or other device to your hand-held can drop battery life dramatically.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Operating system supported			
Form factor (size, weight)			
Display type			
Input methods supported			
Connectivity options			
Batteries required/ Estimated life			
Volume pricing options			
Delivery options			

Catch^{the} *Speed* Catch^{the} *Internet*



Smarter Input For
Smarter output



KYE Systems Corp.

No. 492 Chung Hsin Rd., Sec. 5,
San Chung, Taipei Hsien, Taiwan R.O.C.
Tel : (886) 2 2995-6645
Fax : (886) 2 2995-6649
Web site: <http://www.geniusnet.com.tw>



Computex Taipei
June 2-6 1998
Booth No. C410

NewScroll

The Ultimate in Scrolling Convenience

NewScroll is the ultimate device while surfing the Internet or scrolling through Windows documents. Not only the advanced and much more reliable "Magic-Surfer" needs only one finger to control but also based on the technology of the wheel to look for what you want on the Internet and windows quickly and smoothly. Surfing the Internet, NewScroll is the ultimate choice.

Enter HotBYTES No. 439 at <http://www.byte.com/hotbytes/>



New Ways to Deliver Data to the PC



Input devices let you enter text, graphics, and other data into the computer quickly and easily. Here's a list of some of our favorite input devices that you can expect to find on the Computex show floor.

Input devices run the gamut from the mice and keyboards found on virtually every PC to more exotic graphics tablets, voice-recognition systems, and joysticks. Each offers unique capabilities best-suited for particular types of data. The device you choose depends, in part, on the type and amount of data you'll be entering into the PC and the conditions under which you'll be working.

When choosing any type of input device, consider also the kind of connector you'll need to attach it to the PC. A serial or parallel connection, commonly required by some mice and graphics tablets, may prevent you from using other devices, such as printers, with your computer.

Other types of input devices may require the purchase of additional hardware and/or software before they will run properly. For more unusual devices or computer platforms, be sure to check first to make sure your system will support the new device.

Keyboards The keyboard is the most common input device. Most have a QWERTY typewriter layout, although there are many variations as far as placement of function keys and added features. For example, Silitek's SK-3100 is a 2-in-1 Smart-Card decoding keyboard. One of the input device highlights at this show, it has a card reader module integrated on the upper right corner. The keyboard (with the card decoder) connects through a single cable to the host's PS/2 port, or optionally through the USB interface. The device decodes all ISO 7816-3-compliant smartcards.

Mice A mouse is optimized for pointing, clicking, dragging, and dropping your way through the graphically oriented operating systems we use today. Most are based on optical or mechanical technology, with two to five buttons for selecting and manipulating text and graphics.

Some have a wheel that helps you automatically scroll through pages on the Internet. KYE's NewScroll is an Internet mouse with browsing gear that lets you turn Web pages without moving the mouse. The NewScroll comes with Easy-Jump software that enables customized HyperLink and double-clicking, and



the mouse comes in wired and infrared models. Infrared mice let you operate without a cord.

Pens Digital pens are mouse substitutes that are shaped like traditional pens but rely on handwriting-recognition or line-drawing technology for interpretation by the computer. Pens come in corded and cordless models, with most cordless models getting power from internal batteries. Most pens also come with touch-sensitive pads for use as a mouse.

Joysticks Joysticks plug into the 15-pin game port usually found on an audio card. In the past, joysticks were simple sticks that moved on *x* and *y* axes and had a single button. Today, joysticks are advanced digital-optical devices with molded handgrips, rapid-fire triggers, and special yokes, and some offer tactile feedback for full multimedia effect.

Tablets Digitizing and graphics tablets combine touch-pad and stylus technology. Designed for high-end graphics and CAD work, many tablets support resolutions of 1000 dpi and more. Pressure-sensitive tablets measure *x*- and *y*-axis coordinates. Some pressure-sensitive touch pads offer *z*-axis measurement as well.

Voice Voice-input systems can have vocabularies in the tens of thousands or more and can be used to control your computer as well as to input documents. If hands-free operation is a must, be sure any voice-recognition system you choose supports it. Many voice-input systems vary according to the rate of speech, measured in words per minute, that the system is capable of understanding.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Type (keyboard, mouse, etc.)			
Connector required			
Additional hardware required			
Additional software required			
Ergonomic considerations			
Additional features/Notes			
Volume pricing options			
Delivery options			

Name of Exhibitor	Booth Number(s)		
A			
A-Case Industrial Inc.	C1035	Asia Vital Components Co., Ltd.	A803
A-Four Tech Co., Ltd.	C413	Askey Computer Corp.	A534
A-Trend Technology Co., Ltd.	D734	Assure Kudos Trading Co., Ltd.	A305
A.R.M. Microsystems Corp.	D320	Astar Technologies Co., Ltd.	C1137
Aaeon Technology Inc.	D525	Astra Communicaton Corp.	D615
Aamax Technology Co., Ltd.	B335	Astrotek Limited	D212
Aashend Technology Inc.	C522	Asustek Computer Inc.	D708
Aavid Taiwan Inc.	A704	Aten International Co., Ltd.	C313
ABA Locks Manufacturer Co., Ltd.	C1030	ATI Technologies, Inc.	C1014
Abacus Taiwan Computer Co., Ltd.	A1416	Atng Power Co., Ltd.	A412
Abit Computer Corporation	T201B	Atoz Technology (Taiwan) Inc.	C431
Abyl-Tech Corporation	B431	Atrie Technology Inc.	A219
AC Power Corp.	C215	Aurora Corp.	B226
Access Computer Inc.	A217	Aus Linx Technology Co., Ltd.	A118
Accton Technology Corp.	A538	Auspro technologies Corporation	A205
Ace Cad Enterprise	C809	Autek Electronics Co., Ltd.	A1319
Aceex Corporation	A130	Auvistar Industry Co., Ltd.	B334
Acer Incorporated	B510	Av-Leader Corp.	C417
Acer Laboratories	A928	Avermedia Technologies Inc.	D826
Acer Peripheral Inc.	C702	Avidtek Co., Ltd.	
Acer Sertek Incorporated	D605	B1034/B1036/B1038/B1133/B1135/B1137	
Acme Portable Machines, Inc.	C1114	Avison Inc.	C314
Acmepoint Tech. Co., Ltd.	C518	Aviso International Corp.	D520
Acorp Electronics Corporation	D725	Avnet Technology Co., Ltd.	B233
Acquire Inc.	A333	Axel Technology Corporation	T3104
Acro Computer Corporation	B218	Axelen Industrial Inc.	C732
Acrosser Technology Co., Ltd.	D829	Axiom Technology Co., Ltd.	B322
ACS Innovations International Pte Ltd.	B1010	B	
ACT Attractive Computer Technology Corp.	A1130	Bcom Electronics Inc.	D722
Act-Rx Technology Corp.	A1418	Beacon Technology Inc.	A119
Action Electronics Co., Ltd.	T205	Beam Tech Electronics Co., Ltd.	C736
Action Well Development Limited.	C1215	Begonia Univac Corp.	D130
Adaptec Inc.	B830	Behavior Tech. Computer Corp.	T202
Adda Corporation	A1325	Best Systems Corporation	A122
Addonics Technologies Corporation	D927	Bestek Power Electronics Co., Ltd.	A1119
ADI Corporation	B502	Billion Electric Co., Ltd.	A230
Adlink Technology Inc.	D619	Biostar Microtech Int'l Corp.	D634
Adomax Technology Co., Ltd.	C521	Birch Technology Inc.	C924
Advance Creative Computer Corp.	B318	Bluepoint Technology Co., Ltd.	D419
Advanced Hi-Tech Corp.	B735	Boser Technology Co., Ltd.	A1309
Advanced Scientific Corp.	A322	Boss Computer & Technology Co., Ltd.	T3006
Advantech Co., Ltd.	B303	Bridge Information Co., Ltd.	D206
Advantech Equipment Corp.	A1120	Bright Headphone Electronics Co.	C728
Aidma Enterprise Co., Ltd.	T3012	Brimax Inc.	A117
Akkord International (Hong Kong) Limited		Britek Electronics Co., Ltd.	D330
Taiwan Branch	C1209	Brotek Technology Inc.	A1223
Alfa Media Industrial Co., Ltd.	C1007	C	
Alfadata Computer Technic Corp.	E930	C Y & S Industrial Co., Ltd.	C1023
All Best Electronics Co., Ltd.	A907	C&C Technic (Taiwan) Ltd.	C332
Allspirit Co., Ltd.	C627	C-One Technology Corp	C626
Alphacom Enterprise Co., Ltd.	C336	C.S. Conser Enterprise Co., Ltd.	A1204
Alps Electronics Taiwan Co., Ltd.		Caltechnology International Ltd.	A1314
B828/PB830/PB832P/B927/B929/B931		Cantta Enterprise Co., Ltd.	A215
Alptech Logic Products Inc.	D417	Carry Computer Engineering Co., Ltd.	D726
Amaquest Computer Corp.	B222	Case Star Industrial Co., Ltd.	A1007
American Institute In Taiwan		Casetek International Co., Ltd.	A1228
(Organizer Of U.S. Pavilion)	B732	Cast Technology Inc.	B429
American Megatrends Inc., Taiwan Branch		Castles Automation Co., Ltd.	C738
B1017/B1019/B918P/B920P		Celan Technology Inc	A407
An Chen Computer Co., Ltd.	C631	Cell Power Co., Ltd.	C1127
Anbonn Inc.	D226	Centos Inc.	D316
Antrone Research Inc.	B636	Centralion Industrial Inc.	C538
AOC International	T3F2	Chaintech Computer Co., Ltd.	T201D]
Aoula Technology Corp.	D228	Champtek Incorporated	C523
Aqtec Enterprises Inc.	C1225	Channel Electronics Corp.	D222
Arbor Technology Co.	B417	Chant Sincere Co., Ltd.	A1023
Archtek Telecom Corp.	A326	Charm Winner Co., Ltd.	C933
Ares Technology Co., Ltd.	C1027	Chartered Semiconductor Mfg. Ltd.	B1115
Argus Technologies Co., Ltd	A309	Chaun Choung Industrial Corp.	A814
Aris Computer Corp.	C938	Chee Chen Technology Co., Ltd.	A1324
Ark Tech Ltd.	C1025	Cheer Electronics Corp.	T3108
Asante Technologies	B738	Chen-Source Inc.	T3093
Asia Microelectronic Development Inc.	C1135	Chenbro Micom Co., Ltd.	A610
		Chenming Mold Industrial Corp.	A826
		Chia Shin Technology Corp.	C919
		Chic Technology Corp.	C820
		Chicony Electronics Co., Ltd.	T201E
		Chieftec Industrial Co., Ltd.	A1121
		Chin Ta Industrial Co., Ltd.	T3073
		Ching Tai Electric Wire & Cable Co., Ltd.	C717
		Ching-San Wire & Cable Co., Ltd.	A1419
		Chroma Ate Inc.	C422
		CHS Summit Enterprise Co., Ltd.	A1112
		Chuan Rong Industries Co., Ltd.	C635
		Chun Long Metal Co., Ltd.	A1016
		Chun Yun Electronics Co., Ltd.	D209
		Chunghwa Picture Tubes, Ltd.	D002
		Chuntex Electronic Co., Ltd.	T101A
		Chyang Fun Industry Co., Ltd.	A408
		Circle Heart Enterprise Co., Ltd.	T3034
		CIS Technology Inc.	A528
		Clear Dawn Co., Ltd.	D216
		Clevo Co.	T101C
		Cmc Magnetics Corp.	C905
		Cnet Technology Inc.	A433
		Comda Enterprises Corporation	C436
		Comdek Industrial Corporation	B406
		Comix International Co., Ltd.	C122
		Comjet Information Systems Corp.	B436
		Compal Electronics Inc.	T201A
		Compower Enterprise Co., Ltd.	D519
		Compro Technology Inc.	D426
		Compunic Electronics Co., Ltd.	C534
		Comtronic Source Co., Ltd.	A1003
		Consolidated Marketing Corporation	C614
		Cremax Tech.Co., Ltd.	C420
		Crete Systems Inc.	B302
		CST, Inc.	C1016
		CTC Union Technologies Co., Ltd.	A137
		CTS Computer Technology System Corp.	D705
		Cyrix International Inc. Taiwan Branch	
		B1217/B1218/B1219/B1220/B1221/B1222	B1223/B1224
		D	
		D&B International Computer Inc.	D719
		D-Link Corporation	A330
		Dai Hwa Industrial Co., Ltd.	C329
		Dalao Computer Technical Co., Ltd.	A1008
		Data Accessories Corporation Taipei	
		Branch (Canada)	T3029
		Data Cycle International Corp.	A720
		Datacomp Electronics Co., Ltd.	C835
		Dataexpert Taiwan Corp.	D534
		Datafab USA, Inc.	C1116
		Dataplus Supplies Inc.	C724
		Datatronics Technology, Inc.	A111
		Datavan International Corp.	B434
		Datavideo Technologies Co., Ltd.	D621
		Dataworld International Corp.	C1034
		Decision Computer International Co., Ltd.	D516
		Deep Electronic Co., Ltd.	A1421
		Delta Electronics, Inc.	A522
		Delttron Technology Inc.	T3039
		Der An Electric Wire & Cable Co., Ltd.	T3080
		DES International Co., Ltd.	A1118
		Dextra Information Corporation	C526
		Dialer & Business Electronics Co., Ltd.	A434
		Diamond Flower Electric Instrument Co., Ltd.	T204
		Diing Yuan Enterprise Corp	B235
		Dintek Electronic Limited	A1111
		Diwei Industrial Co., Ltd.	T3054
		Dotop Company Limited	A120
		Drow Enterprise Co., Ltd.	C1126
		DTC Technology Corporation	D510
		Dual Technology Corporation	B202
		Duet Grace Computer Ltd.	A116
		Dynaon Industrial Co., Ltd.	A1114
		Dynapower Enterprise Co., Ltd.	C1011
		Dynasty Computer Inc.	B416

E

E-Tech, Inc. A226
 Easterntec, Inc. T3021
 Edimax Technology Co., Ltd. A317
 Edtasonic Technology Co., Ltd. C1033
 EFA Corporation D502
 Electro-Master, Inc. C414
 Eletech Enterprise Co., Ltd. A213
 Elitegroup Computer Systems Co., Ltd. B528
 Elsa Far East Office B1009/B1011/B1013/B1015
 Elt Eulong Technology Co., Ltd. A1110
 Emit Technology Co., Ltd. T3085
 En Bin Industrial Corporation T3009
 Energizer Rechargeable Products Asia Pacific Ltd. B917/B919/B921
 Enermax Technology Corporation C218
 Enhance Electronics Co., Ltd. A1315
 Enlight Corporation T103
 Epoch System Co., Ltd. T3011
 Epox Computer Co., Ltd. D630
 Etc Group/Fair Electronics Co., Ltd. D309
 Etherwan Systems Inc. B835
 Ever Case Technology, Inc. A1422
 Evercool Technology Co., Ltd. A910
 Evergreat Computer Technology Corp. A703
 Exar Corporation B828
 Expantec Automation Inc. A1311
 Extensive Enterprise Co., Ltd. C536

F

Fai Technology Inc. T3056
 Fairstone Technologies Corp. C225
 Faltien Trading Co., Ltd. D618
 Fametech Inc. C1029
 Famous Computer Co., Ltd. A1317
 Far Cove Co., Ltd. C920
 Fast Channel Co., Ltd. D522
 Fenton Technologies Corp. C528
 Firich Enterprises Co., Ltd. C730
 Flexus Computer Technology Inc. B332
 Flytech Technology Co., Ltd. B326
 Focus Electronic Co., Ltd. C828
 Fonitech Industrial Co., Ltd. A1006
 Forefront International Ltd. D126
 Formosa Electronic Industries Inc. A310
 Formosa Industrial Computing, Inc. D513
 Formosan United Corporation A325
 Fornet International Pte Ltd. B1026
 Fortrex Electronic Co., Ltd. A905
 Freetech C.C. B1118/B1120/B1122
 Freetek Technology Corp. D509
 Friend Spring Industrial Co., Ltd. D224
 Friend-Tech Computer Co., Ltd. D523
 Friwo Far East Ltd. B1130/B1132/B1134
 Front Fareast Industrial Corp. B231
 Frontier Technology Inc. C625
 Fu Tung Metal Co., Ltd. A1113
 Fu-Yao Technology Co., Ltd. A1018
 Fuden Electronics Corp. C514
 Fudin Technology Co., Ltd. C1231
 Fujitsu Taiwan Ltd.
 B810/B810/B810P/B810P/B812/B812/
 B812P/B812P/B814/B814/B814/
 PB814P/B816/B816/B816P/B816P
 Full Enterprise Corporation A214
 Full Yes Industrial Corp. D405
 Fver Glory Electronic Industry Co. D819

G

G-Atlantic Enterprise Co., Ltd. A1313
 G.Skill International Enterprise Co., Ltd. A1320
 Gainward Co., Ltd. D825
 Gallant Technology Inc. D714
 Gee Technical Co., Ltd. D812
 Gemlight Computer Ltd. C1111
 Gemtek Technology Co., Ltd. A113

Gemtronics Corporation
 Genoa Systems Corporation
 GES Singapore Pte Ltd.
 Getac Corporation
 Giantek Technology Corp.
 GIC Technology Inc.
 Giga-Byte Technology Co., Ltd.
 Giga-Tms Inc.
 Global Circuit Technology Inc.
 Global View Co., Ltd.
 Global Win Technology Co., Ltd.
 Globe Legate Co., Ltd.
 Gloria Electronics Co., Ltd.
 Go Far Tech Co., Ltd.
 Godex International Co., Ltd.
 Good Way Ind. Co., Ltd.
 Good Will Instrument Co., Ltd.
 Gotop Information Inc.
 Grandex International Corporation
 Grandtec Electronic Corp.
 Great Computer Corporation
 Great Electronics & Industry Corp.
 Great Ndc Ltd.
 Great Sun Technology Corp.
 Great Tek Corp.
 Green Knight G.K. Enterprise Co., Ltd.
 GTL International Enterprises Co. Ltd.
 GVC Corporation

H

Han Shing Technology Co., Ltd.
 Hanpin Electron Co., Ltd.
 Hansontech International Limited
 Her Zin International Ltd.
 Hi-Lo System Research Co., Ltd.
 High Grade Industries Co., Ltd.
 Hightech Information System Ltd.
 Histar Technology Inc.
 Hizon International Enterprise Ltd.
 Hobbes & Co., Ltd.
 Holco Enterprise Co., Ltd.
 Holo Science Computer Co., Ltd.
 Hon Hai Precision Industry Co., Ltd.
 Honor Star Industrial Co., Ltd.
 Hopax Industries Co., Ltd.
 Horng Technical Enterprise Co., Ltd.
 Hostlink Corporation
 Hoya Tech Co., Ltd.
 Hpc Pos System Corp.
 Hsin-Lin Computer Co., Ltd.
 Hsing Chau Industrial Co., Ltd.
 Hungtech Industrial Co., Ltd.
 Hwang Pin Ind. Co., Ltd.

I

I-Chia International Corp.
 ICA Technology Inc.
 Icon Inc.
 Ieman Business Inc.
 IGS Technologies Inc.
 Ikon Technologies Corporation
 Image & Shapetek Co., Ltd.
 Imc Computer System Inc.
 Imtek Computer Co., Ltd.
 In Win Development Inc
 Info Solution Inc.
 Infotrend Technology Inc.
 Innomedia Pte Ltd.
 Insert Enterprise Co., Ltd.
 Inson Corp.
 Integrated Device Technology Inc.
 Integrated Technology Express (Taiwan), Inc.
 Integrity Peripherals Company
 Intel Micro Electronics Asia Ltd.
 Inter-Mass Corporation
 Intercom Taiwan, Inc.

C1131
 B729
 B1014
 B410
 B403
 B626
 D302
 C317
 D711
 A421
 A1005
 D423
 C708
 C807
 C823
 A810
 A904
 B225
 C333
 C1227
 C1136
 B325
 C935
 C934
 D629
 C1132
 C815
 T201F

International Computer Products B.V.
 Taiwan Branch D506
 International Dempa Trade Co., Ltd. C827
 Interplanetary Information Co., Ltd. A203
 Intracom Asia Co., Ltd. T3041
 Inwood Industries Co., Ltd. D229
 IOI Technology Corporation D823
 Iomega Pacific Pte. Ltd. Taiwan Liaison Office
 B818/B818P/B820/B820P/B822/B822P
 Iston Computer Corp. D517
 It Pal Co., Ltd. T3061
 Itserv Inc. B834
 Iwill Corporation D430

J

J & A Computer Co., Ltd. A414
 J & J Technology Ltd. B435
 J&A Information Inc. A1122
 J.I.C. Enterprises Taiwan Limited A306
 Jargy Co., Ltd. A1323
 Jenor Industries Co., Ltd. C1020
 Jess-Link Products Co., Ltd. T3075
 Jet Way Information Co., Ltd. D822
 Jettart Technology Co., Ltd. A1214
 Jetpower Technology Co., Ltd. C830
 Jinsaun Electronic Co., Ltd. C437
 JNC Computer Corp. A1017
 Jinson Electronic Mfg. Co., Ltd. A709
 Jonting Enterprises Co., Ltd. T3016
 Joyance Enterprise Co., Ltd. A1203
 Joytech Computer Co., Ltd. D530
 JPA Technology Co., Ltd. A1420
 Julok Enterprise Co., Ltd. A914
 Juster Co., Ltd. C633
 Jyh Eng Industrial Co., Ltd. A1208
 Jyi-Mei Trading Corp. C326

K

K. A. Chen Int'l Ltd. C928
 Kaimei Electronic Corp. D331
 Kang Yang Hardware Enterprises Co., Ltd. T3001
 Kapok Computer Co. T201C
 Katron Technol.Ogies Inc. A334
 Kelly International Corp. T3088
 Key Mouse Electronics Enterprise Co., Ltd. A1125
 King Case Industrial Co., Ltd. A1218
 King-Cord Co., Ltd. T3084
 Kingmax Technology Inc. D813
 Kingroyal Co., Ltd. C1038
 Kinsun Industries Inc. A1124
 Kintek Electronics Co., Ltd. B331
 Kinyo Co., Ltd. C623
 Klein & Ross International Ltd. Taiwan Branch D429
 Kou Chin Enterprise Co., Ltd. T3008
 Kouwell Electronics Corporation. D410
 Kuo Feng Corporation D202
 Kuo Hungmachinery Indust Co., Ltd. C1123
 Kuo Jer Enterprise Co., Ltd. T3014
 Kye Systems Corp. C410

L

L Plus C International Co., Ltd. A1010
 Laban International Co., Ltd. A233
 Lanbit Computer Inc. A314
 Landway Enterprise Co., Ltd. B402
 Lanner Electronics Inc. D420
 Lantech Computer Company A417
 Leadtek Research, Inc. D306
 Leap Electronic Co., Ltd. A1219
 Lectron Co., Ltd. A238
 Level Electronics Co., Ltd. C630
 Lian Li Industrial Co., Ltd. C230
 Lightspeed International Co. A124
 Lih Chang Tech Co., Ltd. C125
 Lih Shin Electronics Corp. C1235
 Likom Corporation Sdn Bhd C1107/C1109
 Lin-Chi Electronic Co., Ltd. A807

Trade Show Exhibitors' Guide

Linkworld Electronic Co., Ltd. D816
 Lite On Communications Corp. A321
 Lite-On Technology Corp. D008
 Locate In Scotland C1018/C1117
 Logic Concept Technology Co., Ltd. A1116
 Logitech Far East Ltd.
 C1002/C1004/C1006/C1101/C1103/C1105
 Long Shine Electronics Corp. A222
 Long Time Electronic Co., Ltd. C832
 Longwell Precision Industrial Co., Ltd. A1004
 Lonsen Audio Co., Ltd. C338
 Loyalty Founder Ent. Co., Ltd. A1229
 Lucky Star Technology Co., Ltd. D434
 Lucky Technologies (Taiwan) Co., Ltd. C1013
 Lung Hwa Electronics Co., Ltd. D505

M

M.E.T. Japan Co., Ltd. Taiwan Branch D524
 Maca Link Co., Ltd. A1316
 Macase Industrial Corp. A811
 Machkey International Co., Ltd. T3004
 Macpower Peripherals Ltd. C929
 Macromate Corp. A308/A418
 Mag Technology Co., Ltd. D026
 Main Power Electronics Corporation C720
 Malico Inc. A918
 Mapower Electronics Co., Ltd. C618
 Mass World Internation Co., Ltd. A903
 Matsushita Electric (Taiwan) Co., Ltd. D032
 Media Press Data Replication Inc. B229
 Mediaforte Products Pte Ltd. B1022
 Mediatech Industrial Inc. C829
 Mediatek Corp. D715
 Mei International Inc. B630
 Mercury Computer Corporation D518
 Merry Electronics Co., Ltd. C1026
 Micro 2000 B1124
 Micro-Meilon Co., Ltd. C629
 Micro-Star International Co., Ltd. D334
 Micron Design Technology Limited C1237
 Micronics Computers Inc. B829
 Microtek International Inc. TF1
 Midiland Inc. C1118/C1217
 Might Electronic Co., Ltd. D422
 Millennium Technology Co., Ltd. C1032
 Ming Fortune Industry Co., Ltd. A304
 Mitac Inc. B230
 Mitac International Corp. T101B
 Mitsutech International Corp. D315
 Monterey International Corp. C321
 Moretec Electronics Industrial Co., Ltd. A404
 Morex Information Enterprise Co., Ltd. A804
 Mosel Vitelic Inc. A616
 Motorola Electronics Taiwan, Ltd.
 B1209/B1210/B1211/B1212/B1213
 B1214/B1215/B1216

N

National Semiconductor(Far East) Ltd.
 Taiwan Branch B1025/B1027/B926P/B928P
 Neltron Industrial Co., Ltd. A1211
 Nevatec Electronic Corp. A303
 New Techinternational Co., Ltd. D623
 Newman, Hope & Co. Inc. C1024
 Newseed Electronics Co., Ltd. C1017
 Newsoft Technology Corporation B223
 Nicetel Electronic Co., Ltd. T3100
 Norm Pacific Automation Corp. C1134
 Novia International Corp. A1104
 NTK Computer Inc. C427
 Nuvisionproducts Inc. C1110

O

O'Sted International Hi-Tech Corp. C833
 Oak Technology Inc. B616
 Ocean Information Technology Ltd.
 Taiwan Branch B923/B925
 Oki Electric Industry Co., Ltd.
 B909/B911/B913/B915
 Omega Technology Of Taiwan Inc. T3023
 Omni Enterprise Corp. C426
 Opticom Data Transys Co., Ltd. C434
 Opticom Powerlink Co., Ltd. C537
 Opticom Technology Corporation A112
 Optimun Care Inc. A1226
 Oreks Enterprise Co., Ltd. A1011
 Orient Semiconductor Electronics, Ltd. A728
 Ortek Technology, Inc. C421
 Oryx International Ltd. D915
 OTS Information System Ltd. A329
 Ovislink Corp. A520

P

Pacific Image Communications Inc. B831
 Pacific Image Electronics Co., Ltd. C438
 Pacific Technology Co., Ltd. D225
 Pamg Ocompany Ltd. A504
 Pan Thai Computer Co., Ltd. B1030/B1032
 Pantech International Inc. T3031
 Pao Shen Electronic Co. Ltd. D529
 Parex Electronics & Computer Co., Ltd. C734
 Part II Research Ltd. C609
 Partner Tech Corp. C532
 PC Chip Computer Manufacturer(S) Pte Ltd B1113
 PC Chips Europe B.V. C1008/C1010
 PC Direct Technology Co., Ltd. A1020
 PC Expert Tech Co. Ltd. C932
 PC Mate Corporation C1009
 PC Winner International Inc. A823
 PC Worth International Co., Ltd. C825
 PC-Core Co., Ltd. D820
 PC-Tel, Inc. Taiwan Branch C1108
 Peculiarluck Corp. T3099
 Pei Chow Industry Co., Ltd. D414
 Pepboy International Co., Ltd. T3051
 Perfect-Three Manufacturing Corp. C831
 Pheecom Technology Corp. A121
 Phoenix Technologies Ltd. B622
 Pine Technology Ltd. B934/B936/B938
 Pingood Enterprise Co., Ltd. A712
 Pinnacle Industries Co., Ltd. C925
 Pinnacle Systems GmbH
 B824 /B824P/B826/B826P

Planet Technology A313
 Plato Technology Co., Ltd. D721
 Plustek Inc. C1001
 Polestar Tech. Corp. C425
 Pongee Industries Co., Ltd. C1129
 Pora Corporation A425
 Portrait Displays, Inc. B728
 Portwell Inc. B422
 Potrans Electrical Corp., Ltd. C725
 Power Industry C1115
 Power Mart Industry Co., Ltd. T3043
 Power-Win Technology Corp. A917
 Powercom Co., Ltd. C713
 Powertech Industrial Co., Ltd. T3079
 Premax Electronics, Inc. Taiwan Branch B930/B932
 Pride Expression Technology Ltd. D310
 Primat Industrial Co., Ltd. A206
 Primax Electronics Ltd. C310
 Primrose International Inc. T3101
 Princeton Technology Corp. A818
 Pringo Corp. C530
 Pro Team Computer Corporation D718
 Pro-Ana International Inc. C837
 Pro-Nets Technology Corp. A318
 Procomp Informatics Ltd. D425

Prodisc Technology Inc. C118
 Prolink Microsystems Corp. D610
 Promise Technology, Inc.
 B1029/B1031/B930P/B932P
 Protech Systems Co., Ltd. D521
 Proton Electronic Industrial Co., Ltd. D232
 Provide Multimedia Co., Ltd. D617
 Proviev Electronics(Taiwan)Co., Ltd. TF1B
 Pt Codegen Jaya C1112
 Pun Chang Wire & Cable Co., Ltd. A1205
 Puretek Industrial Co., Ltd. A138
 Puritron Technology Inc. B338

Q

Qlogic Corporation B837
 Qspeed International Co., Ltd. D324
 Qtronix Corporation T3106
 Qualitek Electronics Co., Ltd. T3102
 Quantum Corp. Taiwan Branch
 C1102/C1104/C1106/C1201/C1203/C1205
 Quantum Design (H.K.) Ltd. B1129/B1131
 Quarton Inc. T3077

R

R.P.T. Intergrated International Ltd. A211
 Rad Incorporated C429
 Ram-Data Computer Inc. D609
 Ramon System Corp. C1125
 Raritan Computer Taiwan Inc. A830
 Rayon Technology Co., Ltd. A126
 Raystar International Co., Ltd. A1107
 RCS International Corp. T3070
 Regent Technologies Corp. D110
 Relia Technologies Corp. A115
 Repotec Co., Ltd. A338
 Rever Computer Inc. B321
 Rextechnik International Corp. B336
 Rico Panasia Co., Ltd. A908
 Ricoh Company, Ltd.
 B1021/B1023/B922P/B924P
 Rightech Corporation D218
 Rise Computer Inc. D326
 Ritek Corporation C622
 Rixcom International Corp. T3033
 Rockwell Semiconductor Systems B710
 Roger Chen Enterprise Co., Ltd. A1014
 Rota Technology Inc. T3083
 Royal Information Electronics Co., Ltd. D106
 Royce Enterprise Co., Ltd. T3068
 Ruby Tech Corporation A409
 Runtop Inc. A337

S

S S I Computer Corp. C634
 Saho Corporation C613
 Sailing Strong International Co., Ltd. C513
 Salt International Corp. D401
 Sampo Corporation C610
 Sampo Technology Corp. D102
 Samsung Electronics Taiwan Co., Ltd. B910/B910P/
 B912/B912P/B914/B914P/B916/B916P
 San Shih Electrical Enterprise Co., Ltd. T3002
 Sandmartin Company Ltd. C524
 Sea Sonic Electronics Co., Ltd. A819
 Seigo Corporation D314
 Send-Victory Corp. A1321
 Senor Science Co., Ltd. C219
 Sercomm Corp. A234
 Seven Stage Industrial Co., Ltd. A1012
 Seventeam Electronics Co., Ltd. A1022
 SGS-Thomson Microelectronics (Pte) Ltd.
 B1033/B1035/B1037/B934P/B936P/B938P
 Shamrock Technology Co., Ltd. D134
 Shinestar Enterprise Co., Ltd. T3071
 Shinetech Corporation C120
 Shing Yunn Electronics Enterprise Co., Ltd. D624
 Shinlee Corporation B404

Shuang Yu Industries Co., Ltd.	T3003	Taicom Data Systems Co., Ltd.	A229	Union Genius Computer Co., Ltd.	C525
Siblings Over Sea Co., Ltd.	A1216	Tainet Communication System Corp.	A437	United Hitech Corp.	D625
Sicon Peripheral Co., Ltd.	C221	Taisi Science Technology Ltd.	A1106	United Information Systems Co., Ltd.	C712
Silicon Integrated Systems Corp.		Taiwan Bor Yung Corporation	T3046	Unitron Incorporated	B306
B1229/B1230/B1231/B1232/B1233/B1234		Taiwan First Line Electronics Corp	T3062	Universal Components Co., Ltd.	A920
Silitek Corporation	T3F1	Taiwan Industrial Fastener Corporation	A1415	Universal Scientific Industrial Co., Ltd.	B522
Sima Technology Co., Ltd.	C223	Taiwan Multimedia, Inc.	D318	Up Select Electronic Co., Ltd.	C926
Sine Tec Technology Co., Ltd.	C517	Taiwan Mycomp Co., Ltd.	T203	Upgrade Tech Computer Co., Ltd.	D613
Sinew Technology Co., Ltd.	C1138	Taiwan Name Plate Co., Ltd.	C729	Utorn Technology Inc.	A929
Sinoca Enterprises Co., Ltd.	A403	Taiwan Oasis Enterprise Co., Ltd.	A921		
Sinonar Corporation	C1019	Taiwan Semiconductor Co., Ltd.	C1120	V	
Six-Sigma International Co., Ltd	B234	Taiwan Semiconductor Manufacturing Co., Ltd.	A624	V Jet International Co., Ltd.	C227
Sky Well Technology Corp.	D515	Taiwan Shin-G Tech International Co., Ltd.	C533	V-Star Electronics Inc.	C222
Skyline Computer Co., Ltd.	T3044	Taiwan Tai-Hao Enterprise Co., Ltd.	C322	V-Tech Computer Industrial Corp.	C638
Skywell Technology Corporation	D415	Taiwan Tornado Co., Ltd.	A207	Varta Batteries Pte Ltd.Taiwan Branch	B918/B920
Smartech Technology Inc.	C1015	Taiwan Union Glass Ind. Co., Ltd.	T3017	Via Technologies, Inc.	A604
Soaring Technology Co., Ltd.	D219	Taiwan Video & Monitor Corp.	D305	View Sonic International Corporation	
Solid Year Co., Ltd.	C819	Taiwan Video System Co., Ltd.	D215	B1126/B1128/B1225/B1226/B1227/B1228	
Solomon Technology Corp.	A925	Taiwan Zetatron Industrial Co., Ltd.	A1019	Viewcome Co., Ltd.	C1133
Soltec Technology Co., Ltd.	C328	Tamarack Telecom Inc.	C716	Vision Top Technology Co., Ltd.	D406
Soltek Computer Inc.	D729	Tans Co. Ltd.	D418	Visionetics International	D723
Soyo Computer Inc.	D402	Task International Inc.	D919	Volktek Corporation	A440
Sparkle Trading Co., Ltd.	T3107	Tatung Co.	T101D	W	
Spectrum Technologies Corporation	A139	Team Shine Electronics Co., Ltd.	D220	Wantec Electronics Co., Ltd	A1126
SPI Electronic Co., Ltd.	A708	Technica House Inc.	B337	Wayjet Technology Inc.	A1424
Spica Computer Corp.	B426	Teco Information Systems Co., Ltd.	T104	Wealand Enterprise Co., Ltd.	C1233
Spica Industrial Corp.	B329	Tekram Technology Co., Ltd.	D830	Well Science Co., Ltd.	C1028
Spot Technology Inc.	C1219	Tennrich International Corp.	A1417	Well Best Product Co., Ltd.	A1220
Spotlight Carry World Co. Ltd.	T3082	Termtek Computer Co., Ltd.	A311	Well Communication Corporation	A237
Spring Spread Enterprise Co., Ltd.	A906	Test Research, Inc.	A1115	Well Excellent & Most Corp.	A1117
Standard Microsystem Corporation		Texas Instruments Taiwan Ltd.	T402	Well Join Industry Co., Ltd.	B317
B1110/B1112/B1114/B1116		Tfl Lan Inc.	A413	Well Run Hardwares Co., Ltd.	T3063
Startech Computer Products Ltd.	C1207	The Bauer Group Company	B128	Welland Industrial Co., Ltd.	C1130
Startek Engineering Inc.	C1229	Tigerex Enterprise Co., Ltd.	C838	Wellong Electronics Co, Ltd	C923
State Of Arizona U.S.A. Department Of Commerce		Ting Immediately Industrial Co., Ltd.	T3026	Win Lan Enterprise Co., Ltd.	D724
B736		Tm-Link Inc.	C325	Win Technologies Co., Ltd.	D321
State Of Utah International Business		Tone Tide Filter Web Co., Ltd.	T3024	Win Win Precision Industrial Co., Ltd.	A1322
Development Office	B730	Top-Power Electronic Co., Ltd. Taiwan	C1036	Winbond Electronics Corp.	A508
Storage System Inc.	B333	Top-Thunder Technology Co., Ltd.	B124	Winco Electronic Co., Ltd.	D626
Strong Man Ent. Co., Ltd.	C937	Topbest International Inc.	T3020	Winfortune Enterprise Co., Ltd.	C123
Sumdex Group Ltd.	T3036	Topower Computer Ind. Co., Ltd.	A815	Wing-Tech Enterprise Co., Ltd.	A912
Summit Computer Technology Co., Ltd.	B126	Tops Ccc Products Co., Ltd.	D514	Wingtop	C836
Sun Echo International Co., Ltd.	T3066	Toshiba Electronics Taiwan Co.		Winskcon Cabling Specialist Co., Ltd.	A1212
Sun Young Electronics Inc.	B433	B834P/B836P/B838P/B933/B935/B937		Wintech Electronics Corp.	A1015
Sunflower Systems, Inc.	B330	Total Technologies Ltd.	C733	Wintop Technology Inc.	B418
Sung Forn Co., Ltd.	C1037	Totem Technology Co., Ltd.	D614	Wiretek Computer Limited	C737
Sungelit Corp.	T3091	Touchpls Technology Co., Ltd.	D313	Wonderful Wire Cable Co., Ltd.	A924
Sunix Co., Ltd.	D622	Transcend Information Inc.	D325	World-Famous International	
Sunny Technologies Co., Ltd.	C334	Transverse Industries Co., Ltd.	T3059	Development Co., Ltd.	A307
Sunnytekinformation Co., Ltd.	C811	Tremon Enterprises Co., Ltd.	C226	World-Top Enterprise Co., Ltd.	A1108
Sunnyview Technology Co., Ltd.	A713	Trident Microsystems (Far East) Ltd.		Wytron Technology Co., Ltd.	C535
Sunonwealth Electric Machine		Taiwan Branch (B.W.I.)		X	
Industry Co., Ltd.	A1225	B1136/B1138/B1235/B1236/B1237/B1238		Xinetron Co., Ltd.	A114
Sunpower Technology Corp.	A822	Triple Force Inc.	B130	Y	
Sunrex Technology Corp.	B204	Tripod Technology Corp.	C529	Yamadatech Industrial Co., Ltd.	C637
Suntek Compute Co., Ltd.	A1207	Truedox Technology Corporation	C726	Yeong Yang Technology Co., Ltd.	A1129
Super Elite Technology Co., Ltd.	C1031	Trueful Electronics Co., Ltd.	C813	Yes Technology Inc.	A1009
Super Gate Technology Co., Ltd.	C636	Turbo Electronics Co., Ltd.	A909	Yes Way Enterprise Corporation	A1210
Superpower Computer Co., Ltd.	D416	Twincom Inc.	C931	Yoga Electronics Co., Ltd.	C117
Supertech Computer Co., Ltd.	A208	Twinhead International Corp.	B310	Yosun Industrial Corp.	C1119
Surcom Technology Corp.	A134	Tyan Computer Corporation	B821	Yuan Yuan Enterprise Co., Ltd.	D409
SVEC Computer Corporation	A221	U		Yung Fu Electrical Appliances Corp., Ltd.	C1124
Symphony Group International Co., Ltd.	A916	U-Strong Tech Corp.	A1217		
Syn Electronics Co., Ltd.	A913	Ulan Co., Ltd.	A1209	Z	
Syncan Corporation	C826	Ulead Systems, Inc.	B236	Z-Com, Inc.	A109
Synertron Technology Co., Ltd.	D421	Ultima Associates Pte Ltd.	C1211	Zebex Industries Inc.	C330
Syntech Information Co., Ltd.	C433	Ultima Electronics Corp.	C212	Zebe Corporation	A426
Syntran Co., Ltd.	C1113	Umax Data Systems Inc.	B534	Zecks Enterprise Co., Ltd.	A808
Sysgration Ltd.	C617	Unfosa Technology Co., Ltd.	A1222	Zero One Technology Co., Ltd.	C1223
Systemsoft Corp.	B922/B924	Uni Class Technology Co., Ltd.	A210	Zida Technologies Limited	B926/B928
T		Uniconn Corp.	A1013	Zippy Shin Jih Corp.	A1030
T-Best Corp.	T3096	Unicorn Computer Corp.	D606	Zomas Associates & Co.Ltd	T3081
T.N.C. Industrial Co., Ltd.	D526	Uniform Industrial Corp	A218	Zylux Acoustic Corporation	C318
TA Hornng Wood Enterprise & Musical		Unifosa Enterprise Co., Ltd.	A724	Zykel Communications Corp.	A428
Instrument Co., Ltd.	C126	Unikey Electronics Co., Ltd.	C824		

The Lightest & Slimmest Notebook

A
L
L
•
I
N
•
O
N
E



INTRODUCING THE SLIMMEST, LIGHTEST NOTEBOOK Take It Anywhere In The World

MITAC 5036 is bringing new meaning to portable notebooks. Just 35mm thick, it's the thinnest notebook around. It also weighs less than 2.5Kg, which means that you can put in your briefcase and not feel a thing.

But slim on weight doesn't mean slim on performance. The premium multimedia system offers the user amazing computing power on the road. It supports Intel 266 MHz Pentium® processor with MMX technology, delivering multimedia on the fly. It comes with a built-in 24X CD-ROM drive as well as 32 MB of SDRAM onboard, with support for up to 96 MB, which together offer the user quick access to data.

MITAC 5036 supports the 12.1" SVGA and 13.3" XGA LCD panels sporting resolutions up to 1024x768, providing geometric accuracy and excellent screen clarity for all your computing needs.

Want to enjoy computing on the road? Take a peek at MITAC 5036 and you'll know nothing beats it when it comes to portability and power.

Computex Taipei '98
June 2-6
See Us At
Room 101B, TICC

Interested Distributors, Please Contact:
MITAC INTERNATIONAL CORP. (TAIWAN)
Tel: 886(3)3289000 Fax: 886(3)3280926
E-mail: market@smtplink.mic.com.tw (URL): <http://mitac.mic.com.tw/>
SYNNEX INFORMATION TECHNOLOGIES, INC. (U.S.A.)
3797 Spinnaker Court, Fremont, CA 94538, U.S.A.



Global Resources Serving Individual Needs

*The intel inside logo and Pentium are registered trademarks and MMX is a trademark of Intel Corporation.

*Specifications are subject to change without notice.

Enter HotBYTES No. 432 at <http://www.byte.com/hotbytes/>

Road-Warrior PCs

Notebook computers are now powerful enough to serve as desktop systems. But high function and portability make careful selection critical. For true portability, look for a notebook with a built-in modem or a modem on a PC card. If it's built-in, make sure it's upgradable so you can keep up with changes in communications standards.

The following are the most important factors in picking the right notebook from those you'll find at this year's Computex.

Processor/Clock speed Portable Pentiums abound, ranging from 75 MHz for entry-level uses to 300 MHz for demanding applications. Our advice: Buy the fastest processor you can afford.

Pentium II and MMX portables are now inexpensive enough to make them top choices. One such state-of-the-art notebook is Innolab's 9820 series, a 300-MHz Pentium II with a built-in camera, lithium-ion battery, 56-Kbps modem, two USB ports, up to a 15-GB hard drive, DVD-ROM drive, and more. The FIC 7000-series notebooks also have built-in digital cameras for truly portable video conferencing.

Hard drive/Memory options Bigger is always better when it comes to hard

disk size, but beware: Bigger can mean heavier. Look for a notebook with a hard drive capacity of at least 1 GB. If you need more storage space, a removable drive that can be connected through a parallel or SCSI slot, such as the Iomega Jaz, is a very good investment.

Upgrading memory later on is almost always expensive with notebook computers. Buy the most, and the fastest possible, with your new machine.

Display Screen sizes for portables start at about 9 inches and go up to over 14 inches. Here, too, remember that the larger the screen, the heavier (and often more expensive) the notebook. Active-



FIC 7200 Series

matrix (TFT) screens offer the advantage of clarity in a small design.

Size/Weight Notebooks can range from 4 pounds all the way up to a hefty 30 pounds, depending on battery weight, drives, and peripherals. Acer's Extensa 700 is one of the most compact and light all-in-one laptops currently available. It houses a CD-ROM, floppy, and hard drive, plus a fan, yet is only 44-mm thick and 6.7 pounds. Its exceptional light weight is the result of a new material, the details of which Acer is currently holding confidential.

For average use, look for a notebook that weighs around 6 pounds. If you truly need anything less, consider giving up the floppy or CD-ROM drive or moving to a subnotebook such as the Acer Extensa 310, which weighs only 1.2 pounds but includes a Pentium MMX and an 8.4-inch screen.

Battery Lithium-ion batteries are more expensive and are found in higher-end notebooks, but they recharge more efficiently than nicads and hold a longer charge. Thanks to lithium batteries, the Acer's TravelMate 8000 runs for 12 hours. The TravelMate 8000 is 45 mm thick and weighs 7.2 pounds.

Port replicator A port replicator connects to the back of the notebook, letting you connect a desktop monitor, keyboard, mouse, and other peripherals. For as little as \$100 extra, a port replicator makes taking your notebook from the desktop to the road as easy as plug and play.



Innolab 9820

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Processor/Clock speed			
Hard drive/Memory			
Display			
Size/Weight			
Battery type/Est. battery life			
Options (such as port replicator)			
Volume pricing options			
Delivery options			

AOPEN MOTHERBOARDS THE HEART OF QUALITY PCs



Your High-Performance PC Solution

If you want a superior-quality PC, ask for motherboards from AOpen. As the component manufacturer of a \$6.5 billion group with more than 600 patents, AOpen has one of the most extensive, aggressively-priced motherboard product lines in the world. Every AOpen motherboard is Microsoft PC 95®, PC 97®, and PC 98® compatible, Novell® NetWare certified and Year 2000 compliant.

AOpen is proud of over 22 years of experience designing and manufacturing high-performance systems at ISO 9001 qualified facilities. AOpen also manufactures a complete line of fully-integrated components ranging from CD-ROM, CD-RW, multi-media, audio and graphics cards to fax/modems, networking and video conferencing.

Let AOpen solve *your* PC quality and reliability puzzle.

For More Information Call

1-888-332-6736

<http://www.aopenusa.com>

Visit Us At Computex Taipei Booth B510



Motherboards: Not Just for New PCs



The motherboard isn't just for new computers; motherboards frequently are used to upgrade older systems. That's more expensive than adding an accelerator board or a new processor, but a new motherboard's ability to accept faster memory and newer, more powerful components can speed overall performance, and may avoid potential compatibility problems.

Form factor When choosing a motherboard, first decide on the shape and style best-suited to your needs. Giga-Byte's GA-686BX is an excellent example of the "Baby AT" style, with new support for ACPI and BIOS-level compliance for Year 2000 problems. Baby AT motherboards generally require external connectors or add-in cards for all ports.

ATX, another common design, has on-board plugs for I/O, room for full-length cards in all slots, and a CPU that's often placed in front of the fan. Typified by Giga-Byte's new GA-686ABX, these generally offer more efficient cooling.

Processors supported Non-Pentium II or non-Intel CPUs such as those from Cyrix/IBM and AMD need a motherboard with a Socket 7 processor slot. Pentium

II processors require different—and much larger—Slot 1 connectors.

Advanced Information's DX6B and AX6B are excellent examples of Slot 1 configurations prominently displayed on the show floor. These are dual- and single-processor motherboards with an on-board Adaptec SCSI II controller. Each offers jumperless software configurations and a batteryless design with the BIOS backed up on an EEPROM.

Supporting chip sets The glue that holds everything together, support chips provide the links between the processor and BIOS, memory, etc. The latest chip sets from Intel, the 440VX and LX, combine a high degree of compatibility with support for the latest BIOS features.

You'll see the first examples of PCs with the fast new 100-MHz system bus—replacing today's 66-MHz version. They'll use Intel's latest chip set, the 440BX.

BIOS Best compatibility comes from sticking with name-brand BIOS manufacturers such as Award or Phoenix. Most chip sets today are flash-upgradable, so you'll be able to download the latest flash BIOS update, drivers, and other data from the manufacturer's Web site.



Memory Look for motherboards that support single or dual in-line memory modules (SIMMs/DIMMs). DIMM support offers fast new memory technologies like SDRAM, which promise better performance when coupled with faster processors and a faster system bus.

On-board peripheral support Today's modern motherboards support USB, dual IDE channels, dual serial ports, a printer port, and a PS/2 mouse. Some also include on-board SCSI and on-board sound chips instead of requiring a sound card.

At Computex, be on the lookout for Leadtek, scheduled to release a multimedia motherboard embedding the latest version of the all-in-one MPACT 2 engine. The combination integrates hardware 2-D and 3-D graphics rendering, DVD functions, and sound.

As PCI becomes more common, look for a motherboard with four or more PCI slots. To ensure compatibility with the widest possible range of add-in cards, make sure your choice also includes at least two ISA slots.

Watch for systems that include support for faster AGP graphics as well. Although few applications today support it, AGP promises performance boosts, particularly when combined with the coming 100-MHz system bus.

While not strictly necessary for most users, an infrared COM port, included on many of the motherboards you'll see at the show, is of value to the frequent traveler who needs to quickly synchronize laptop and desktop PCs.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Form factor			
Processors supported			
Supporting chip sets			
BIOS			
Memory			
On-board peripheral support			
Volume pricing options			
Delivery options			



COMPUTEX TAIPEI
JUNE 2-6, 1998

SEE US AT
TWTC EXHIBITION HALL
BOOTH NO. D225
AND
GRAND HYATT HOTEL
SUITE NO. 1541-1542



WHAT A FETCHING IDEA!!

ARTMEDIA PROVIDES YOU
WITH THE MOST AFFORDABLE
MULTIMEDIA SOLUTION

Artmedia provides the most affordable CD media and CD-Rewritable solutions to enhance your enjoyment of multimedia. Artmedia's CDWizard CD-RW drive provides the most economical yet powerful data storage for today and the future. Our Easy-CD Creator, included, also lets you compile your own music CDs or multimedia titles. With our bundled DirectCD, you can turn a CD diskette into a storage medium as easy to use as a floppy diskette, with hundreds of times the capacity and a much longer lifespan. Millions of affordable Artmedia rewritable and recordable media are ready to serve your audio, video and applications needs.

artmedia

ARTMEDIA REWRITABLE CD



Head Office / Pacific Technology Co., Ltd
7F, No.285 Chung Hsiao E. Rd. Sec. 4, Taipei Taiwan, R.O.C
Tel:886-2-27785850 Fax:886-2-2741-9521
<http://www.ptc.com.tw>

North America Office / Pacific Technology America
2050 Ringwood Ave, San Jose, CA95131 USA
Tel:1-408-980-8988 Fax:1-408-980-8999
<http://www.artmedia.com>

Germany Office / Artmedia Electronics GmbH
Poppenbuetler Bogen 90, 22399 Hamburg, Germany
Tel:49-40-608703-0 Fax:49-40-608-703-33



Enter HotBYTES No. 437 at <http://www.byte.com/hotbytes/>

Artmedia is a trademark of Pacific Technology Co., Ltd.
All other products and brand names are trademarks of their respective companies.

Lights! Camera! Action!

Multimedia has become a catch-all category for devices that make, store, display, and manipulate images, videos, and sounds in almost any combination. Each has its own special requirements; we've listed some of the hottest at Computex.

DVD A high-density drive standard that holds up to 17 GB of data on a two-sided optical disc, DVD's been a long time in coming. New on the market: recordable DVD, a technology that not only brings top-quality video and sound to the desktop, but serves as a storage device as well.

But make sure your PC is up to the DVD challenge. You'll need good graphics with MPEG playback, and a high-quality sound card. Many DVD upgrade kits come with these options.

CD-RW Formerly known as CD-E (erasable), CD-RW uses phase-change tech-

nology to record, erase, and re-record data using discs. The results are readable in any CD-ROM drive that supports the new MultiRead specification.

Video/graphics boards When it comes to video memory, more is definitely better. Extra memory on a graphics card boosts your system's performance, since it allows more image processing to be done outside the CPU. Look for at least 4 MB; we recommend 8 MB or more. Gainward's AGP adapter, which uses the 128-bit RIVA 128 ZX chip from nVidia, comes in 4-MB and 8-MB versions.

Intel's new Accelerated Graphics Port (AGP) standard can boost graphics performance considerably, especially for games. It requires an AGP-bus slot or AGP graphics integrated on the motherboard. No AGP? Stick with PCI graphics.

For exceptionally high performance, the Glint chip is a top choice. Leadtek's

WinFast 3D L3100 AGP graphics adapter uses three Glint chips to perform setup, geometry, lighting, and rendering.

The WinFast 3D S800 all-in-one AGP graphics adapter uses the latest version of Mipact 2, integrating hardware 2-D and 3-D graphics rendering, complete hardware DVD function, TV-output, video capture, wavetable synthesis, and more.

MPEG is a video compression standard that achieves very high compression rates by storing only the changes from one frame to the next. MPEG-2 offers resolutions of 720 by 480 and 1280 by 720 at 60 frames per second, with full CD-quality audio, sufficient for TV broadcast. It's available in software applications or, for faster performance, on a video card that incorporates MPEG in hardware. Separate MPEG encoder/decoder adapters are also available.

Chromatic Research's Mipact 2 is unique because it's a multimedia processor that can do just about anything, including 2-D and 3-D graphics acceleration with DVD decoding functions, Dolby AC-3 surround sound, support for 56-Kbps modems, and more.

Sound Few new PCs lack sound capabilities, but when shopping for a new sound card, look for Sound Blaster compatibility. The budget-minded can opt for sound cards using FM synthesis to translate digital data into sound but wavetable technology gives better-quality audio.

Digital cameras Three digital cameras you'll see at Computex take very different approaches to getting the job done. KYE's USB PC camera offers plug-and-play USB compatibility with Win 98 or NT 5.0. It transmits video data at up to 24 frames per second, fast enough for videoconferencing, and has an optional snapshot image-capturing capability.


Mustek's relatively low-cost VDC-810 is a 0.81-million-pixel digital video camera with a local CMOS sensor. For digital videoconferencing, Leadtek's TeleEye DM offers H.320-compliant transmissions. It comes with a 128-Kbps ISDN modem, a remote controller, and support for four inputs.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Technology			
Form factor			
Read only/Write once/Rewritable?			
Capacity			
Data transfer speeds			
Platforms supported			
Resolution/Memory			
MIDI/Sound Blaster support?			
FM synthesis or wavetable translation?			
Volume pricing options			
Delivery options			

Accton

Making Partnership Work



WE CAN HANDLE IT!

We are both dual-speed and stackable

Whether your network is old or young,
10Mbps or 100Mbps, large or small,
Accton can take it.



Cheetahub Power-3008A/3016A

Dual-Speed Cheetahub provides auto-sensing
connection between 10Mbps and 100Mbps,
offering the simplest way to upgrade your network.

<http://www.accton.com>



Accton Technology Corporation

No.1 Creation Rd. III, Science-based Industrial Park,
Hsinchu 300, Taiwan, R.O.C.
Tel:886-3-5770270
Fax:886-3-5788102

© 1998 Accton Technology Corp.

Enter HotBYTES No. 435 at <http://www.byte.com/hotbytes/>

New Tools to Connect to the Outside World



If the motherboard is the heart of a computer, the local area network (LAN) is its nervous system. PCs connect to a LAN through internal network interface cards (NICs). Network administrators install a router or switch on the LAN to connect multiple networks, or to give users Internet access.

Standard Ethernet connections, running at 10 Mbps, are fast becoming a thing of the past; look for Fast Ethernet (100 Mbps) and Gigabit Ethernet (1000 Mbps) at this year's Computex.

Network interface cards (NICs) A Network Interface Card plugs into a PC or server, connecting to other computers on the network via cabling. The most popular at Computex are likely to be combination 10/100-Mbps cards, which provide a built-in upgrade path to 100 Mbps.

Hubs The hub is the central connection point for wiring the network. An intelligent hub offers connectivity, internetworking, and network management. Hubs come in three configurations: stand-alone, stackable, and modular. Stand-alone hubs are least expensive

but provide little or no network management. They're ideal for workgroups or small businesses on a budget. One popular stackable hub that does offer management capabilities, Accton's CheetahHub-3524, is at the show.

Stackable hubs also come in rack-mountable designs, such as D-Link's 2600. With the D-Link 2600, the user can start with a single device with four ports and add hubs to 120 ports per stack.

Routers A router intelligently connects one LAN to another and today is sometimes actually integrated with a server. Small office/home office (SOHO) users are eager customers for new, easy-to-manage routers, which offer extra configuration and maintenance software, coupled with telephone or ISDN connectivity, in a low-cost package. If you're in the mar-



ket for one, make sure it can be upgraded to faster communications technologies, such as T1, frame relay, and DSL or cable modem, as your needs expand.

Switches LAN clients connected to the same hub generally share a single 10-Mbps line between all ports. Switches, on the other hand, dedicate full bandwidth available on the network to every port they connect. A switch can interconnect an entire Ethernet or Token Ring LAN segment using multiple ports, and will increase network performance by breaking a larger network into more manageable segments.

D-Link's FlexSWITCH is a 24-port, highly flexible backbone switch with network management that supports ATM as well as ISDN and Gigabit Ethernet. You can select to configure in the five-slot chassis up to 24 dual-speed NWay ports and up to 16 100BASE-FX fiber or twisted-pair ports.

Accton's 12-port 10/100-Mbps Layer 3 NWay CheetahSwitch-3612, another very high-speed switch you'll see at the show, comes with optional ISDN, ATM, and Gigabit Ethernet modules.

Also watch for GVC's new 24-port Ethernet switch and the ALW-1123, Accton's NWay Ethernet switch. GVC's switch offers 24 10-Mbps ports plus three optional 10/100-Mbps dual-speed ports, with an expansion module for backbone connection of 200 Mbps. The VFD mini console provides friendly management and monitoring functions. The Accton ALW-1123 has 12 autosensing 10-Mbps switch ports, two auto-sensing 10/100 Mbps, and an optional 100BASE-FX or 100BASE-TX expansion module. It comes with the AcerSwitchMan, easy-to-use monitoring and configuring software.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
Type			
External connections			
Protocols/Connection types supported			
Ports/Speeds supported			
Transmission speeds supported			
Available options			
Volume pricing options			
Delivery options			

The peacefulness of memory is...
 A spot of silence in the deep,
 A light of quiet recollection,
 To treasure and to keep.

Capture a World of Wonder

Plustek Scanner

Each new Plustek product is another step forward in scanner history. Plustek's road to the world's top 5 scanner makers started in 1990, when we put out one of the world's first gray-scale sheetfed scanner. In 1992 we introduced a color sheetfed model, followed by a groundbreaking 3-in-1 scanner/fax/copier in 1994 and a slim-line flatbed unit in 1996. These and many other contributions to the industry have won major international awards year after year, and today Plustek's product line covers the complete range of scanners, from A4 to A3. They are the world's most compact scanners as well, remarkably cost-effective machines featuring easy EPP installation. These forward-looking scanner products make Plustek the name to know and the place to go!



USA

Tel: 408-453-5600 Fax: 408-453-5780
 BBS: 408-453-5718 Fax Back: 408-453-5719
 e-mail: sales@plustek.com
 www.plustekusa.com

EUROPE

Tel: +49-40-514316-0 Fax: +49-40-543638
 BBS: +49-40-5133487
 e-mail: info@plustek.de
 www.plustek.de

ASIA

Tel: +886-2-2651-5311 Fax: +886-2-2651-5310
 BBS: +886-2-2786-2092
 e-mail: tplustek@ms2.hinet.net
 www.plustek.com

Plustek is a frequent winner of international awards for quality, innovation and value.



Enter HotBYTES No. 441 at <http://www.byte.com/hotbytes/>

Scanning for the Best Deals

Choosing a scanner type depends largely upon how you plan to use it. Hand-held and portable scanners may be affordable options if you rarely need to scan in documents, but they'll quickly become tiresome if you scan more than a few pages each day. They also can't boast the higher resolutions and more extensive color capabilities of more expensive scanners.

For applications that demand higher-quality output, a sheetfed or flatbed model is a better choice. Flatbed models offer the most flexibility in terms of what you copy, since the object to be scanned is placed on a plate, or bed, of glass. If you frequently copy pages from books, or need to scan in three-dimensional objects, you'll need a flatbed scanner.

Sheetfed scanners accept one sheet of paper at a time. They're particularly good for converting paper documents into electronic form using optical character recognition (OCR) software.

Many sheetfed scanners offer optional multipage feeders for processing large documents. Sheetfed scanners range from the very inexpensive "personal" models to document management systems costing thousands of dollars.

Other scanner choices range from the

very specific slide and photo scanners up to professional-level drum scanners. Drum scanners are the high-end choice because they use more sophisticated sensors called photomultiplier tubes (PMTs) rather than the charge-coupled devices (CCDs) used in other kinds of scanners.

When browsing scanners at the show, keep the following specifications in mind:

Media Some scanners are built for scanning specific types of media, such as slides or photographs. Others are more varied, and can accept slides, photographic negatives, photos, and paper. If your needs are varied, look for a scanner that can handle several types of media, and make sure it's capable of accepting the largest size of paper you plan to scan. Microtek's Skyline TR4000 power scanner, for example, has dual lenses that let you scan 4- by 18-inch originals at up to 2000 dots per inch (dpi), and 12- by 18-inch originals at up to 667 dpi.

Resolution Resolution is a measurement of how many pixels a scanner can sample in a given image, measured horizontally and vertically. Optical resolution is determined by how many pixels it can actually see, such as 600 dpi in one

direction and 600 dpi in the other, which would be read as 600 by 600 dpi. Scanners can insert additional pixels between existing points, creating what's known as an interpolated scan. An interpolated scan might push a 300-dpi image into a 600-dpi scan in this manner.

How much resolution you need depends upon your application. A rule of thumb: For desktop printer output, match the resolution to that of the output device. For professional output, go for the highest resolution possible.

For high-resolution scanning at a mid-range price, look at Microtek's Skyline TR2400 flatbed scanner that captures images at a maximum resolution of 1200 dpi. Debuting at the show, it's garnering interest from hobbyists and professionals alike.

Bit depth Where quality is a concern, consider a scanner's bit-depth capability carefully. Color scanners handle varying numbers of colors. The bit-depth of the scanner corresponds to the number of colors possible. Black-and-white scanners, for example, capture 1 bit, in either black or white. Today, 24-bit color is the color standard mainly because that's what most software and printers can handle.

The ViewStation AS12E, which can be seen in Ultima's booth, is a good example of a top-quality scanner with a practical bit depth.

Number of passes Color scanners scan in different ways. Some scan all three colors—red, green, and blue—in a single pass, and others do each color in a separate pass. Three-pass scanners take longer to scan than single-pass scanners, making single-pass the method of choice.

Software Like most hardware, scanners are dependent upon software for operation. Expect to get drivers, calibration software, and assorted applications with your scanner. For easy software access, look at the Primax G2 600 USB, a 600-dpi flatbed scanner that lets you activate Primax drivers and software applications with just the click of a button.

P R O D U C T S C O R E C A R D			
Product/Booth#			
Manufacturer contact			
Type			
Media supported			
Resolutions			
Bit depth			
Single- or multiple-pass?			
Software included			
Volume pricing options			
Delivery options			

Falling Prices, Rising Features



If the motherboard is the heart of the PC, the server is the heart of the LAN. Dedicated servers handle specific tasks such as file storage, printing, communications, or database queries.

Today's servers combine hot new features with surprising affordability, and an increasing number of small-business-oriented vendors include additional setup and support help as a matter of course. Several factors come into play when choosing a server. Performance isn't the only consideration; you'll also want to check out a server's usability.

CPU Server performance is highly dependent on the CPUs. Consider the number of CPUs, clock speed, and first and secondary cache. For a small network or a dedicated server, a single processor may be enough; here, go for the highest performance possible. Larger networks, or those with heavy computational loads, should consider servers that offer multiple processors.

While you can pump up your hardware to its maximum, keep in mind the limitations of your network operating system; for example, if you need more than a quad-processor server, consider RISC technology rather than CISC.


Tatung's COMPstation U60 is a mid-range dual-processor Sparc server based on Sun Microsystems' UltraSPARC 60 RISC engines. The Sparc clone performs similarly to its counterparts from Sun Microsystems but is 20 percent cheaper.

Also look for a four-processor system coming from Tatung around June.

Cooling Servers with multiple CPUs and hard drives can run hot unless properly cooled. Look for massive heat sinks and more than one heavy-duty ball-bearing fan that delivers high air volume.

Power supply A server's hard drive is the most common point of failure, but power supplies aren't far behind. If reliable server operation is critical, choose one that uses heavy-duty redundant power supplies. Some manufacturers offer hot-swap options that allow you to change one unit of a redundant power supply without powering down the server. Because line power quality can vary, a high-capacity uninterruptible power supply (UPS) is a necessity.

Storage Type/Capacity The redundant array of inexpensive disks (RAID) provides safe storage and backup for the



Tatung COMPstation U60

network. RAID allows you to string several hot-swappable hard drives together for security. RAID offers varying levels of data security, and can store data across multiple drives to make recovery easier in the event of drive failure.


SCSI drives are the standard for servers because of their ability to multitask commands. Go for the biggest SCSI hard drive your budget will allow. Redundant hard drives protect against failure.

Expansion Look for a good combination of PCI and ISA expansion slots so you can install both 32- and 16-bit cards in the server. As for bays, the more the merrier, for drive possibilities. High-end servers may offer 24 or more drive bays, with optional storage expansion cabinets.

Network management tools Many servers come with management software, such as Intel's LanDesk Server Manager system that you'll find on many of the servers at Computex. It lets managers monitor and manage the network remotely. Mitac's entry-level and mid-range servers are one-to-two- and two-to-four-way solutions based on Deschutes Slot 1 and Slot 2 processors. They come with Mitac's own LAN management software.

PRODUCT SCORECARD

Product/Booth #			
Manufacturer contact			
CPU(s)			
Cooling infrastructure			
Power supply			
Storage type/ Capacity			
Expansion			
Network management tools			
Volume pricing options			
Delivery options			



For IntraServer Technology, Inc., a two-year-old venture capital-backed start-up in Holliston, Massachusetts, sales of its Ultra Wide ITIpci SCSI host bus adapters are booming worldwide. With business slated to quintuple in 1998, Senior Vice President Rene Martinez, one of the company's four founders, needed to find the most effective way to target resellers in multi-platform environments — and he did. Now, every month IntraServer Technology runs a full-page advertisement in BYTE's Reseller Edition.

“Bottom line, our advertisements in BYTE's Reseller Edition are generating new customers and incremental business we couldn't afford to get any other way.”

*Rene Martinez
Senior Vice President & Co-founder
IntraServer Technology, Inc.*

“OEMs, VARs, and Systems Integrators — those in the business of building end-user systems — account for approximately 90 percent of our business. Clearly, these resellers are always looking for cost-effective, best-in-class solutions to improve system performance, provide faster I/O throughput, and enhance storage connectivity in Intel, UltraSPARC, and Alpha-based PCI systems. Our job is to tell resellers how IntraServer Technology's high-function, high-performance adapters are a perfect fit for workstations and servers in these system environments. Because of its targeted reach to a broad base of technical professionals in multi-platform environments, the BYTE Reseller Edition is where our message gets read by our customers and prospects.

“Month after month, the BYTE Reseller Edition is an excellent lead generator — in both quantity and quality. We not only get a minimum of 5 to 10 times more calls and leads than we did with other vehicles we've tried; we also hear from qualified prospects who are looking to buy. A recent advertisement in BYTE's Reseller Edition, for example, generated a serious inquiry from one of the world's largest computer manufacturers. Since our lead-to-sales conversion rate often runs as high as 50 percent, I can only say that our advertising response continues to far exceed all expectations.

“The BYTE Reseller Edition is a highly targeted vehicle for helping IntraServer Technology build brand awareness and create demand for our product line. We also experience a high return on investment, as our advertising expenditures quickly translate into revenue growth.”

BYTE

The Future of Information Technology Today

The BYTE Reseller Edition is where you can cost effectively target 126,000 paid channel subscribers — in multi-platform environments — who have the authority to evaluate, specify, and approve technology and product purchases. Advertisers like Rene Martinez at IntraServer Technology are already counting our influential resellers among their new customers. You can, too, when you call your BYTE Reseller Edition advertising representative today.





- Call (West Coast) Jim Hussey at 650-513-6861; (East Coast) Lori Silverstein at 614-899-4908; (Asia Pacific) Wei In at 886-22-715-2205.

Taiwan,
The world at your fingertips

COMPUTEX TAIPEI '98

 JUNE 2-6, 1998 TAIPEI INT'L
COMPUTER SHOW

It's the world's most dynamic industry and Taiwan is right at its center. Information Technology (IT) is the focus of *COMPUTEX TAIPEI* which is coming in June. Look for the next step in:

-  Peripherals ranging from mainboards to monitors
-  The hottest new notebooks
-  Digital still cameras and scanners
-  Dizzily fast CD-ROM drives

" If it belongs in or near a computer - you'll find it at *COMPUTEX TAIPEI '98* "

Organizers:



**China External Trade
Development Council
(CETRA)**

5 Hsinyi Road, Sec. 5, Taipei, Taiwan, R.O.C.
Tel: 886-2-2725-1111 Fax: 886-2-2725-1314
<http://www.computextaipei.org>
E-mail: computex@cetra.org.tw



**Taipei Computer
Association (TCA)**

<http://www.computex.com.tw>

Sponsor:



**Taipei World
Trade Center**

Official Carrier:




Venues:

**Taipei World Trade Center Exhibition Hall (TWTC)
Taipei International Convention Center (TICC)**

For more exhibition information, please contact CETRA.

Featuring:

Desktop Systems
Notebooks
Monitor & Display
Multimedia Systems
Network Computing
Communications
PCMCIA Products
Peripherals
Imaging Systems
Mass Storage Devices
UNIX and Open Systems
Servers & Subservers
Sound & Video Boards
Components



What Makes Him so Smart?

Ok, he isn't. But you will be, thanks to **ASE® – The Aladdin Smartcard Environment**, the leading development toolkit for PC-based applications.

With Microsoft-approved technology for PC/SC, ASE is the only fully-integrated "smart card-in-a-box" for applications such as access control, user authentication and many others.



● **ASEDrive**, the PC-based smart card read/write drive with unrivaled versatility and security, second card slot or SIM socket for added protection, and real-time clock.



● **ASESoft**, an extensive library of software interfaces with administrative, diagnostic tools, and card editing and scripting utilities. Supports Windows 95, NT and UNIX (alpha version).



● **ASECards** include memory, protected memory, CPU and cryptographic cards, all sharing a unified API.

- **ASECrypto***, a cryptographic library
- **ASE-FES***, a sample smart card-based file encryption system

Thinking Smart Cards? Think ASE!

See us at Comdex Spring – April 20-23

North America	Aladdin Knowledge Systems Inc. Tel: 800 562-2543, 847 808-0300, Fax: 847 808-0313, Email: ase.sales@us.aks.com
Int'l Office	Aladdin Knowledge Systems Ltd. Tel: +972 3 636-2222, Fax: +972 3 537-5796, Email: ase.sales@aks.com
Germany	Aladdin Knowledge Systems GmbH & Co. KG Tel: +49 89 89 42 21-65, Fax: +49 89 89 42 21-40, Email: info@aladdin.de
UK	Aladdin Knowledge Systems UK Ltd. Tel: +44 1753 622266, Fax: +44 1753 622262, Email: sales@aldn.co.uk
Japan	Aladdin Japan Co., Ltd. Tel: +81 426 60-7191, Fax: +81 426 60-7194, Email: sales@aladdin.co.jp
France	Aladdin France SA. Tel: +33 1 41-37-70-30, Fax: +33 1 41-37-70-39, Email: info@aladdin.fr
Benelux	Aladdin Software Security Benelux B.V. Tel: +31 24 648-8444, Fax: +31 24 645-1981, Email: sales@aladdin.nl
Russia	Aladdin Software Security R.D. Ltd. +7 095 923-0588, Fax: +7 095 928-6781, Email: ase@aladdin.rsk.ru

© Aladdin Knowledge Systems Ltd. 1985-1998 ASE and (1/1998) T.O-A1014 ASE is a registered trademark of Aladdin Knowledge Systems Ltd. All other product names are trademarks of their respective owners. *Subject to export regulations



For the smart card development environment with unequalled flexibility & compatibility, and a smart cost advantage – call for your ASE Developer's Kit today!

1-800-562-2543

www.aks.com

ALADDIN®


The Professional's Choice

Enter HotBYTEs No. 457 at <http://www.byte.com/hotbytes/>

▶ Don't forget to lock your software before you leave.



New! Hardlock Bistro.
The quick and easy way
to protect your software.



Illegal software use costs software developers over \$13 billion each year. Hardlock helps you solve this problem by guaranteeing licensed use of your products. More and more developers like you are relying upon the Hardlock Protection System to increase their sales and profits. And Hardlock now offers you unmatched ease-of-use, with exciting new features.

▶ HL Crypt. Leading-edge security, adapted to your needs.

Our automatic protection system secures your application and any related data, in a matter of minutes. No access to the source code is necessary, making HL Crypt an ideal solution for software resellers. And HL Crypt's new advanced security features include support for 32-bit environments.

▶ Hardlock Bistro. The quick and easy way to secure your software.


The new Hardlock GUI, with Drag'n'Drop functionality, makes it easier than ever for you to use our wide range of protection tools, quickly and efficiently.

The Hardlock Software Security System. State-of-the-art security - and easy to use.

▶ Order your Hardlock Developer's Kit today! Contact your local representative.

If your country is not listed, please call us directly:

Aladdin Knowledge Systems Germany Tel: (49) 89 8942210 Email: info@aladdin.de



Hardlock Twin.
State-of-the-art protection for demanding applications.



Hardlock E-Y-E.
The worldwide standard for quality software protection.

Argentina
HT-MACH Sistemas
Electronicas
T (54) 1 795-8011

Australia
Software Protection
Systems
T (61) 3 9544-4455

Benelux
Aladdin Software
Security Benelux
T (31) 24 648-8444

Brazil
HT-MACH Sistemas
Electronicas
T (55) 21 257-0314

Chile
Datsoft
T (56) 2 246-7443

Croatia
G & G Electronic
T (385) 1 335398

Czech Republic
EvroCAD
T (42) 02 6610-7505

Finland
FAST Finland
T (358) 9 5495-0500

France
Aladdin France
T (33) 1 413 770 30

Greece
FAST Hellas
T (30) 1 600-4662

Hong-Kong
Xitec Technology
T (852) 2301-2340

Hungary
Szki Recognita
T (36) 1 201-8925

Israel
Aladdin Knowledge
Systems
T (972) 3 636 2222

Italy
TECHNE Security
T (39) 59 415608

Korea
AC & P
T (82) 2 736-4406

Mexico
Sisoft
T (52) 91 800 55283

Philippines
Integrity Software
T (63) 2 831-3112

Spain & Portugal
FAST Iberica
T (34) 1 754-1212

Taiwan
New Solar Systems Group
T (886) 2 633-5586

United Kingdom
Aladdin Knowledge
Systems UK
T (44) 1753 622-266

U.S.A.
Aladdin Knowledge
Systems
T (1) 800 562-2543

www.hardlock.com

ALADDIN
KNOWLEDGE SYSTEMS LTD

Microsoft's RAD tool for data-enabled Web apps has server-side debugging and a VB-like environment. By Steve Gillmor

Visual InterDev Grows Up Fast

Visual InterDev 6.0 (VI6) follows Visual J++ 6.0 out the door with a prerelease edition that showcases Microsoft's new Visual Studio integrated development environment (IDE). With drag-and-drop data binding, WYSIWYG page editing, Web-enabled remote debugging, and team development tools, VI6 takes giant steps closer to being a truly visual rapid application development (RAD) tool for building Internet applications. It's more feature-rich than its predecessor, VI1.


The program shares many of its Java companion's features, including the three-tabbed Dynamic HTML (DHTML) editor/viewer and a customizable suite of Toolbox, Property, HTML, and Script Outline windows. The new Site Designer lets you rapidly prototype and modify your site's architecture in the FrontPage 98-compatible Site Diagram. A Page Navigation design-time control (DTC) automatically generates HTML navigation bars that update when you change the project hierarchy. You can apply cus-

TECH FOCUS

Remote Debugging

Distributed Web applications require debugging across both client and server. With Visual InterDev 6.0, you can set breakpoints in HTML and Active Server Page (ASP) scripts, add "watch" variables, and step through code from workstation to server. This new remote debugging technology employs Distributed COM (DCOM), Internet Information Server (IIS) 4.0, and tight integration with Microsoft Transaction Server (MTS) to run applications out of process in their own memory space.

After selecting Server Script options to enable ASP server- and client-side debugging on launch, you set breakpoints and make this ASP your project's start page.



**Visual InterDev 6.0
prerelease beta
Price to be
determined**

Microsoft Corp.
Redmond, WA

800-426-9401
425-882-8088

<http://www.microsoft.com>

Enter HotBYTEs
No. 1063.

Visual InterDev 6.0 lets you convert server-side design-time controls to Explorer's DHTML for richer intranet functions.

tomizable themes and layouts, and use the new cascading style sheets (CSS) editor to preview style changes in an embedded Internet Explorer 4 window.

VI6 introduces the Scripting Object Model (SOM) and DTCs that transform HTML scripting into Visual Basic-like, forms-based development. The prerelease version uses JavaScript and scripting libraries to create the SOM's pseudo objects that let data-bound DTCs interact. I used a wizard to set up a target Web server and to program in Master mode. Changes on my workstation were automatically updated on the server.

To wire a local or remote database to your Web site, you drag a RecordSet control onto the Design view of your page and then right-click to edit its tabbed property pages. You can drop data-bound text, list, option, and grid DTCs from the Toolbox, or auto-create them by dragging fields from the Project Explorer.

VI6 is a work in progress. I couldn't find a mention of frames and table wizards in the incomplete on-line documen-

RATINGS				
TECHNOLOGY	★	★	★	★
IMPLEMENTATION	★	★	★	★

tation. The program showcases but does not fully implement deployment features that automate moving, registering, and installing project components in Microsoft Transaction Server (MTS) packages residing on production servers. And though VI6 and Visual J++ 6.0 share common code, I had frequent crashes until I reinstalled VI6 by itself.

Beta blues aside, VI6 should prove seductive for FrontPage 98 users looking to data-enable their sites. With VI1 and Visual Basic already holding league-leading market shares, the VI upgrade may prove irresistible to NT shops eager to migrate multitier business applications to the economies of the Web. **B**

Steve Gillmor is a consultant for Southern Digital, Inc. (Charleston, SC). You can reach him at (sgillmor@southerndigital.com).


Lotus's newest edition of SmartSuite is Web-smart and Y2K-savvy, but a long way from being an MS Office killer. By Cynthia Morgan

SmartSuite Heads for the Millennium

One thing about being the underdog: You stuff as much new technology into your product as possible, just to stay in the game. Lotus's SmartSuite, a distant also-ran against the Microsoft Office megamonster, is doing just that.

I examined a beta copy of the Millennium edition and found features that Microsoft offers only as promiscare: fully integrated ViaVoice speech recognition, greatly improved scripting, and a Tivoli Management Environment-based software-distribution scheme that puts Office 97 to shame. Most notably, Lotus has added FastSite, a promising Web-integrated work environment.

SmartSuite Millennium introduces a concept Microsoft plans to incorporate in its next Office suite: the use of HTML as a standard file format. SmartSuite applications move in and out of HTML format without fuss, making it relatively easy to modify intranet pages. Lotus also added Extensible Markup Language (XML) and jDoc (a Java publishing format similar to Acrobat), and promises direct, round-trip compatibility with Office and WordPerfect file formats. I had no problem opening documents from



SmartSuite Millennium Edition
beta \$399
(available this month)

Lotus Development Corp.
Cambridge, MA
800-343-5414
617-577-8500
<http://www.lotus.com>
Enter HotBYTES
No. 1062.

SmartSuite's FastSite groups Web links and documents in a single work environment.

Word, Excel, and WordPerfect in SmartSuite, saving and reusing them in their original applications.

SmartSuite's SmartCenter, a document-centric file-drawer menu, is more useful than the Office toolbar I usually discard. The Web-centric, however, will probably turn it off in favor of FastSite.

FastSite lets you build an intranet-style work environment. It stores links to documents locally, on the network, or on the Web, in a frame-like file list. Clicking on a document name brings up a browsable view of the document or, if it's not in jDoc, HTML, or XML format, launches the file's application. FastSite does a fast and remarkably accurate job of converting files to HTML or jDoc format, and it lets you stage and deploy Web pages.

SmartSuite's other applications are uneven competitors. I still prefer Word, quirks and all, to WordPro, although I lean toward Lotus 1-2-3's veteran ease of use over Excel. PowerPoint could learn a lot from Freelance's elegant templates and unobtrusive help. And while I'm a

RATINGS				
TECHNOLOGY	★	★	★	★
IMPLEMENTATION	★	★	★	

longtime Approach user, I still prefer the power and customizability of Access for database development.

Will the new features be enough to make Office 97 sites switch to SmartSuite Millennium? Probably not, particularly for those with a heavy investment in Visual Basic for Applications (VBA) customization and application add-ins. Lotus Notes/Domino administrators, or those deploying IBM's e-suite for network computers and other Java-based clients, will want to evaluate the new suite's high degree of integration with each.

Existing SmartSuite users should almost certainly upgrade. For the rest of us, SmartSuite's mixed bag means we'll pick and choose among both suites. **B**

Cynthia Morgan (cynthia.morgan@byte.com) is BYTE's editor.

TECH FOCUS

Entering the 21st Century

Lotus has adopted IBM's "sliding-window" approach to Y2K for SmartSuite Millennium, defining two-digit years according to a 100-year window around the current date that looks 19 years into the future or 80 years into the past. You can change the default, but only within the registry. For example, this year, the date 2/1/19 automatically becomes February 1, 1919, while 2/1/17 is considered to be February 1, 2017. Learn more about IBM's Y2K focus at <http://www.ibm.com/IBM/year2000>.

CDW

FREE configuration of your PC purchase with same-day shipping!

NOTEBOOKS

DESKTOPS

COMPAQ

Deskpro 2000 desktops

166/MMX 16MB 3.2GB	816.36
200/MMX 16MB 2.1GB	857.97
200/MMX 32MB 3.2GB	957.95
233/Pii 32MB 2.1GB	1268.75
233/MMX 32MB 3.2GB 16X	1167.65
233/Pii 32MB 3.2GB 24X	1468.73
266/Pii 32MB 3.2GB 24X	1528.75

Deskpro 2000 mini-towers

166/MMX 16MB 3.2GB 16X	1047.35
200/MMX 32MB 2.4GB 16X Office 97 SBE	1319.78
200/MMX 32MB 3.2GB 16X	1129.75
233/MMX 32MB 4.3GB 16X Office 97 SBE	1517.97
266/Pii 32MB 4.3GB 24X Office 97 SBE	1557.87
266/Pii 32MB 4.3GB 24X Office 97 SBE	1817.32
300/Pii 32MB 3.2GB 24X	1697.22

Deskpro 4000 desktops

166/MMX 16MB 2.4GB	749.57
166/MMX 32MB 3.2GB	1065.87
200/MMX 32MB 2.4GB	1128.58
200/MMX 32MB 3.2GB	1138.67
233/Pii 32MB 2.4GB	1247.38
233/MMX 32MB 3.2GB 16X	1335.78
233/Pii 32MB 3.2GB 24X	1397.75
266/Pii 32MB 3.2GB 24X	1468.87

Deskpro 4000 mini-towers

166/MMX 32MB 3.2GB 16X	1227.31
233/Pii 32MB 3.2GB 24X	1467.58
266/Pii 32MB 3.2GB 24X	1478.28

Deskpro 4000N Network PCs

200/MMX 32MB 1.6GB	998.67
--------------------	--------

Deskpro 4000S desktops

166/MMX 16MB 2.1GB	868.67
200/MMX 16MB 2.1GB	996.48
233/MMX 32MB 2.1GB	1176.78

Deskpro 6000 desktops

233/Pii 32MB 2.1GB 24X	1698.47
266/Pii 32MB 2.1GB 24X	1776.45
266/Pii 32MB 4.3GB 24X	2048.77
300/Pii 64MB 4.3GB 24X	2368.62

Deskpro 6000 mini-towers

266/Pii 64MB 4.3GB 24X	2238.77
300/Pii 32MB 4.3GB 24X	2397.55

Presario desktops

200/MMX 32MB 2.1GB 20X	746.00
233/MMX 32MB 3.2GB 20X	946.00
233/MMX 48MB 4GB 24X	1096.00
266/Pii 48MB 4GB DVD	1496.00
300/Pii 64MB 8GB DVD	1796.00
333/Pii 64MB 8GB DVD	2296.00

Deskpro 2000

Small Business Edition

COMPAQ

200MHz Intel Pentium® processor with MMX™ technology

512KB Level 2 cache

32MB SDRAM standard

2.4GB Ultra ATA hard drive

16X Max CD-ROM drive

Microsoft Office 97 Small Business Edition

\$1319.78 CDW 110829



PC 300PL Series desktops

200/MMX 32MB 2.5GB	1147.95
200/MMX 32MB 4.2GB	1187.75
200/MMX 32MB 4.2GB 24X	1287.38
233/MMX 32MB 4.2GB	1247.56
233/MMX 32MB 4.2GB 24X	1347.65

PC 300PL Series mini-towers

166/MMX 32MB 2.5GB	897.95
200/MMX 32MB 4.2GB 24X	1236.67
233/MMX 32MB 4.3GB 24X	1418.87

HP Vectra VL 7 Series PC

HEWLETT PACKARD (Expanding Possibilities)

233MHz Intel Pentium® II processor

512KB Level 2 cache

32MB EDO DRAM standard

3.2GB EIDE hard drive

24X Max CD-ROM

Windows® NT Workstation V4.0 or Windows 95

\$1277.85 CDW 108943



HP Brio Series mini-towers

166/MMX 16MB 2.1GB	859.76
166/MMX 16MB 2.1GB 16X	1074.57
200/MMX 16MB 2.1GB	767.58
200/MMX 32MB 2.1GB 16X	917.28
200/MMX 32MB 2.1GB 24X	1146.28
200/MMX 32MB 2.1GB 24X	1157.58
233/MMX 32MB 3.2GB	917.28
233/MMX 32MB 3.2GB 24X	1097.56
233/Pii 32MB 4GB	1249.76
233/MMX 32MB 4GB 24X	1298.45
233/Pii 32MB 4GB 24X	1467.88
233/MMX 32MB 6GB 24X	1518.77
266/Pii 32MB 4GB	1427.78
266/Pii 32MB 4GB 24X	1589.87
266/Pii 32MB 8GB 32X 56K bps	1778.25
300/Pii 32MB 8GB 32X	1875.97
300/Pii 64MB 8GB 32X 56K bps	2356.48



HP VE 4 Series desktops

200/MMX 16MB 2.1GB	959.98
200/MMX 32MB 2.1GB 24X	1194.67
233/Pii 32MB 3.2GB	1139.68
233/MMX 32MB 2.1GB	1059.67
233/MMX 32MB 2.1GB 24X	1295.78

HP VE 4 Series mini-towers

200/MMX 32MB 3.2GB	1259.44
233/MMX 32MB 3.2GB	1368.87

HP VL 7 Series desktops

233/Pii 32MB 3.2GB Win 95	1277.85
233/Pii 32MB 3.2GB	1328.38
266/Pii 64MB 4.3GB 24X	2098.76
300/Pii 64MB 4.3GB 24X	2366.78

HP VL 7 Series mini-towers

233/Pii 32MB 4.3GB 24X	1759.57
266/Pii 64MB 6.4GB 24X	2218.85
333/Pii 64MB 6.4GB	2627.58



PC 300GL Series desktops

166/MMX 16MB 2.5GB	797.98
166/MMX 32MB 2.5GB	817.25
200/MMX 32MB 2.5GB	977.25
200/MMX 32MB 2.5GB 16X	1087.75
233/Pii 16MB 2.5GB	1067.35
233/MMX 32MB 2.5GB	1037.52
233/Pii 32MB 2.5GB	1127.58
233/Pii 32MB 4.2GB	1187.15
266/Pii 32MB 2.5GB	1187.55
266/Pii 32MB 4.2GB	1237.58
266/Pii 32MB 4.2GB 32X	1397.25
300/Pii 32MB 4.2GB	1457.72
300/Pii 32MB 4.2GB NT	1537.45

TOSHIBA

Equium Series desktops

233/MMX 2GB 32MB	1249.37
233/MMX 2GB 32MB	1358.77
233/MMX 3GB 32MB 24X	1378.67
233/MMX 3GB 32MB	1496.57
266/Pii 4GB 32MB 24X	1536.47
300/Pii 4GB 32MB 24X	1657.37

Libretto mini-notebooks

50CT 5/75 16MB 772MB 6.1" AM	947.36
70CT 120/MMX 16MB 1.5GB 6.1" AM	1637.12

Satellite & Satellite Pro notebooks

440CDX 133/MMX 16MB 1.34GB	1357.06
12.1" DS 10X	
440CDT 133/MMX 16MB 1.34GB	1637.89
12.1" AM 10X	
460CDX 166/MMX 32MB 2GB	1717.86
470CDT 200/MMX 32MB 2.1GB	2837.46
12.1" AM 10X	
480CDT 233/MMX 32MB 3.8GB	3367.34
12.1" AM 10X	

Tecra notebooks

520CDT 166/MMX 32MB 3.8GB	2737.19
12.1" AM 10X	
530CDT 166/MMX 32MB 3.8GB	3067.52
12.1" AM 10X	
550CDT 266/MMX 32MB 3.8GB 12.1" AM	3847.83
740CDT 166/MMX 16MB 3GB	2637.86
13.3" AM 10X	
740CDT 166/MMX 16MB 3GB	2827.36
13.3" AM 10X WIN NT	
750CDM 133/MMX 32MB 4.77GB	4787.16
13.3" AM 20X	
750CDT 233/MMX 32MB 4.7GB	4794.85
13.3" AM 20X	
750DVD 233/MMX 64MB 4.77GB	4987.69
13.3" AM DVD	

Portege notebooks

320CT 266/MMX 32MB 3.8GB 10.4" AM	3567.56
-----------------------------------	---------

Satellite Pro 470CDT

TOSHIBA

200MHz Intel Pentium® processor with MMX™ technology

32MB EDO DRAM standard

2.02GB hard drive

10X CD-ROM drive

12.1" active-matrix display

33.6K bps internal data/fax modem

\$2837.46 CDW 107597



Extensa notebooks

391T 150/MMX 16MB 2.1GB 12.1" AM 20X	1837.86
--------------------------------------	---------

TravelMate notebooks

7120T 200/MMX 32MB 3GB	2757.49
12.1" AM 20X	
7130TE 233/MMX 32MB 3GB	3197.89
13.3" AM 20X	
7164TE 266/MMX 32MB 4.1GB 13.3" AM	3767.26



Armada notebooks

1530DM 133/MMX 16MB 1.4GB	1179.00
1571DM 200/MMX 32MB 3.2GB	2297.86
1598DMT 266/MMX 32MB 4GB	3617.46
13.3" AM 20X	
4131T 5/133 16MB 1.4GB 12.1" AM	957.86
4210T 233/MMX 32MB 3GB 12.1" AM	3357.85
4220T 266/MMX 32MB 4GB 12.1" AM	3897.56
7350T 150/MMX 16MB 2.1GB 12.1" AM	1487.36
7360DMT 200/MMX 32MB 3GB 12.1" AM	3297.83
7380DMT 266/MMX 32MB 4GB 12.1" AM	4587.19
7710MT 150/MMX 16MB 1.6GB 12.1" AM	1897.79
7770DMT 233/MMX 32MB 3GB	3699.89
12.1" AM 20X	
7792DMT 266/MMX 32MB 5GB	5127.56
13.3" AM 20X	



HP OmniBook 800 Series notebooks

600CT 166/MMX 16MB 2GB 10.4" AM	3679.68
HP OmniBook 3000 Series notebooks	
200/MMX 16MB 2.1GB 13.3" AM	2967.45
233/MMX 16MB 4GB 13.3" AM	3457.36

HP OmniBook 5700 Series notebooks

166/MMX 16MB 1.8GB 12.1" AM	2327.36
166/MMX 32MB 2.79GB 12.1" AM	2957.48

IBM ThinkPad® 560X

IBM Business Partner

233MHz Intel Pentium® processor with MMX™ processor

32MB RAM standard

4GB hard drive

12.1" active-matrix display

Integrated TrackPoint III pointing device

Windows® 95

\$2997.86 CDW 98309



ThinkPad notebooks

380ED 166/MMX 16MB 2.1GB	
12.1" DS 20X	1557.29
380ED 166/MMX 16MB 3GB 12.1" AM 20X	2237.71
380XD 233/MMX 32MB 3.2GB	
12.1" DS 24X	2047.13
380XD 233/MMX 32MB 4GB 12.1" AM 24X	2637.92
12.1" AM 24X	
560E 166/MMX 16MB 2.1GB 12.1" AM	2436.69
560X 200/MMX 32MB 2.1GB 12.1" AM	2137.67
560X 233/MMX 32MB 4GB 12.1" AM	2917.86
770 200/MMX 32MB 3.2GB 13.3" AM	3457.89
770 233/MMX 32MB 4GB 13.3" AM	3457.89
770 233/MMX 32MB 5.1GB 14.1" AM	4197.26



LifeBook 500 Series notebooks

565Tx 166/MMX 32MB 2GB 12.1" AM 20X	2499.00
LifeBook 500 Series notebooks	
656Tx 150/MMX 16MB 2GB 12.1" AM 16X	2799.00



VisionBook Plus Series notebooks

4360x 166/MMX 16MB 2.1GB	
12.1" AM 10X	1797.36

VisionBook Pro Series notebooks

7580 233/MMX 32MB 3.2GB 13.3" AM 20X	3599.00
--------------------------------------	---------



Travel Pro 1000 Series notebooks

1965CT 200/MMX 16MB 2.1GB	
12.1" AM 10X	2297.45
1970CT 233/MMX 48MB 3.1GB	2617.23

Travel Pro 2000 Series notebooks

2010CX 166/MMX 32MB 2.1GB	
13.3" AM 20X	2557.64
2030CX 200/MMX 48MB 3.1GB	2367.13
13.3" AM 16X	
2035CX 233/MMX 32MB	
13.3" AM 20X	2487.46

Rodeo 3000 Series notebooks

3000ECX 166/MMX 32MB 3.1GB	
14.1" AM 20X	3017.23
3015ECX 233/MMX 32MB 2.1GB	
14.1" AM 20X	3367.74

Rodeo 5000 Series notebooks

5010ECX 233/MMX 64MB 3.1GB	
14.1" AM 20X	3587.32
5030ECX 266/MMX 64MB 4GB	
14.1" AM 20X	3997.51

AM = active-matrix color display DS = dual-scan color display



COMPUTER DISCOUNT WAREHOUSE



The right price. The right advice.

800-959-4239 www.cdw.com

Check out CDW's new Extended Service Plan!

Developers: get the at a price you can't

FREE
(With purchase of select Visual Tools)



power you need ignore.

For a limited time, get the power and stability of Microsoft Windows NT Workstation or BackOffice Server 4.0 Developer Editions, free when you acquire a select Visual Tool.

Take your pick.



Choose the Professional Edition of the Microsoft Visual Basic® version 5.0, Visual C++® version 5.0, or Visual Studio™ 97 development systems, and get Microsoft Windows NT Workstation 4.0 Developer Edition* free. That's right. The most powerful desktop operating system for developing business applications with the reliability and security of Windows NT. Absolutely free. No shipping, no handling — Free.

Or, if you're building enterprise solutions, choose the Enterprise Edition of one of these same Visual Tools and get BackOffice Server 4.0 Developer Edition* — free. This suite of application servers, including Microsoft Windows NT Server, Microsoft Exchange Server and SQL Server™ help you build comprehensive business-critical, client/server solutions.

Either way you get the high performance and stability of Windows NT, along with the most powerful, easy-to-use visual development tools for building client/server, Internet, Intranet, and Windows®-based solutions.


This offer is too good to ignore. But it's only good for a limited time**. So act now. Visit your nearest reseller or call (888) 229-0738 to order. Then go to www.microsoft.com/developer/offer to get further details and to find out how to redeem your free copy of Windows NT Workstation 4.0 or BackOffice Server 4.0. All redemption will be accessed via a coupon on the web.



Visual Basic®
Visual C++®
Visual InterDev™
Visual J++™
Visual FoxPro®

Upgrading to Windows 98? We've Got Windows Covered!

OSBORNE'S WINDOWS 98 GUIDES PROVIDE A COMPLETE SOLUTION TO FINDING EXPERT COVERAGE ON EVERY TOPIC—FROM MAXIMIZING EVERYDAY SKILLS TO TROUBLESHOOTING NETWORKS.




Windows 98: The Complete Reference

Comprehensive, encyclopedic coverage of the entire operating system!

John Levine and Margaret Levine Young

ISBN: 0-07-882343-9
\$39.99 USA
\$57.95 CANADA

Electronic book on CD!




Windows 98 Made Easy

Hands-on lessons, tips & tricks make learning Windows 98 easy.

Tom Sheldon and Dan Logan

ISBN: 0-07-882407-9
\$24.99 USA
\$34.99 CANADA

Revised and Updated Best Seller



Windows 98 for Busy People

Friendly, easy-to-read support material packed with shortcuts.

Ron Mansfield and Peter Weverka

ISBN: 0-07-882398-6
\$24.99 USA
\$34.99 CANADA

Full Color!




Windows 98 Programming from the Ground Up

A crucial programmers' career guide for from the world's leading programming author.

Herbert Schildt

ISBN: 0-07-882306-4
\$34.99 USA
\$49.99 CANADA




Maximizing Windows 98

Push your Windows 98 skills to the max with this Windows 95-migrators' handbook!

Lenny Bailes

ISBN: 0-07-882539-3
\$34.99 USA
\$49.99 CANADA
Available: July 1998



Windows 98 Answers! Certified Tech Support

Get over 400 tech support answers for less than the cost of one support call.

Martin S. Matthews

ISBN: 0-07-882455-9
\$24.99 USA
\$34.99 CANADA
Available: August 1998

AVAILABLE NOW AT

Atlantic Books (215) 661-0450 • Biblot Baltimore, MD (410) 653-5680 • Biblot Bel Air, MD (410) 803-9055 • Biblot Timonium, MD (410) 308-1888
Books & Bytes (800) 541-2126, www.bytes.com • Books & Co. (937) 298-6540 • Chester County Books (610) 696-1661 • Computer Book Works
(212) 385-1616, www.cbw.com/bookworks • Computer Library (800) 276-0903, www.computerlibrary.com • Computer Literacy (800) 789-8590,
www.cbbooks.com • DigitalGuru Bookshops (408) 720-6150, www.digitalguru.com • East Bank Bookstore, University of Minnesota (612) 625-3005
Gene's Books (610) 265-6210 • Irvine SciTech Books (800) 229-9514, www.scitechbooks.com • Madison Books & Computers (256) 772-9250
McGraw-Hill Bookstore (800) 352-3566, www.bookstore.mcgraw-hill.com • New England Mobile Bookfair (617) 527-5817 • OPAMP Technical Books
(800) 488-4322, www.opampbooks.com • Page One (505) 294-2026, www.page1book.com • Powell's Technical Books (503) 228-3906,
www.powells.portland.or.us • Quantum Books (617) 494-5042, www.quantumbooks.com • README.DOC Chambersburg, PA (717) 264-0843,
www.readmedoc.com • README.DOC Vienna, VA (703) 645-8010, www.readmedoc.com • Reiter's Scientific & Professional Bookstore (202) 223-3327,
www.reiters.com • San Diego Technical Books (800) 346-0071, www.sdtb.com • Stacey's Professional Bookstores (800) 926-6511, www.stacays.com
Softpro Books Englewood, CO (303) 740-7751, www.softpro.com • Softpro Books Burlington, MA (781) 273-2917, www.viamail.com/softpro/
Tattered Cover (303) 322-7277, www.tatteredcover.com • Trojan Bookstore USC (213) 740-9030, www.bookstore.usc.edu • UCSD Bookstore (800) 520-7323,
www.bookstore.ucsd.edu • UCLA, The Bookzone (310) 206-4041, www.uclastore.ucla.edu • University Bookstore, UW Madison (608) 257-3784,
www.protechnica.com • University Book Store, Iowa State University (515) 294-6684, www.ubooksstate.edu • University of California, Irvine Bookstore
(714) 824-2665, www.book.ucl.edu • Virginia Technical Books (703) 709-7080, www.vtbooks.com

OSBORNE

REQUIRED READING for the Information Age

OSBORNE/MCGRAW-HILL 1-800-262-4729
www.osborne.com

A Division of The McGraw-Hill Companies

The Cobalt Qube offers more of what you want in a mini server, and at a micro price. By Michael Mathog

Qube Is Convenience Squared

Microservers are the latest product line born of the Internet craze. A good example is the tiny Cobalt Qube 2700WG. This microserver is fast, offers sophisticated services for up to 50 people, is easy to use, and has a low price.

I tested the \$1249 Cobalt Qube, which runs Linux 2.0. It comes with a 2.1-GB hard disk and 16 MB of RAM (and can hold up to 64 MB). The box has only one PCI slot, which does not, as yet, support current expansion cards.


After unpacking the machine, I plugged it into my LAN. Using the buttons on the back of the device, I quickly assigned it the correct IP address, subnet mask, and gateway. I launched a Web browser (Netscape or Internet Explorer 3.0 or greater with frames support is required) and typed in the Qube's IP address. The browser quickly presented a nicely organized HTML-based setup wizard.

Through the Web browser, I configured the Qube with users, added groups, and enabled e-mail, threaded discussion, file sharing, and FTP support. The Qube even supports CGI, Perl 5.0 scripting, and

TECH FOCUS

Security Through Software

The Cobalt Qube does not have a firewall or contain any manual switches to limit write ability. To secure the Qube, I configured user access rights. Through this process I learned that the Qube's interface is powerful and flexible without sacrificing simplicity. I set up password schemes to grant and limit users' abilities to access home pages, install CGI scripts, and use Telnet. Cobalt says it approached security completely through software and a browser to allow the administrator to make changes remotely.



**Cobalt Qube
2700WG**
\$1249
(with 16 MB of RAM,
Linux 2.0)

Cobalt Microserver, Inc.
Mountain View, CA

650-930-2500
fax: 650-930-2501

<http://www.cobaltmicro.com>

Enter HotBYTES
No. 1010.

The Cobalt Qube has a 150-MHz RISC processor, 2.1-GB hard disk, integrated 10Base-T Ethernet, and up to 64 MB of RAM.

Telnet access, though I didn't try these.

Once setup was completed, each user on my LAN had a personal Web page, e-mail, and up to 5 MB of file storage. The system is accessible through Windows SMB, FTP, AppleTalk, HTTP, and TCP/IP.

My lack of perfect understanding of the domain name services prevented me from quickly configuring e-mail for my users. And unfortunately, it's not well documented in the Qube manual.

Even after configuration was completed, the Qube exhibited some specific file sharing idiosyncrasies with Windows 95 and Windows NT, which luckily the manual addressed. Additionally, it wasn't obvious how to access threaded discussion and FTP services. Sometimes, navigating around the Qube itself was a bit strange. Occasionally the browser's Back button did not return me to the previous Web page.

RATINGS

TECHNOLOGY	★ ★ ★ ★
IMPLEMENTATION	★ ★ ★ ★
PERFORMANCE	★ ★ ★ ★

These problems are minor considering how easy it is to connect the Qube to the LAN and access highly complex and very useful services. The device performed adequately with FTP, HTTP, SMB, and AppleTalk transfers and moved files at around the same pace as my Pentium 200 PC. Although I wouldn't recommend it for extremely heavy Web serving, database computing, or CGI processing, the Qube is certainly adequate for most small LAN uses. **B**

Michael Mathog runs a small testing firm in San Francisco. You can reach him by e-mail at mike@maddogtech.com.

You can take your office voice and data connection functions home with you. By Andrew W. Davis

A Portable Device for PBX @home

Have you ever wanted to take the office PBX home with you so you can enjoy voice mail, call forwarding, and speed dialing from your bedroom or study? The MCK EXTender 3000, a line of remote PBX extensions, lets you do just that. This hardware/software combo gives off-premises employees the same telephone and data functions they have at corporate headquarters.

This isn't a magical transformation for the average telephone, and at \$2400 per remote user, it's not for everyone. The kit includes a PBX handset (phone), MCK's modem-size EXTender hardware for the office and the remote site, and the software to control them. You need a separate ISDN or analog line for each remote user.

The office unit sits between the telephone network and the company PBX, spoofing the PBX into thinking the remote phone is an office extension. Using the PBX digital handset and MCK's remote-voice technology, off-site workers can place and receive calls, use four-digit dialing, speed dial, transfer calls, initiate and participate in conference calls, access voice mail, and use intercoms. The red message light even comes on.

Dial 9 and you get an outside line. You can make (and receive) an interoffice

RATINGS

TECHNOLOGY	★	★	★	★
IMPLEMENTATION	★	★	★	★

page, which is startling the first time it happens. The EXTender also enables remote use of automated call distribution (ACD) systems and call accounting software. The operation is totally transparent. Your fellow workers don't have a clue that you're not in your office.

For busy executives, the EXTender series removes a barrier to successful telecommuting. And for call centers where



EXTender 3000
\$2400

(Remote and central units and digital handset)

MCK
Communications, Inc.
Newton, MA

888-454-7979
617-454-6100
fax: 617-454-6101

<http://www.mck.com>

Enter HotBYTEs
No. 976.

MCK's modem-size EXTender 3000 is available in ISDN and POTS models to deliver your office's PBX functions to remote locations.

telephone efficiency is key and floor space precious, it can give at-home workers all the office functions they have in their cubicles. Cost, however, will limit widespread adoption. Until MCK lowers prices, by using central site concentrators and next-generation silicon and software expected in 1999, you're more likely to find this device extending PBX services to a warehouse or a CEO, not to thousands of teleworkers.

But the EXTender also provides important options that allow remote employees to access the corporate data network using existing remote-access solutions. The model 3000S multiplexes voice at 32-Kbps adaptive differential pulse code modulation (ADPCM, a standard technique in the voice coding industry) and data over one ISDN B channel. The second channel is available for analog devices, including fax or modem.

The model 3000E offers dedicated, dial-on-demand voice over one ISDN B channel and 64-Kbps Ethernet data (or analog voice) on the second. When it detects voice or data traffic, the unit can call a voice switch or any remote router that supports bridging. Another model, the EXTender 3000T, provides voice on one B channel and data on the second, using an RS-232 connection to the PC. Most of the product family requires a line dedicated to the PBX; the 3000T's standard dial-in client and terminal adapter also lets the PC dial out to any ISP.

The fly in the ointment is cost. The price may be worth it for full-time remote access, or even part-time executive access. But it's simply too expensive for the occasional night-owl worker. **B**

Andrew W. Davis (andrewwd@ultranet.com) is a consultant, market researcher, and writer.

The RSVP protocol implements data paths with predictable delays over IP-based networks. By Dinesh Dutt

Bringing Quality of Service to IP

With the integration of voice and video with data networking, the nature of intranet traffic is about to change substantially. While bursty, loss-intolerant, but delay-tolerant network traffic was once the norm, soon things will become oriented more toward constant and loss-tolerant traffic that requires predictable delays. The technology that will permit this to happen is the appropriately titled quality of service (QoS).

The concept of QoS is not new. It has been available in network technologies, such as asynchronous transfer mode (ATM), for a long time. The growth of the Web requires that QoS be made possible over TCP/IP- and Ethernet-based networks. However, TCP/IP doesn't immediately lend itself to the implementation of such capabilities: It's a best-effort service that doesn't attempt to prioritize packets or provide any guarantees about the time taken to deliver a packet.

Enter RSVP

The Internet Engineering Task Force (IETF) has devised an architecture that enables QoS through TCP/IP. Called the Integrated Services Model (ISM), this architecture retains the Internet's common infrastructure and unified protocol stack while layering QoS functions on top of the current best-effort model. Thus, applications requiring QoS can safely interoperate with existing applications. For more details on ISM, see RFC 1633.


To implement QoS, applications must be able to specify their requirements to the network, which then tries to provide QoS. The IETF has agreed upon a new protocol, which goes by the cute moniker of RSVP (Resource Reservation Protocol), for this purpose. RSVP reserves resources along the application's data path in the intermediate routers.

In RSVP, the reservation setup is receiver

initiated, not sender initiated. Why? First, it simplifies multicast sessions, since receivers can come and go at any time without the sender's being aware of it. Second, the receiver experiences the effects of QoS delivery, and different re-

hands them over to the appropriate software or hardware modules at each intermediate router, which then reserves the necessary resources. The details of these actions are covered in RFC 2210.

It's best to describe how RSVP builds a



RSVP allows receivers to establish reserved data flows at rates these paths can sustain.

ceivers might be connected via differing media. Finally, the receiver is probably paying for the resource.

It's in the Message

RSVP uses control messages to initiate and maintain a QoS session. These messages are simply IP datagrams and are thus compatible with both IPv4 and IPv6. Within these messages are protocol fields, or objects, that describe the application's desired QoS service and convey management information among the network routers. The object's contents are opaque to RSVP: It merely transports them and

reserved path by using an example. Consider the figure above, which contains a sender, several receivers, and a medley of routers. The action begins with the sender. A sender (e.g., a videoconference or an audio broadcast) that desires to have its data flows subject to some QoS sends PATH packets downstream toward the receivers. The address embedded in this message is the sender's multicast/unicast address. At each hop, the intermediate router retrieves the previous hop address and overwrites it with its own address before forwarding it.

As a result, when the receiver sends

messages, the upstream neighbor's address is available. Since PATH messages are routed like regular data packets, RSVP functions correctly in the presence of non-RSVP-aware routers. But QoS might not be possible in the presence of such routers in the data path.


The PATH packet contains various objects, two of which are of interest here. The first is the SENDER_TSPEC, which lists the QoS control services that the sender offers and the bandwidth they require. The intermediate routers record this information and forward the message without modification.

The second object is the ADSPEC. It contains information such as the availability of a particular QoS control service at the router and the actual resources available for each of the control services. Each intermediate router modifies this object to reflect its capabilities; when the PATH message arrives at a receiver, the ADSPEC contains a summary of the data path's available QoS. The receivers use this information to make a QoS reservation that the path can sustain.

Receivers use RESV messages to make a reservation. These packets travel upstream from the receivers to the senders, but only as far as the router at which the receiver's data path joins the multicast distribution tree. In other words, RSVP aggregates the reservations where possible at each intermediate node.

RESV messages also carry various objects. A FLOWSPEC object stores the QoS requirements for the data flow. Another object, the FILTERSPEC, specifies which packets use the reserved resources. RSVP provides mechanisms that allow multiple data flows to share a single reservation or make a reservation private to a single data flow.

The QoS requirement specifies the type of QoS control service that an application desires and its traffic contract, using such parameters as the peak data rate and the maximum packet size. Currently, two kinds of QoS control service are offered: Guaranteed and Controlled-Load. The Guaranteed service (RFC 2211) is for loss-tolerant applications that require a predictable packet delay, such as audio and video applications. The Controlled-Load service (RFC 2212) is for applications, such as adaptive real-time programs, that demand minimal packet loss and a reliable upper bound on the packet delay.



Software and hardware modifications are necessary for a router to effectively support RSVP.

Making Reservations

As RESV packets flow upstream, routers act upon the information contained in the FLOWSPEC and FILTERSPEC objects, as shown in the figure above. The figure gives an overview of a router modified to support QoS. It has two paths: one for the RSVP protocol and another for the data. The RSVP protocol path is typically software that's downloaded to the router. The RSVP process along this path detects RSVP packets and directs them to the proper modules for processing.

Before a QoS reservation can be made, the router must check to see if it has sufficient resources to meet the receiver's QoS requirements. This is handled by the admission-control module. If the resources are available, this module modifies the packet-classifier and packet-scheduler databases. These two databases in turn steer elements in the data path so that the router implements the QoS.

If the requested QoS requirements cannot be met, the admission-control module rejects the reservation request and returns an error message to the receiver. If the module accepts the request, the RSVP process forwards the RESV message to the next upstream router via the previous hop address. A policy-control module also enforces administrative policies, such as denying streaming-video QoS to certain organizations.

QoS's data-path elements are a packet classifier and a packet scheduler. The packet classifier identifies reserved data flows and places their packets into categories, or classes. These classes are defined by the FILTERSPEC. The packet scheduler places the packets in queues by

class and then issues them to the appropriate router port at the priority set by the QoS reservation. The packet scheduler also polices the data flow to ensure that the reservations are not being violated.

Routes are subject to change, receivers can abruptly disappear, and many other catastrophes might strike in netland. RSVP dynamically adapts to all such problems by maintaining the reservations as a *soft state*. This means that the receivers and senders periodically send refresh RESV and PATH messages. Reservations are timed out if these refresh messages are not received within a specified time period. Of course, the route change can cause a previously available reservation to fail in the middle of a session. This can't be avoided. Receivers and senders can also request to explicitly terminate existing reservations via RSVP messages.

An Emerging Standard

QoS and RSVP are both fairly elaborate schemes; many issues, such as security, error handling, and traffic contract specifications, are not covered in this article. Routers need to be modified to support admission control, packet scheduling, and RSVP.

Many internetworking devices already make RSVP available on their platforms. Still, the RSVP standard is evolving, and work is ongoing in integrating routing and QoS, determining how switches function in the presence of RSVP, implementing policy control, and more. **E**

Dinesh Dutt (Santa Clara, CA) is a software engineer at Cisco Systems. He can be reached at ddutt@cisco.com.

Turn your Power Mac into a powerful Unix server. By Tony Cox

MkLinux: Linux for the Power Mac

There are many reasons to recommend a Mac. Plug and Play made Mac hardware setup trivial long before it became a hyped technology on other platforms. The computer's built-in networking support ensures that connecting Macs with both AppleTalk and TCP/IP is quick and simple.

However, the ease with which you can construct Mac peer networks creates management problems. Tracking different versions of hundreds of files distributed over many machines is tedious. Maintaining security and performing backups are a real nightmare.

Centralizing the important data on a single server was the logical solution. However, as much as I like the Mac OS, it is not robust enough to provide file-system security or manage quotas and resources such as the Web, e-mail, and name servers.

Organizations that have made an investment in Mac hardware may legitimately wonder what is the best option when they need a server that provides these functions, yet integrates seamlessly into the existing network. Can these services still be provided by a Mac? The answer, as I discovered, is yes.


Linux on the PowerPC

While I was researching these issues for a small Mac network, I came across the MkLinux OS—Linux for the Power Mac. MkLinux began its life in 1995, when Apple began supporting a project by the Open Group's Research Institute to port this freely distributable Unix-like OS to the Power Mac.

Both MkLinux and the BeOS lead the trend to open up the Mac platform to alternative OSes. For a historic and current perspective on OSes that the PowerPC supports, see the text box "Different Times, Different OSes" on page 52.

In a departure from the monolithic kernel design of other Linux distributions, MkLinux runs natively on top of the Open Group Mach (PMK 1.1) micro-

kernel. That is, Linux runs as a Mach process that contains an orthodox Linux kernel, which is modified to use low-level Mach services. To improve performance, the



With its Unix-like OS features, MkLinux enables a Power Mac to be a reliable file and Web server.

kernel, which itself is derived from Carnegie Mellon University's Mach 3.0 microkernel. The Mach microkernel performs only a small number of functions. Among these functions are low-level hardware I/O, interprocess communications (IPC), memory management, and scheduling.

These services provide an abstract layer onto which you can port other OSes. A server is a Mach process that gives the OS its "personality" and provides higher-level functions such as file-system and network support, as shown in the figure "MkLinux Architecture."

MkLinux thus runs as a Linux server.

Linux server can reside in the same address space as the Mach kernel.

Installing MkLinux

MkLinux runs on most Power Macs, including early NuBus-based machines (6100, 8100, and 9100), first- and second-generation PCI models (7100, 7200, 7300, 7500, 7600, 8500, 8600, 9500, and 9600), some PowerBooks (2400, 3400, 5300, and G3), and the latest G3 Power Macs. A multiprocessor kernel is available that supports Apple dual-processor machines and clones, as well as DayStar Digital's two-way 604e CPU upgrade card.

Installing Linux on any platform is not

for a novice. Much of the MkLinux installation is automated, but some knowledge of networking, SCSI, and disk partitioning is required for things to go smoothly. I installed MkLinux on an external 1-GB SCSI hard drive attached to a Power Mac 7600. It takes only two partitions to install MkLinux (one to hold the Linux file system, and the other for swap space), but four or more are commonly used because they provide better flexibility.

Although Apple provides a functional disk-partitioning program, offerings from FWB and LaCie are more sophisticated and let you resize partitions without reformatting. If you are willing to forgo a GUI, MkLinux has a serviceable, if somewhat unfriendly, character-mode disk utility called `pdisk`. I created a 70-MB “\” (root) partition, a 32-MB partition for \swap, and a 100-MB partition for \home, which leaves the remaining 798 MB to \user. Note that disk-partitioning software offers new and exciting opportunities to junk your data; backups are essential.

Setup begins by installing a MkLinux Control Panel that selects MkLinux or the Mac OS as the default OS at boot-up. The Mach kernel is put in the Extensions folder, and a folder containing the Mach server is placed in the root directory of your bootable Mac partition (you can remove it after installation). These steps were sufficient to bootstrap MkLinux.

Rebooting automatically starts the installation program. After specifying which disk partitions should hold different parts of the file system, I was presented with a list of “packages” to install. Packages are compressed binary archives that contain all the files necessary to implement a particular OS service or user application. You can install packages from a distribution CD, over the Internet from an FTP server, from an NFS mount, or from a local hard drive. Because the MkLinux distribution is nearly 300 MB in size, the CD distribution makes sense.

Packages necessary to run a basic MkLinux system (including the X11.6 windowing system) are preselected for you, so accepting the default is a wise move. Installing other packages later is easy. I installed some additional packages, including developer tools (Gnu C, C++, and FORTRAN compilers) and both HTTP and FTP servers.

The excellent RedHat Package Manager (RPM) performs the installation by expanding packages and copying the con-

tents to their appropriate places. The RPM system maintains a database of installed packages, thereby providing a useful version and dependency control system. Supplying network information, a name for my “new” machine, and a root password completed the installation. After rebooting, I had a fully functioning MkLinux server.

1993		1998	
OS	Description	OS	Comment
System 7	Apple's Mac OS	Mac OS	System 8.x
AIX	IBM's flavor of Unix for workstations	AIX	
OS/2	IBM's multitasking OS with a GUI	BeOS	Multithreaded, multitasking OS from Be, Inc.
Solaris	Unix from SunSoft with a GUI	MkLinux	Freeware Unix-like OS for the Power Mac
PowerOpen	A variant of AIX with GUI support, Mac OS emulator	Windows NT	No longer supported
Taligent	The “Pink” OS from Apple, codeveloped with IBM		

tents to their appropriate places. The RPM system maintains a database of installed packages, thereby providing a useful version and dependency control system. Supplying network information, a name for my “new” machine, and a root password completed the installation. After rebooting, I had a fully functioning MkLinux server.

Speaking AppleTalk

Getting my MkLinux server running was one thing; making it useful on an AppleTalk network was another. Mac users like to access servers via the Chooser, and this convenience can be provided easily if you install Netatalk.

Netatalk is a kernel-level implementation of the AppleTalk Protocol Suite for Unix systems running over Ethernet. It is available as either source code or the RPM package and is part of the MkLinux distribution. It includes support for routing AppleTalk, serving Unix and AFS file systems over the AFP (AppleShare), serving Unix printers, and accessing AppleTalk printers.

Once installed, Netatalk made the

WHERE TO FIND

MkLinux:	http://www.mklinux.apple.com
LinuxDisks:	http://www.pollet.net
Netatalk:	http://www.umich.edu/~rsug/netatalk

Different Times, Different OSes

In 1993, the PowerPC processor was expected to host at least six OSes. With five years behind us, the picture has changed. Surprisingly, many of what might have appeared to be major players have dropped out. In fact, native versions of OS/2, Solaris, and Taligent never shipped. Today, out of the original lineup, only the Mac

OS and IBM's AIX are still present. Interestingly, several new OSes became available for the Power Mac: Windows NT, the BeOS, and Linux. However, Windows NT is here with an asterisk. The company dropped support for a PowerPC native version of this OS beyond version 4.0.

MkLinux server appear like any other Mac on the network. Mac users with an account on a MkLinux server running Netatalk are able to log in and mount their home directories as network drives. Clever file translation ensures that folder attributes, file icons, and their program associations are preserved on the MkLinux file system.

If you need to transfer files between HFS and MkLinux partitions, there are a series of “h” utilities to help you. These mimic their Linux counterparts but operate on a local HFS partition. If you need complementary functions, an excellent shareware utility by Michael Pollet called LinuxDisks allows file transfer to and from MkLinux partitions from within the Mac OS.

MkLinux presents a very attractive way to provide low-cost network services to a Mac network without having to install a new and possibly foreign system. The pre-Developer release 3 version of MkLinux is currently available from the MkLinux Web site. It builds on previous releases by adding the latest Linux kernel (2.0.33). The usual caveats apply when using prerelease software, but over several weeks of testing, my system has remained perfectly stable. **B**

Dr. Tony Cox works at the Jodrell Laboratory, Royal Botanic Gardens, Kew, U.K. You can contact him at a.cox@rbgkew.org.uk.

Why are IT professionals
choosing UNIX[®]
servers on Intel[®]
processors 3 to 1
over RISC?



Because they get enterprise UNIX system power with all the volume economic advantages of Intel[®] processors. Find out why it's time for you to Get On It.



See our website at www.sco.com/unixware/getonit4

1-800-SCO-UNIX

Enter HotBYTEs No. 117 at <http://www.byte.com/hotbytes/>





www.teledotcom.com

A
SITE
TO BE
SEEN


tele.com
The Web Edition

The Definitive Reference Source!

BYTE on CD-ROM

Eight Years of BYTE — 1990 to Present
Plus, Quarterly Updates

Call **1-800-924-6621** or
Order via the Web at
<https://www.byte.com/orders/subcd.htm>



- ▶ **SEARCH**
- ▶ **FIND**
- ▶ **SELECT**
- ▶ **EXPORT**
- ▶ **LOCATE**
- ▶ **SCAN**

Order Today!
1-800-924-6621

It's all at your fingertips — emerging trends, comprehensive world-wide industry analysis, multiplatform coverage of all the technologies, in-depth testing and product evaluations, advice, tips, expert opinions, and much more! It's a deal for anyone who's evaluating the significance of new technologies...doing research...making complex multi platform purchasing decisions...developing the next generation hardware or software products...preparing corporate plans.

It's Comprehensive...
Time Saving...and
Easy to Use! It's all in
BYTE on CD-ROM.

Available for Windows 3.1, NT, Win 95.

Order Now!

Country	FreePhone #
Belgium	080071260
Denmark	80018934
England	0800973195
France	0800916068
Germany	0130829448
Italy	167879415
Netherlands	060224959
Switzerland	0800552418
Sweden	020793386
Other	
Int'l	+353 91 752792
U.S./Canada	1-800-924-6621
FAX	+353 91 752793

YES! I want the power and convenience of BYTE on CD-ROM.

- Send me BYTE on CD-ROM PLUS! The currently shipping version, plus 3 quarterly updates. 90+ issues for just \$54.95.
 Send me BYTE on CD-ROM! Full text from Jan. 1990 through the end of the currently shipping quarter — over 90 issues for only \$39.95.

Charge my: Master Card VISA Amex Check enclosed (Payable to BYTE magazine, US funds only)

Card # _____ Exp. Date _____ Signature _____

Name _____

Address _____

City _____ State/Province/Country _____ Zip/Postal Code _____

E-mail Address _____



Mail to: BYTE on CD-ROM, P.O. BOX 526, Hightstown, NJ 08530

Canadian and U.S. orders, please add \$2.95 for shipping and handling, and state tax where applicable. (Canadian orders add appropriate GST). Outside North America, add \$5.00 for air mail delivery. Allow 6-8 weeks for delivery.

PWRRLD

This high-performance processor can readily manage the video, audio, and modem operations of a videophone. By Osman Khan

TriMedia Powers a Videophone

This year, the much-anticipated media processor makes its market debut and enables the deployment of a wide variety of Web-aware multimedia systems such as videophones, digital TVs, and microcomputers. A media processor is a special type of computational engine optimized to handle complex real-time processing tasks such as motion video and streaming audio. Media processors perform these tasks more efficiently than a general-purpose CPU and more flexibly than traditional fixed-function chips.

Media processors such as Philips' TriMedia architecture offer accelerated processing of audio, video, graphics, and communications data on one chip. These capabilities will help it play an important role in the coming convergence of video entertainment, video communications, and computer technology.

TriMedia Architecture


The TM-1000 is fabricated using 0.35-micron, four-metal-layer CMOS. It's a 3.3-V part, packaged in a 240-pin metal quad flat pack (MQUAD). It operates at 100 MHz. To deliver a cost-effective solution, the TM-1000 was built with a diverse array of computational resources integrated on-chip. The chip combines key fixed-function acceleration units—such as an image coprocessor (ICP) and a variable-length decoder—with a programmable 32-bit very long instruction word (VLIW) processor core.

The core orchestrates all on-chip operations and implements portions of complex multimedia algorithms. It's assisted in this latter task by an instruction set that provides common RISC operations, DSP-style (digital signal processor) single instruction/multiple data (SIMD) functions, and IEEE 32-bit floating-point computations. Other function units manage the TM-1000's memory interface, PCI bus,

and high-speed serial and video I/O interfaces, as shown in the figure "TriMedia TM-1000 Microarchitecture." These units provide glueless connections to most peripherals.

The TM-1000 has separate eight-way set-associative data and instruction

Complementing the VLIW core are several specialized fixed-function processing units (e.g., the variable-length decoder) that off-load specific media-processing tasks. Collectively, these units are implemented as 27 pipelined function-processing elements. The core uses



The TM-1000 provides glueless interfaces to video, audio, PCI, and an SDRAM bank.

caches to support the VLIW core's high throughput. The data cache is 16 KB in size and dual-ported to minimize contention between the core and main memory. The instruction cache is 32 KB in size. To reduce internal bandwidth demands, the instructions are stored in a compressed format. A decompression unit expands the instructions before the core processes them.

The throughput of these caches obviates the need for any secondary (L2) cache, which can lower a product's cost. In addition, the TM-1000 has a high-speed internal bus with separate 32-bit address and data lines that expedites transfers between external synchronous DRAM (SDRAM) and all the function units.

a five-issue-slot engine to dispatch up to five instructions per clock cycle to these elements. The elements execute them concurrently. This achieves the high degree of parallelism required for the simultaneous processing of multiple types of digital media streams.

The TM-1000 has a bevy of I/O units used to capture, format, and output video, audio, and graphic data. Each unit can act as a bus master or slave on the processor's internal bus and uses DMA transfers to shuttle data around the chip. A digital video input (VI) unit accepts data from any CCIR 601/656-compliant device that outputs 8-bit time-multiplexed 4:2:2 YUV data. The VI unit provides a glueless connection to some digital video

cameras. If necessary, the VI unit does real-time horizontal subsampling of the data before storing it in memory.

A video output (VO) unit generates an 8-bit multiplexed YUV data stream. Before output, the VO unit performs any specified processing (e.g., graphic overlays and alpha-channel blending) and, if required, upscales the image. The VO unit supports a variety of video formats. The audio in and audio out units connect to most serial A/D converters (ADCs) and D/A converters (DACs). The units handle 8- or 16-bit audio samples arranged in monophonic or stereo formats.


A synchronous serial interface (SSI) can connect to high-speed modems or ISDN front-end devices. An ICP copies images from SDRAM to the host's frame buffer or to memory. The ICP can apply filtering to the image, resize it, and perform YUV-to-RGB color-space conversions. The variable-length decoder directly decodes Huffman-encoded data streams and assists in decoding MPEG-1 and MPEG-2 video streams.

The TM-1000 simplifies the design and cost of products by providing built-in interfaces for memory and a PCI bus. The memory interface can be programmed to operate with memory parts at 66, 80, or 100 MHz. At 100 MHz, this interface provides a glueless connection for up to four external SDRAM or synchronous graphics RAM (SGRAM) chips. It supports more memory chips at lower clock speeds. The PCI interface is PCI Local Bus Specification revision 2.1-compliant, and it operates at 33 MHz.

Finally, because of the VLIW core, the TM-1000 can be programmed to operate as a coprocessor (perhaps augmenting a PC's multimedia capabilities) or as a stand-alone unit (acting as the embedded processor in a consumer device).

Video Telephony Evolves

Of the many examples of media-processing applications, video telephony stands out as requiring a diverse set of demanding media-processing tasks. First, we need an overview of video telephony itself to understand how the TM-1000 suits this application's needs. Until recently, videoconferencing capabilities have been used mainly in business environments, over high-speed ISDN links using the ITU H.320 multimedia communications standard or over LANs using the ITU H.323 standard.



The TM-1000 directly handles audio and video I/O. The VLIW core implements most of the ITU H.324 algorithms in software.

The challenges that hindered the popularity of plain old telephone service (POTS) video telephony in the past were cost, communications latency, quality, and the user's inability to experiment. Each of these is being surmounted today, paving the way for the deployment of POTS video telephony (H.324).

Because of the Internet, real-time multimedia communication is becoming a reality for a large number of individual users. However, its quality tends to be inconsistent. IP-based H.323 audio and video streams can be choppy, with irregular latencies of up to 1 second—making it difficult to carry on a conversation.

By contrast, properly implemented point-to-point H.324 can deliver consistent quality with delays of under one-quarter second—adequate for normal interaction. The interoperability of H.324-based devices lets technically savvy PC users connect to non-PC users through stand-alone videophones.

To provide video and audio communications over a POTS line, a videophone must at a minimum provide a number of functions. It must manage a 33.6-Kbps POTS modem; implement NTSC/PAL video decoding and capture, H.261 or H.263 video compression and decompression, NTSC/PAL video encoding and output scaling, and G.723 voice compression and decompression; and perform digital acoustic echo cancellation.

A typical videophone set-top box includes audio and video codecs, a telephone-line interface, a keypad or key-

board, and memory, as shown in the figure "Elements of a Videophone." Other external devices include a microphone and speaker, a CRT or television screen, and an RJ-11 phone line. A videophone can easily be built with a minimum of parts around a 100-MHz TriMedia TM-1000 operating in stand-alone mode.

For example, the TM-1000's SSI unit would manage the external modem, the VI unit would handle input from a digital camera, and the ICP and VO unit would display transmitted video on a TV or LCD screen. The VLIW core would implement the algorithms for the H.263 and G.723 compressors/decompressors. This H.324 videophone can deliver QCIF resolution (176- by 144-pixel images) at up to 14 frames per second. The user would have the option of dynamically scaling the frame rate upward or downward to favor either interactivity or picture quality.

Video Telephony's Future

Video telephony inspires a vision of the future that lets people keep in touch with friends or work with greater efficiency while out of the office. Low-cost video-telephony products based on the TriMedia processor and other architectures ensure that this future will be a reality soon. Also, the technology will cost much less than the price of a one-way coast-to-coast economy-class airline ticket. **E**

Osman Khan is a videoconferencing manager at Philips Semiconductor. You can reach him at khan@ehv.sc.philips.com.



Computex Taipei '98
Booth No: B210(6/2~6/6)

Your Passport to Higher Profits and Great Success

LEO Image Inc., a subsidiary of FIC (First International Computer, Inc.) group, is dedicated to FIC remaining at the forefront of the information technology industry by providing innovative, value-added products in the imaging and PC peripheral fields. With a commitment to superior technology and ease-of-use, LEO Image Inc. provides the digital PC video cameras and scanners for everyone.



● For more detail information please contact us directly by e-mail: sales@leo.com.tw or visit homepage at <http://www.leo.com.tw>

iMail 600 Digital PC Video Camera:

Feast your eyes on the Internet and your e-mail with live real time high quality video:

- E-Mail Transmission
- Video Mail
- Video Conference
- Voice Mail
- Image Capturing
- Ease of Use

LEOplus Professional Series L3/P6 & iScan 600 Slim Color Flatbed Scanners:

High quality scanning hardware at breakthrough prices. We offer the world's #1 ECP scanner beating your SCSI speed. From the SPP, EPP to ECP our scanners emphasize ease of use and reduce your scanning time.

- Slim profile
- Ease of use "plug-and-scan"
- 30-bit to 36-bit true color 300 x 600dpi, 600 x 1200dpi optical or 19200 x 19200dpi enhanced resolution
- Light weight
- Digital imaging device as TWAIN driver
- Powerful software bundled
- Full compatible with Win'95, Windows NT and Windows 3.1

iMail 600

LEOplus L3



LEOplus P6

iScan 600



LEO Image Inc.

9-1FL., NO. 25, SEC. 4, NANKING EAST ROAD, TAIPEI, TAIWAN R.O.C.

Tel : (886) 2-2545-7860 Fax : (886) 2-2545-7767

Enter HotBYTEs No. 456 at <http://www.byte.com/hotbytes/>

A Reliable Internet & Intranet Solution Provider

33.6 / 56 Kbps, Fully V.90 Ready
DATA / FAX / VOICE / SVD / SPEAKER PHONE / DSVD Modems

- Rockwell K56flex technology
- Data throughput up to 115.2 Kbps
- SVD / FDSP
- DSVD (Optional)
- Rockwell Video mode (VRPI) / V.80 Supported
- Plug & Play
- Wake-up Ring for PC
- Firmware Downloadable / Upgradable



E56KRVP/E336RVP

ISDN TA128

Features

- High Speed V.24 Data Port up to 230,400bps
- Multilink PPP (128Kbps)
- Two Analog Ports Supported
- Flash Memory Downloadable
- Multiple Subscriber Numbering
- BACP Protocol
- V.120 and V.110 Rate Adaptation
- X.25 on D Packet Data Application



New



PCI Modem

New

New

Passive Card



PC56RVP

ISDN CARD

Key Application

- High Speed Internet Access
- E-mail Access
- Data Conferencing
- Remote Network Access
- ISDN Line Sharing for Data and Analog Traffic

Supports Protocol

- E-DSSI (1 TR 6)
- HDLC, X.75, ISO 8208, PPP, MP
- Win 95 / Win NT
- CAPI 2.0 & 1.1



E288MX



THE WINNING PRODUCT
E288MX

ODM / OEM Enquiry Contact

PIT Approvals



See us at : **6Q4-01 A226**

Communic/Asia98

Singapore Suntec Center
 2-5 June 1998



**COMPUTEX
 TAIPEI '98**
 2-6 June 1998



E-TECH, INC.

Headquarters
 30, R&D Road 2, Science Park Hsin-Chu,
 Taiwan, R.O.C.
 TEL:886-3-577-4991
 FAX:886-3-577-7751
 BBS:886-3-577-5395
 E-mail:Marketing_Service@e-tech.com.tw
 Web site:http://www.e-tech.com.tw

U.S.A. Sales
 47400 Seabridge Dr., Fremont, CA 94538
 TEL:(510)438-6700 · FAX:(510)438-6701
 E-mail:sales@e-tech.com
 Web site:http://www.e-tech.com

China Beijing Sales
 TEL:86-10-6857-9101 · FAX:86-10-6857-9102

Enter HotBYTEs No. 447 at <http://www.byte.com/hotbytes/>

Java's object-oriented nature makes database programming and maintenance easier. By John Dreystadt

Storing Java in a Relational Database

If Java appears to be occupying many of the minds of the computer industry these days, it's because this language is a powerful blend of object-oriented features and class libraries. In addition, developers are discovering that Java is a good foundation for writing reliable, portable software.

Unlike conventional programming languages, which generate machine code for a target processor, the bytecode produced by Java compilers targets a virtual machine. Interpreters for each target machine translate this bytecode for their own use. Because bytecode is just bytes, programs can be created through the manipulation of these bytes. You can, for example, use a relational database to store bytecode and then retrieve it for later use in an application. I'll do it here with Java Database Connectivity (JDBC).

Viewing Complex Data

Storing bytecode in a database offers several advantages, including easy viewing access to complex data. You could use this technique to retrieve medical records from a massive hospital database, for example. These records could include such diverse items as patient histories, X rays, test results, diagnostics, and even billing information. Many hospitals have satellite clinics that use older platforms and applications, which makes synchronization of such data a problem.

Java's ability to run on multiple platforms makes it a good choice for this type of application. It's possible to build a separate class for each type of medical record—good programming practice—and put the classes into the database. That makes it easy to add new viewers as new kinds of medical records are added later.

Storing classes in the same database as the data viewed by those classes offers another advantage: It becomes easy to

locate all the pieces of the application puzzle when the time comes for maintenance and support.

Loading with Class

To begin with my example, it's necessary to determine how to load classes.

lets you extend `ClassLoader` and provide your own way to load the bytecodes.

Resolving the Puzzle

Now to try putting the puzzle together. First, since `ClassLoader` is abstract, I have to create a new class that extends

A ClassLoader Fragment

```
import java.util.*;
import java.io.*;
import java.sql.*;

class DBLoader extends ClassLoader
{
    Connection conn;           // Database connection
    byte[] classData;         // Bytecode storage
    Hashtable cache =
        new Hashtable();      // Stores loaded classes
    PreparedStatement queryStmt; // Stores a parameterized SELECT
    PreparedStatement rdTextStmt; // Stores a parameterized READTEXT

    public DBLoader(Connection conn)
    {
        this.conn = conn;
    }
}
```

continued

As an application runs, classes load automatically as they are referenced. Referring to a class by name—known as a *direct class reference*—causes it to be loaded from the standard class path.

In addition, Java supports the indirect reference of classes (i.e., *dynamic classes*), which lets an application identify and load classes automatically. When a class isn't present on the current machine, you use `ClassLoader()`, an abstract class designed for dynamic loading with recursion support. As a class loads, this recursion mechanism can trigger additional class-loading in support of that class.

`ClassLoader` has four methods: `defineClass()`, `findSystemClass()`, `resolveClass()`, and `loadClass()`. Together they enable the recursive loading of classes. The `loadClass()` method

`ClassLoader`. `ClassLoader`'s `defineClass`, `findSystemClass`, and `resolveClass` methods are final and can't be overridden. That leaves `loadClass` to override, since it's the only abstract class. I extend `ClassLoader` by providing a new `loadClass` method, which is known as `loadClass(String)`.

The `loadClass(String)` method must perform five tasks. First, it determines if the class requested was loaded previously. Because `loadClass` can be called recursively by `resolveClass`, this is a vital step. Second, it checks to see if the class requested is along the system path and, if possible, loads it from that path. Third, it retrieves the bytecodes as a byte array. Fourth, it creates a class out of the retrieved bytecodes. Finally, it checks to see if the newly loaded class

needs any supporting classes loaded.

Along with a new class that overrides `loadClass`, I must also add new constructor methods. Since I'm trying to read bytecode from a database and therefore need a connection to the database, I'll pass the connection in the constructor.

The box on page 61 shows code that extends `ClassLoader` by defining a new class, `DBLoader`. I start by defining fields for a database connection and a `HashTable` to store classes as I load them; that eliminates unnecessary reloading of classes. Then I use a simple constructor to capture the database connector I'll use.

The `dbReadBytes(String)` method, shown in the box at right, does the actual work of getting the bytecode out of the database and into a byte array. It varies, depending on the type of database you use; the example I'm using here controls a connection to Microsoft SQL Server.

Hello, World, the Hard Way

Now to try using my new class to retrieve bytecode from a database. First, I need an actual class to store in the database, so the example I'll use will print out the industry-standard line "Hello, World."

```
package com.threecities
    .testing;
import java.util.*;
public class PrintHelloWorld
implements SimplePrintable
{
    public void printMessage()
    {
        System.out.println
            ("Hello, World");
    }
}
```

The new class, `PrintHelloWorld`, has a single method, `printMessage()`. I store this class in a package called `com.threecities.testing`. If necessary, I will create the directory `com\threecities\testing` along my class path.

To test my class, I need some way to call the `printMessage()` method. When the `loadClass` method returns, it simply returns a `Class` object representing the class that the bytecodes created. To actually call the method `printMessage()`, I'll need an object of that class. I do that by calling the `newInstance()` method of the `Class` object. This returns a reference to the newly created object with type `Object` (which is the superclass of all classes in Java).

Next, I cast the reference into some known type with the `printMessage()`

A ClassLoader Fragment *continued*

```
private int dbReadBytes(String name) throws SQLException, IOException
{
    String queryClassInfo =
        "SELECT textptr(classData).datalength(ClassData)" +
        "FROM JavaClasses WHERE ClassName = ?";
    String queryClassBytes =
        "READTEXT JavaClasses.ClassData ? 0 ?";
    if (queryStmt == null)
        queryStmt = conn.prepareStatement (queryClassInfo);
    // Submit a query for the class
    queryStmt.setString(1, name);
    ResultSet rs = queryStmt.executeQuery ();
    // Get the information.
    rs.next();
    byte[] textPointer = rs.getBytes(1);
    int dataLength = rs.getInt(2);
    rs.close();
    // Get the data
    if (rdTextStmt == null)
        rdTextStmt =
            conn.prepareStatement(queryClassBytes);
    rdTextStmt.setBytes(1, textPointer);
    rdTextStmt.setInt(2, dataLength);
    rs = rdTextStmt.executeQuery();
    classData = new byte[dataLength];
    // Pull out the data
    InputStream byteCodeStream = rs.getBinaryStream(1);
    byteCodeStream.read(classData);
    rs.close();
    return dataLength;
}
}
```

method. To do that, I can either define a superclass that `PrintHelloWorld` extends or define an interface that `PrintHelloWorld` implements. I'll opt for the second alternative and name the interface `SimplePrintable`.

Now I store my new `PrintHelloWorld` class in the database, using a table definition that stores bytecode into a database, like so:

```
CREATE TABLE dbo.JavaClasses (
ClassKey int IDENTITY (1, 1)
NOT NULL,
ClassData image NULL,
ClassName varchar (255) NULL
)
GO
```

Finally, I create a small application to put these pieces together. It will connect to the database, create an instance of `DBLoader`, call the `loadClass(String)` method, create an instance of the returned class, and then call the `printMessage()` method of the new instance. I have room to show only a portion of

the `ClassLoader` code here, but you can get the complete code for the `DBLoader` (with the `loadClass` override), the main program, and the interface definitions from The BYTE Site (<http://www.byte.com/art/download/download.htm>).

Easier in Java

JDBC's ability to provide an object-oriented wrapper around database entities means that database programming and maintenance are much simpler in Java than they might be with more traditional methods. And Java's support for dynamic classes, in combination with a relational database, offers an easy way for applications to modify their behavior at run time.

The important thing to remember is to use dynamic classes. Their ability to keep your program flexible and adjust to changing conditions will make your code more robust and reliable. **B**

John Dreystadt works at ArborText (Ann Arbor, MI). You can contact him by sending e-mail to johnd@ic.net.

How well a database system grows over time will be determined by decisions made in its initial design. By Ron Fryer

Data-Warehouse Scalability

What does scalability mean in data warehousing? In data warehousing, the objective is to build a strategic user tool. To this end, the data warehouse must let any user, in any order, ask any question using any data. Critically, the system must deliver an answer in a realistic amount of time. This might not seem an issue when you build a data warehouse, since you'll start out with surplus capacity. But as the data warehouse expands, those early design decisions that you made can impact how well the data warehouse grows with the work load. Therefore, it is important to design the data warehouse so that it scales up easily.

Dimensions of Scalability

In this environment, scalability can be thought of in four dimensions: data volume, environmental complexity, user concurrency, and support. Data volume is the most basic form and first dimension of scalability. The real issue here isn't how much data you can store, but how much data the user can access. The primary technology enhancement for performance is parallel processing, or parallelism. Not all parallelism is created equal, however.

A product that parallelizes 100 percent of its operations can show linear scalability, while a product that parallelizes only 90 percent of its operations will show only a 45 percent performance improvement when the available processing power doubles. Because you can expect the data volume in a data warehouse to grow sixfold every 18 months, any nonparallel functions in a data warehouse quickly become project stoppers.

The second dimension of scalability is environmental complexity, which stems from the nature of the data warehouse. Giving users insights into the business and their customers' behavior involves very

complex relationships requiring complex data models and queries. Therefore, the DBMS must support complex analysis, and do so without human intervention. Specifically, its database optimizer must evaluate various approaches using built-

The third dimension of scalability, user concurrency, refers to the number of users accessing the warehouse at once. Of course, not all users have the same needs or priorities. Some require no more than simple, planned queries; others

Coercing a New Question into a Data Mart

For a DBMS implemented as a data mart, it isn't easy to ask for a new set of results outside the boundaries of the mart's preprogrammed summary data. Here are the steps required to modify a mart to respond to a new type of inquiry:

1. The user requests a new report using an intranet application.
2. The user's request is allocated to the least busy programmer via an automated scheduler.
3. The request goes into the programmer's "to do" list.
4. The programmer examines the request to determine if one of the existing data marts has the data to execute the request. If one does:
 - a) If the platform cannot support the request, hardware reallocation begins.
 - b) The systems group determines if the current mart hardware can support another application.
 - c) The programmer proceeds to step 6.
5. If no data mart exists that can satisfy the request:
 - a) The programmer designs a new data mart for this request.
 - b) The systems group locates a server that can support the new mart.
 - c) The programmer designs and tests a procedure to create the data mart from the centralized data warehouse.
 - d) The programmer develops maintenance procedures for the new mart.
 - e) The DBA group performance tunes the new mart's maintenance procedure.
6. The programmer designs, codes, and tests the new user request.
7. The DBA group performance tunes the new request.
8. The user examines the results returned from the programmer to see if they match the original request.
9. The user and programmer work together to resolve any outstanding issues.

in cost algorithms and choose the best one it can find to answer an unknown, often extremely complex question.

Furthermore, it must do this in a realistic amount of time. In other words, the database optimizer must be robust enough to take any request from any user or tool, no matter how complex or poorly formed it may be, and develop a realistic execution plan without assistance from information technology (IT) professionals.

require full run of the warehouse. You must be able to optimize the warehouse so that all types of users can simultaneously access their data with the performance level they require.

The DBMS must be able to handle hundreds, or even thousands, of users concurrently. It must monitor what the current work load is and combine redundant operations across independent queries to improve overall throughput. The DBMS

must be able to assess how critical a request is and compare this with the current system work load to properly schedule execution. Most important, it must be able to change priorities dynamically as the work-load mix changes.

Support, the fourth dimension of scalability, is perhaps the most critical, and certainly the most overlooked, aspect. As data volumes, complexity, and the user community grow, the data-warehouse engine must be able to support the environment. This is perhaps the most critical part of the DBMS selection, because it must be able to automatically do everything. Every time IT professionals must intervene, time is lost and responsiveness is sacrificed. And, the likelihood that the user will simply stop asking new questions increases.

Design Considerations

The initial design of the warehouse will dramatically impact its ultimate scalability. The crucial decision is whether the architecture will be warehouse- or mart-centric. That is, will the users' primary access method be through the detailed data warehouse or through summary data marts? It is difficult to overstate the importance of this central decision. Both approaches will yield benefits, but one choice will dramatically limit the returns you get and your scalability in all dimensions.

Consider our original design goals: Let users ask any question, of any data, from any source, at any time. The goal is to create a model that best represents the business. This means we must create logical groupings of types of data (called entities) and the relationships between them. This process is called normalization, and third-normal form models provide the most detailed business representations.

In a mart-centric approach, data is modeled to allow faster access to known questions, using techniques such as star-schema. Star-schema combine certain entities based on assumptions. This is done because the third-normal form creates complex models that can overwhelm the DBMS's optimizer, while star-schema give the optimizer fewer choices to consider. For example, a star-schema might combine two tables into one, so that an optimizer doesn't have to worry about how to combine them later.

The problem with this approach is that our assumptions are actually biases. Some

The Do's and Don'ts of Designing a DBMS

<p>DO:</p> <ul style="list-style-type: none"> ✓ Recognize that warehousing is a different game than on-line transaction processing (OLTP), and choose your platform accordingly. ✓ Recognize that business responsiveness is the ultimate competitive advantage. ✓ Demand technical and business references, and check them thoroughly before you start. ✓ Let users complete access to any data and tools they need. ✓ Simplify the warehouse as much as possible. 	<p>DONT:</p> <ul style="list-style-type: none"> ✗ Use current in-house standards to select your warehouse platform. ✗ Assume most users can rely on summaries. ✗ Assume most user access will be through data marts. ✗ Believe that DBMSes are a commodity, and that any can handle a warehouse. ✗ Let information technology (IT) drive the warehouse effort.
---	--

are accurate, some are not; but none of them are likely to stand up to every question over time. When we build a star-schema model, we ensure that the answers we get will include these biases. Therefore, data-mart users normally have access only to summary data, in a denormalized, application-centric form. Summary data places limits on the level of detailed investigation that can occur, and denormalized models predetermine the relationships that users can explore.

Mart-centric environments are created because the underlying database engine is incapable of supporting a warehouse. What happens when a new question about the data comes in?

The first line of defense will be to attempt to fit the question into a mart-centric structure, as described in the text box "Coercing a New Question into a Data Mart." Clearly, this is a lengthy, slow, and cumbersome process. It dramatically reduces the likelihood of fast response times, limits the number of questions a user can ask, and has significantly higher support costs. Ultimately, this type of environment becomes unsupported.

With a warehouse-centric design, a user asks a new analysis using a graphical front-end tool. The tool passes the request directly to the DBMS, which automatically optimizes the new request, with no intervention. Finally, the DBMS returns the answer. In this environment, many ad hoc user requests are answered in minutes, most in under one hour, and all by the next morning. The user can ask more requests, test more hypotheses, and better understand the environment. The user can respond quickly to developing trends and issues. There are no

practical limits to support scalability.

Of course, the DBMS must have a robust, mature optimizer—and one that was designed for decision support. The optimizer's capabilities directly impact the support dimension. If it isn't very smart, it forces the IT staff to take over, and there is simply no way people can keep up with the complexity and volume of the requests. Anything less than an exceptional optimizer—and one designed for decision-support applications—will cause support issues to increase faster than people can be hired.

Key Decisions

A high percentage of data-warehouse efforts fail. Yours does not have to. Your models and platform choice should give you the maximum in scalability and flexibility. Build your data warehouse to reflect your business, and expect tremendous growth. Any other approach is an unrealistic compromise.

Furthermore, do not overlook support issues, as summarized in the text box "The Do's and Don'ts of Designing a DBMS." The DBMS must be able to automatically partition and place data, tune queries, eliminate redundant processing, and manage its work load for optimal efficiency, no matter how large its storage, environmental complexity, and concurrency grow. If it's implemented properly, your users won't be afraid to ask new questions, perhaps obtaining valuable insights for the company. **B**

Ron Fryer is the director of the Data Warehouse Marketing Computer Systems Group at NCR Corp. You can contact him at ron.fryer@denverco.ncr.com.

Not Just Another Pretty Face



"SwitchView from Cybex Computer Products offers an affordable and reliable solution to the space headaches that multiple computers cause."

-Internet Computing

Control up to 4 computers using one keyboard, monitor and mouse with SwitchView! At only 8 inches across, this sleek, compact unit takes up less room on crowded desktops. Combine that with the economical price and SwitchView is quite an attractive package!

But don't be fooled . . . there are brains behind this beauty.

Built-in mouse translation lets you use a PS/2 or IntelliMouse to control any attached PC - serial or PS/2 style. Keyboard or front panel push-button switching, automated scanning and industry standard cables make the SwitchView easy to use too! Two and four port models are available; cascade units to support up to 64 attached PCs. And, SwitchView is Class B certified for use in residential and commercial areas.

Not your usual lightweight. For more information on this exciting new KVM switch, contact us today.



Cybex Computer Products Corporation
4912 Research Drive • Huntsville, AL 35805
(800) 932-9239 • (256) 430-4030 fax
<http://www.cybex.com>



Cybex, the Cybex Logo and SwitchView are trademarks or registered trademarks of Cybex Computer Products Corporation. Microsoft, Windows NT and IntelliMouse are trademarks or registered trademarks of Microsoft Corporation. Novell and NetWare are registered trademarks of Novell Incorporated.

See us at: PC Expo June 16-18 New York, NY Booth #4754

Enter HotBYTEs No. 109 at <http://www.byte.com/hotbytes/>

Win98 road map

If you think a migration to Windows 98 is the best thing for you, think again.

By John Montgomery

Three years ago, millions of us confronted a daunting task: upgrade Windows 3.1 to Windows 95. This meant a new user interface, some application incompatibilities, and some hardware that didn't work. But the promise was huge, and most of us upgraded.

Now, millions of us are faced with a sequel: upgrade to Windows 98. It's the same deal: a new user interface, more application incompatibilities, and more hardware that won't work. But this time there's a difference: Windows 98 is no big deal, at least not for IS departments. For IS, it's basically a bunch of Windows 95 service packs rolled together—a dot release.

What is important, though, is that with Windows 98, we're looking at the end of an era—the end of Microsoft's commitment to 16-bit operating systems. "In terms of [16-bit-based] technology," says Phil Holden, Windows product manager at Microsoft, "Windows 98 is the end of the line."

In fact, Win 95 is really the last one-size-fits-all desktop. Although Win 98 will let the lazy continue that practice, the astute IS department needs to begin tailoring its desktop OS choices better to suit the applications and users. Microsoft is already making strong moves in that direction with its thin-client solution, NT Server 4.0, Terminal Server Edition (formerly Hydra).

That said, Windows 98 isn't the best OS for everyone, though it's not really harmful for anyone. Put bluntly, there's no reason to migrate to Windows 98 unless you need its modest improvement in performance (and probably in stability), or you need support for more modern hardware technologies, such as Universal Serial Bus (USB), Accelerated Graphics Port (AGP), etc. If your burning need is for manageability or security, you're going to be disappointed. And if you're looking for a simpler environment for end users, Windows 98 isn't as good as NT 4.0 Terminal Server Edition.

It's time to stop thinking about mass migrations and time to






ILLUSTRATION: LYN BOYER-NELLES © 1998

Evaluating Windows 98

For the past few months, your intrepid writer (that's me) has been running various prerelease versions of Windows 98. Right now, I'm up to RC0 (Windows 4.10.1691). Granted that prerelease software isn't always the best way to judge the final product, RC0 can tell us some things we might be on the lookout for.

KERNEL TWEAKS

For starters, Windows 98 has a slightly tweaked kernel. The kernel tuning falls into three basic areas: boot and shutdown improvements, better memory management, and faster application launching.

Boot and shutdown. Windows 98 employs several techniques that enable drivers to initialize and load when they're needed, rather than when the system boots. Also, Windows 98 supports FastBoot BIOS (although currently no systems do), which sets a boot flag register that the OS can use to communicate boot options to the system BIOS and add-in cards. Information that goes into that register might include whether to run a system diagnostic or not. Shutdown has been speeded up by skipping the unloading of drivers that Windows 95 does—the OS just cuts power to the system and devices and reinitializes them when power is restored. How much faster will this be? If my two test machines are a good example, you'll notice it, but you won't be bowled over by it.

Memory management. Three basic things are going on here: preswapping memory to disk, mapping pages out of cache, and realigning applications. Preswapping basically means that, during idle time, the OS tries to deduce which application is going to need to be swapped to disk. Mapping pages out of cache is done by a new utility called MapCache; realigning applications is done by WinAlign. These two utilities work together to modify application executables so that file sections start on 4-KB memory boundaries. When this works, applications from the disk cache can be mapped directly from the cache into memory, eliminating the overhead of copying them to aligned memory. Basically, it prealigns applications. (In case you're wondering, this technique appears to most virus checkers as an application upgrade.) Will you notice? Maybe. I didn't.

Application launch acceleration. This is a game of watching and modifying binaries. The OS sniffs requests from the binary loader, logs them, and uses this information to determine the order of the disk clusters that the application uses during loading. This gets coupled with Windows 98's new disk defragmentation utility that optimizes the applications into the sweet spots on the disk. It puts the most-used applications near the edge of the disk. You'll notice the performance improvement from this unless your system is already so fast that apps appear to launch in no time.

These technologies work together to create what Microsoft calls the Windows 98 steady state. In an average of four weeks, the combination of disk cleanup, disk defragmentation, and realignment of applications is supposed to put Windows into a state of optimal performance.

EVALUATING THE FEATURES

Windows 98 also includes a host of new features, most of which are useful, though not earth-shattering. A lot of it is stuff that users have been screaming for.

I'll fix that file... First among these is the System File Checker. For me, it found all sorts of system files that needed replacing because their versions were off (most of them were too old). It found them one by one, and asked me if I wanted to replace them one by one. That would have been OK, except it couldn't find any replacement files. Though I had all the Windows cabinet files on my disk, I had to manually extract the files it needed. After about the eighth file, I gave up.

Windows Update. I really like this feature. It can go on the Internet and tell you if your OS has the latest patches installed. Of course, this is something IS departments will want to turn off (using Win 98's System Policies); you can imagine that GM's IS department, for example, probably doesn't want all its Windows 98 users updating their OS themselves.


Defrag on steroids. The built-in Windows disk defragmentation utility now includes Intel's Application Launch Accelerator technology. Basically, the new defrag not only defragments your disk, it moves oft-used applications to the sweet spots on your disk. The decrease in launch time for some applications is not noticeable; for others you'll notice it immediately.

FAT 32. FAT32 first appeared in Windows 95 OSR2 and is now a standard part of the OS. For most systems, FAT 32 is a great idea. Its smaller cluster sizes will make large disks appear larger and improve the performance somewhat. One problem comes on laptops: FAT 32 file systems evidently don't like some computers that hibernate. Fortunately, the FAT 32 converter warns you before you'd be likely to convert your laptop's disk.

System information. The old MSINFO was pretty lame. We all knew it. The new one (MSINFO32) is much better. Not only does it provide a gateway to many of the other system utilities (System File Checker, System Configuration Utility, and Registry Checker), it provides a wealth of information about what's running on your system. Through the System Configuration Utility, you can do things like modify what applications load with Windows, run the Registry Checker, and load the Version Conflict Manager.



Windows 98's System Information utility has a configuration application that lets you change start-up features.



Portables with betas of Windows 98 often had problems shutting down or going into standby.

Power down? One of the new features in Windows 98 is faster shutdown. I applaud this feature, though it wouldn't have been the first thing I asked for. I can't applaud it, however, when it doesn't work. I tested it on a Dell Dimension XPS 200M and a Toshiba Portege 660CDT laptop. Both systems would shut down sometimes, and wouldn't at other times. And Windows 98 on the Toshiba offered a "Stand By" mode that followed a similar work schedule, sometimes telling me that some application wouldn't let the system go into standby mode when there was nothing running (at least, nothing I could shut down).

New hardware. Sure enough, Windows 98 discovered the IrDA port on the back of my Portege, which Windows 95 never saw. Of course, I couldn't get it to work. Eventually, I will. Perhaps the discovery of the IrDA port is related to the loss of my serial mouse, which stopped functioning after installing Windows 98. Oh, I got it to work again, but only by swapping my Xircom combination 56-Kbps modem and 10/100-Mbps Ethernet card for a different card with no modem. Evidently, the additional modem (the 660CDT has an internal modem) confused Windows 98 and it shut down the COM port.

Things That Didn't Get Fixed

With all these changes, there are still two annoying things that Windows 98 doesn't fix:

1 Why do I still have to reboot after I reconfigure? Why do I have to reboot after installing software? With NetWare, I can strip down the entire OS and bring it back up, adding new applications and features, without rebooting. Ditto for Unix. Windows 95 introduced virtual device drivers (VxDs), which should have made this the standard way to operate. Yet I still have to reboot when I install a network protocol or change my IP address.

2 Why do I have to carry a copy of my installation CD? I insert a new PC Card, and Windows asks for my Windows 98 CD so it can read the drivers. I add a protocol, and ditto. I change my log-in parameters. Ditto. Why? Windows NT 5's installation gives you the option to copy the basic drivers (compressed) onto your hard drive. Why can't Windows 98 do that?

Overall, I found Windows 98 to be an unobtrusive upgrade (provided some of the odd bugs I discovered get left behind before release). There are some annoying shortcomings, like it still doesn't offer the option of copying the installation files (.cab files) onto the hard drive like the Windows NT 5.0 beta I looked at. But overall, it represents many of Microsoft's fixes to Windows 95 wrapped into one CD. For about \$100, it's probably a good idea for most of us. — **John Montgomery**

start a more flexible plan. You have seven basic choices: stand pat for now, upgrade to Windows 98, upgrade to Windows NT 4, wait and upgrade to NT 5, deploy Windows NT Terminal Server Edition, deploy Web-based applications, or switch to another OS. Let's look at each of these.

Stand Pat for Now

If it ain't broke, don't fix it. These words have been the guiding principle of IS departments for decades. Even minor application upgrades are greeted with skepticism by some. That explains a possibly frightening statistic: The bulk of desktops in large corporations are still running Windows 3.1. According to Dan Kusnetzky at International Data Corporation, in an NT adoption study conducted in 1997, the desktop in large corporations was most likely running Windows 3.1, followed by a large jump down to Windows 95, then a dumb terminal.

If you're one of the millions of users still running Windows 3.1, it's likely that Windows 98 offers no greater reason to upgrade than Windows 95 did. Windows 95 has been out for two years, and it was Microsoft's designated, no-brainer upgrade from Windows 3.1. Why haven't corporations upgraded from Windows 3.1, which, by all measures, is not nearly as stable, fast, or manageable?

There are lots of reasons. Windows 95 offered no compelling new features for the task-based users running data entry applications. It cost about \$100 to upgrade a desktop, not including the time spent to do it or the extra hardware it might have required. Lots of PCs simply couldn't run Windows 95 acceptably. Many applications broke with 95. And many corporations were waiting for some other OS, like Windows NT, to offer everything. But, of course, all the reasons that applied to an upgrade to Win 95 also apply to an upgrade from Windows 3.1 to Windows NT.

Similarly, if you're running Windows 95 and haven't already upgraded to NT, why should you bother with Win 98? There are many service packs and patches that you can download from Microsoft's Web site that will offer some of Windows 98's new features and increase Windows 95's reliability. Windows 98 isn't the huge step forward that Windows 95 was.

And despite any new features or technical advances, Windows 98 is being greeted with some skepticism. "Is Windows 98 worth an upgrade from Windows 95?"

asks Michael Gartenberg, research director at GartnerGroup. "Probably not. There aren't enough new features unless you want some hardware-specific feature not supported in Windows 95."

These are all good reasons not to upgrade from Windows 95 to Windows 98. And there are even more reasons you can find not to upgrade to Windows NT. First of all, NT costs more. Second, it doesn't support a lot of the hardware (especially gaming hardware) that Windows 95 does, and it has problems running many 16-bit DOS and Windows applications that access hardware directly. Plus, it's a hardware hog compared to Windows 95.

If you're running NT 3.51 or NT 4 with

Reasons to Not Migrate

- ✓ Your 16-bit DOS or Windows applications won't run on Windows 98.
- ✓ Your hardware isn't powerful enough.
- ✓ You use devices for which Windows 98 has no drivers.
- ✓ Windows 98 has no compelling new features for you.
- ✓ It's not in the budget.
- ✓ You are considering a transition to another OS platform.



Service Pack 3, you have a pretty stable, manageable OS. Your most obvious upgrade path is to Windows NT 5—an OS that isn't out now and probably won't be until summer 1999. Randy Kennedy, senior analyst at Giga Group, is blunt: "Expect NT 5 in Q2 1999, plus 12 months to shake it out." That's right: Q2 2000 before you should roll out NT 5.

Upgrade from NT 3.51 to NT 4? At this point, you can come up with many reasons to postpone moving to NT 5. True, NT 4 offers greater performance, improved hardware support, and Service Pack 3 is pretty reliable. But you're probably looking at confronting other issues (like Year 2000 compliance problems), and you should just put off your upgrade plans until you can go directly from 3.51 to NT 5.

Drawbacks. The main problem with standing pat is that you might miss out on something. For example, the Windows 3.x-to-Windows 95 upgrade gave users increased reliability. And new operating systems often incorporate new features—better networking, for example, or better


diagnostics. And new OSes also support new applications. But, in all, if what you have works, you can make a strong argument to stand pat until you see something really compelling that makes you need to move up.

Upgrade to Windows 98

Windows 98 is pretty tantalizing. And the same IDC survey that said most users at large corporations are still running Windows 3.1 also said that by the end of 1998, the number one spot will be held by Windows 9x, followed by NT running on x86, followed by Windows 3.1. So these large corporations are upgrading—they're just doing it methodically.

Windows 3.x migration. Users running Windows 3.1 will find lots to like in Windows 98—once they buy their new hardware to run it. It's more stable and lets you run more applications at once. And it supports all sorts of new hardware. Windows 3.1 users will probably be quite taken with hardware autodiscovery and the improved networking that Windows 95 introduced and Windows 98 carries a step further. And Microsoft has made sure the upgrade from Windows 3.x to Windows 98 is smooth.

Worried about application support? Windows 98 should support most of the DOS and 16-bit Windows applications that are running on these legacy systems. Clear-



Windows 98's changes include tweaks to the virtual memory manager and a driver manager subsystem that's like Windows NT's.

ly, if it doesn't support some key application, you can't migrate. But remember that 16-bit Windows is going away—Windows 98 is the last release to be built with things like a thunking layer. If you're depending on applications that won't run on Windows 98's Win32 architecture, it's time to think about upgrading or rewriting those applications. Since it'll support many DOS and 16-bit Windows applications, Windows 98 provides a pretty smooth way to keep most of your applications running while you work on porting whatever legacy code you have.

Windows 95 migration. For Windows 95 users, the prospects of an upgrade are far less daunting—nearly all applications that run on Windows 95 will run on Windows 98 (see "Some Win 98-Hostile Applications," at left).

And though some analysts and even Microsoft product managers label it a maintenance release for business users, it's a good one. "The versions of Windows 98 that we are running have been extremely good in terms of our testing," says Vesa Rasanen, a development manager at American Express. "We have a number of legacy systems [with old 486 processors and 16 MB of RAM] and many of the latest machines. The installations (both clean and upgrade) were near perfect."

John Leopold, director of technical support at Block Trading, concurs: "I'm fairly impressed with Windows 98. The installations I've done have gone fairly smoothly, both as an upgrade to a straight Windows 95 system and a scratch installation. I've found it to be stable, the compatibility with my applications [seems to be good], including some games. It supported the hardware I've exposed it to, or I've been able to use the Windows 95 driver." There's always the possibility, however, that some hardware—particularly custom hardware—won't work under the new OS. "Because of legacy hardware, I prefer to stay on the Windows 95/98 platform," says American Express's Rasanen. "It's not that our applications don't work in NT 4, but I feel more comfortable with 98."

And hardware requirements are also an issue. Windows 98 will run on a 486-class

Some Win 98-Hostile Applications

Although the final software compatibility list for Windows 98 isn't due out until the final release of the OS, there are some applications that are known to behave differently under Windows 98 than they do under Windows 95.

Product	Problem
Agent 95, Agent 97 (Connectix)	Fails.
Ascend 97 Franklin Day Planner (Franklin Quest)	Fails but there's a workaround.
Director 4.04 (Macromedia)	Fails systems with more than 2 GB of free drive space.
Office Standard for Windows 95 v. 7.0 (Microsoft)	Has problems with ODBC.
Office 4.0 (Microsoft)	Fails.
Visual C++ 4.2 (Microsoft)	Conflicts with Active Desktop.
Norton Utilities AntiVirus Navigator for Windows 95 (Symantec)	Disk utilities won't work on FAT32 drives.
PC-cillin version 2.0 (Trend Micro)	Won't uninstall.
Photoshop 4.0 (Adobe)	Crashes sometimes.
Stacker 4.1 (Stac)	Windows 98 won't run on a Stacker-compressed hard drive.

system in 16 MB of RAM. (Not well, but it will run.) Its sweet spot is probably 24 or 32 MB of RAM on a 133-MHz or faster processor. Windows NT 4.0 has a sweet spot starting at 48 MB of RAM running on a 166-MHz Pentium or better. This sweet spot will likely become the minimum for Windows NT 5.0. Most corporate desktops today simply don't have the horsepower to take this radical tack. On top of that, Windows NT 4, though it has improved PC Card support and power management, still isn't as good an OS for portable computers as Windows 9x.

Windows 98 also offers lots of new stuff (see "Win 98's New Features," below). First and foremost is the integrated Web browser, giving users a new, single-click interface through the local file system as well. This isn't the best new feature, however. "Most of the people that I've unofficially polled did not like at first the single-click features or the Active Desktop features," says Rasanen, "but once we

pointed out that you can turn them off, they would say 'OK, good.'" And not only did they like the fact that you could turn these features off, "Once they got over that hurdle, I found that they would go back and turn on these features."

System administrators have a different view of Windows 98 relative to Windows 95. The USB and IEEE 1394 support (courtesy of the new Windows Driver Model) are secondary to some new administration tools. According to Rasanen, "Under Windows 95, I might have utilities like CleanSweep or Norton Utilities, but I'm much less dependent on them. In Windows 98, either features from them are in the basic OS shell or I have no need for them."

Both Rasanen and Leopold cite the System Information and System File Checker utilities as particularly useful. More important, Leopold expects these new utilities will cut down on calls to his help desk.

Troy Sandal, software design engineer

Reasons to Upgrade to Windows 98



- ✓ Supports new hardware technologies (Universal Serial Bus, IEEE 1394, Accelerated Graphics Port, etc.).
- ✓ Promises increased performance and reliability.
- ✓ It's coming on new hardware anyway.
- ✓ Has improved system administration features.

at Visio, points out that "Windows 98 and NT 5 will have compatible registries... For IT shops, I think Windows 98 has a better step up to NT 5."

GartnerGroup's Gartenberg agrees that Win 98 looks good. "We don't believe there are major discontinuities with Windows 98 to warrant waiting for a service pack. Users can deploy it upon release."

Win 98's New Features

Windows 98 rolls together many of the patches and updates to Windows 95, improves some of the built-in utilities, and adds a few new features. Rather like an automaker tweaking a car's look and adding antilock brakes, Microsoft has improved Windows, but Windows 98 is not really new the way Windows 95 was new. Here's a rundown of the features that IS departments will notice (and have to cope with) first.

Integrated browser. This is the new feature grabbing all the headlines: Microsoft has integrated IE 4 into the shell of the OS, giving you the ability to single-click on icons instead of double-click, and run ActiveX controls right in the desktop (among others).

Year 2000-compliant. You'd have to hope it would be.

FAT 32. This file system allows drives over 2 GB to be formatted as one partition. Also, it updates the older FAT 16 with smaller cluster sizes, so you basically get more space out of your big disk.

ACPI support. The Advanced Configuration and Power Interface, in theory, lets you switch your PC on and off as if it were a TV or a toaster.

Windows Update. Afraid you don't have the latest versions of everything? Windows Update will go to a Microsoft Web site, download a couple of ActiveX controls, scan your system, and tell you what you have that needs to be updated, then install it.

Mail and News Clients. Tired of the Inbox? Microsoft Outlook Express, a POP3 client and NNTP newsreader, is in many ways a step up, and it's now included.

Client VPN support. The Point-to-Point Tunneling Protocol client in Win 98 enables you to establish encrypted connections with PPTP servers (like the one in NT 4), giving you a virtual private network over the Internet.

System Information Utility. Remember how useless SYSINFO was? Well, there's a new SYSINFO in town, and it's pretty slick: It tells you what's running on your machine, how your system is configured, and basically puts to shame its predecessor.

System File Checker. Oops. That last program you installed blew away COMCTRL32.DLL, didn't it? With Win 95, you were hosed. With Win 98, the System File Checker should let you easily restore it, along with many other critical files.

Registry Checker. "You do know," asks Microsoft tech support, "that you should have backed up your registry before you did that, don't you?" They ask that a lot. Now, finally, you can back up your registry. Registry Checker also scans it for problems (like corrupted keys) and can fix some of them.

New Dr. Watson. Most of us don't run Dr. Watson, but when your system crashes, this utility can tell you a little more about why than "a system error occurred."

System Configuration Utility. I hate SYSEDIT. You hate SYSEDIT. It's just Notepad that opens a few specific files. The Windows 98 System Configuration Utility is actually useful: You can not only modify your .ini files intelligently, you can actually tamper (safely) with parts of the registry.

Remote Access Server. Yes, you can finally dial into your Windows desktop system from the road and treat it (more or less) just like you'd treat an NT RAS.

Multiple display support. OK, the Mac and Unix have had this one for years. We know that. It's still kind of neat.

New hardware support. USB, IEEE 1394, AGP, DVD. If these acronyms mean nothing to you, check your brand-new system: It probably has at least one if not two of these thingies. And Windows 95 (even OSR2) doesn't do such a great job supporting them. Included in this list is also integrated IrDA infrared support and improved PC Card support (with 32-bit CardBus).

NDS support. You don't have to install the Novell Directory Services client: Now it comes in the OS.

DCOM support. For those of us wishing to run distributed applications, Win 98 includes support for Distributed Component Object Model (DCOM). Now, all we need are the applications...

Leopold is more cautious. "If you're stable at Win 95, hold still for a while," he advises. "Give it six months. If what we see today holds, you may not even have to give it six months." In the grand scheme of things, six months isn't long to wait. You can let somebody else iron the bugs out. Based on some of the experiences with early release candidates of Windows 98, caution might be the better option.

Oh, and if you're worried about running Windows 95 and Windows 98 side-by-side, don't be. "Running a [mixture of Windows 95 and 98] shouldn't be a major problem," says Randy Kennedy, senior analyst at Giga Group.

Drawbacks. An upgrade to Windows 98 has four big things going against it. First, it's new and it'll probably need some time to get the bugs knocked out. Second, there's still something weird going on between the Justice Department and Microsoft; who really knows what that could mean for you? Third, it's the end of the line. Although Win 98 prolongs the life of the 16-bit-based Windows platform, if you're still wedded to that architecture, you really need to be thinking of other alternatives, like Windows NT or one of the thin-client solutions.

Fourth, and possibly the biggest drawback, is that there really isn't an absolutely compelling feature that Windows 98 offers. If you didn't find a reason to upgrade from Windows 3.x to Windows 95, Windows 98 isn't going to lure you, either. And if you have a stable Windows 95 system, Windows 98 offers little except support for some new hardware that really isn't making a big impact on corporations yet.

Upgrade to Windows NT 4

You read about all the new features and hear the reports of the beta testers and you think, "Windows 98 is great." But it's still not NT. And NT is where many of today's Windows users will wind up—eventually.

Windows NT 4 gets Microsoft's vote as the preferred business desktop environment, too. Of course, Microsoft makes more money off each copy it sells. But Windows NT is unquestionably more stable than Windows 95 (and likely Windows 98, since that's built on Windows 95's ker-

Reasons to Upgrade to Windows NT 4



- ✓ Increased reliability
- ✓ Increased security
- ✓ Increased manageability
- ✓ Improved system administration features

nel). It's also easier to manage, and more secure. It runs virtually all the same Win32 applications and most of the Win16 apps.

Windows 3.x users have an especially compelling reason to think of NT 4: dumping 16-bit apps. You might think that the straightest path forward for Windows 3.x is to go to Windows 9x, then see what develops. But that may not be the case. "If you're going to a 32-bit OS," says analyst Kennedy, "Windows 9x may not be worth the hassle... You lose manageability and reliability compared to NT... You're going to have to bite the [16-to-32-bit conversion] bullet at some point, so you

should only bother with Windows 9x if you have specific applications that require a DOS/Windows 9x infrastructure."

"Windows NT is the future of Microsoft, and organizations should start the migration now," says Kennedy. "If you want to stay in step with Microsoft, plan to be on a client NT platform in the next two years." In other words, as long as you're upgrading your Windows 95 systems, why not upgrade to Windows NT 4?

This is a pretty radical point of view. After all, if you choose to upgrade from Windows 95 to NT 4, you'll be faced with problems, not the least of which is that NT 4's system registry is incompatible with Windows 95's. But compared to Windows 98, users get greater reliability, and administrators get much better security. Windows NT 4 also offers better multithreading and support for multiprocessing hardware. This means that your desktop client machine can run what are traditionally thought of as server applications, like Web servers. And you can run really heavy-duty applications, like LightWave 3D or Photoshop, without batting an eye.

Block Trading's Leopold has some representative experience with NT, and he says, "In any high-end workstation, for anything important, we're running NT. Most of the time, we'll ask that new systems come with NT installed. I don't have as many support problems with NT desktops." That said, Leopold cautions that you may want to stick to equipment on NT's hardware compatibility list.

Drawbacks. NT 4 Workstation is no lightweight. It offers all sorts of administration, networking, and security features, and these features come at a substantial

A Quick Look at Microsoft's OSes

DOS and Windows 3.x. Still popular at large corporations. The simplest path would take users from Windows 3.1 to Windows 95, Windows 98, and eventually to Windows NT Workstation. Nothing's ever simple, though, is it?

Windows 95. Today's OS for millions. It's more reliable than Windows 3.x but not as reliable (or as ready to take over for an OS like Unix) as Windows NT 4.

Windows 98. This is the last of the 16-bit Windows OSes. It boasts an integrated browser and a few other new features, but really isn't much of a step up from Windows 95 for corporations.

Windows NT Workstation 4. The future of Windows on the desktop, if you ask most of Microsoft. Pretty solid and reliable, but a real hardware hog.

Windows CE 2.0. Yes, it's not really a desktop OS. But if you're think-

ing about thin-client computing, you should realize that your thin client might be running Windows CE and the Windows Terminal Server Edition client.

Windows CE 3.0. As much rumor as reality, CE 3.0 will support more substantial computers (even desktops?) than the current version, which is mainly aimed at hand-held PCs. It will also be a great OS for Windows-based terminals. Rumor has it that CE 3.0 will be ascending later this year, but Microsoft officials wouldn't comment.

Windows NT 5. The super OS that analysts are pegging for release in Q2 1999. It'll include many improved management features, like IntelliMirror.

Windows NT 5 "Lite." Another rumored OS that will strip features out of NT 5 to make it more like Windows 95. But can Microsoft really make an OS smaller?

hardware price: Though NT 4 will run in 16 MB of RAM, any applications you load push over this boundary. Although NT has virtual memory, running it and your applications on anything less than a 48-MB system is asking for a performance slowdown. It also doesn't support nearly all the hardware that Windows 9x supports. Plus, with Windows NT 5 a year away (if Microsoft doesn't let it slip), you'd be faced with two major OS upgrades in pretty short order. The compelling reason to upgrade to NT 4 is that it's more reliable than Windows 9x or Windows 3.x, but if what you have works for you, this reason becomes less compelling.

Upgrade to Windows NT 5

If you've heard anything about NT 5, it probably sounds wonderful. But so does most promiscuity, as it's called by cynics. Because Windows NT 5 is about a year away from production release, it's hard to talk about what advantages it offers over the OS you're running today. The work I did with NT 5 beta 1 showed that it was a mostly stable OS. But it couldn't migrate my prerelease Windows 98 registry, and some of the applications I use wouldn't install or run properly.


Until a more complete beta is widely available, let's just focus on some of the features that Microsoft has slated for NT 5.

Within NT 5's 29 million lines of code are some huge steps forward for Microsoft—addressing problems like Windows 9x-to-NT registry migration and all the portable computer issues (although not the issues about hardware requirements). But, more important, it's got a lot of features, like IntelliMirror and support for new hardware (USB, IEEE 1394, multiple displays, and AGP). Of these, IntelliMirror is the most important for corporations.

IntelliMirror is part of the Zero Administration for Windows (ZAW) initiative. It includes three basic parts: "no-touch" application management, policy-based administration, and client-side caching.

No-touch application management lets administrators assign or publish applications to users over the network. Assigned applications appear as icons on users' desktops, and when a user runs the application for the first time, the application installs itself automatically. Published applications aren't installed automatically, but when the user runs the Add/Remove Software Wizard, they appear as options.

Policies and profiles describe users'



Although it's early to tell, Microsoft sources say that Windows NT 5 architecture will change little from Windows NT 4.

desktop configurations and allowable actions. For example, they describe what appears on the Start menu or desktop, and they can disable OS features. Stored on a central server, they ensure that users log on to "their" desktop no matter what system they're using.

Client-side caching is probably the most powerful of these features (though it goes hand-in-hand with policy-based admin). Client-side caching mirrors user preferences, applications, and data on a server. This means that users can log onto any system on a network and get not only their own desktops but also their own applications and data files. And if their system should happen to die, IS can install a new one and walk away; the next time the user logs in, the server automatically repopulates the machine with all the user's applications and data. (According to Microsoft's Russ Madlener, product manager for desktop operating systems, it's unlikely that this feature will make its way into Windows 98.)

If these features sound familiar, it's because they are. Microsoft Systems Man-


agement Server (SMS) promised them for previous versions of Windows and, to some extent, delivered them. SMS also adds remote software and hardware inventory and diagnostic tools. It extends application management with richer rules (including rules based on hardware and software inventories), and enables IS to "dry run" a rollout—test an installation without actually installing the software. And SMS provides a rollback: If a rollout should fail, SMS lets IS undo it.

Of course, the big problem with NT 5 is that it's not available today, and it likely

Reasons to Upgrade to Windows NT 5



- ✓ Offers increased reliability/security/manageability.
- ✓ Improved system administration features.
- ✓ Legacy application porting projects will be done by then.
- ✓ OS upgrade will be in budget then.



won't be available until the first half of 1999. Even then it will be a year before all the big kinks are worked out.

Drawbacks. NT 5 isn't here yet. Microsoft has historically had problems shipping its operating systems on time, so skeptics are already saying that even the Q2 1999 ship date might slip. How long can you wait for NT?

At the time of this writing, NT 5 was in its first beta. Many of the technologies that Microsoft promised in NT 5, like IntelliMirror, weren't yet in evidence (though BYTE editors have seen them in demos).

Another big problem with NT in general is that it needs a lot of hardware to run. Microsoft knows this, and rumors of an NT "Lite" (sometimes called NT Consumer Edition) have been around for a while. When you ask Microsoft about it, representatives get very cagey. Basically, they'll tell you that it's logical to expect a "lighter" version of NT. A source close to Microsoft (who preferred to be left unnamed) told BYTE that Microsoft is already working on this lightened operating system, and that you should expect it some time after the turn of the century, probably in 2001.

A lighter version of NT would address critics' concerns that Windows NT is a resource hog. To lighten up NT, it's unlikely that Microsoft would write tighter code. It's more likely that Microsoft would strip out features that are less necessary for a single-user workstation, espe-

cially one that's not connected to a network. For example, some of the administrative tools and perhaps even IntelliMirror might go.

Keeping in mind that Microsoft is better at writing fatter code than slimmer code, it's also possible that a future version of Windows CE will grow into the midsize OS that Microsoft will need to fill the void after Windows 9x goes away.

Deploy Terminal Server

Windows NT 4.0, Terminal Server Edition (TSE for short, and formerly code-named Hydra), is Microsoft's thin-client solution due out this summer. It's impressive—and possibly the most important technology we're discussing in this article. NT TSE enables most 16-bit Windows, nearly all 32-bit Windows, and even some DOS applications to run on a Windows NT server, yet display their screens on separate, networked clients.

These networked clients can be Windows 3.1, Windows 9x, or Windows NT systems. Or, thanks to Citrix's pICasso product, they can be Macintoshes or some flavors of Unix. Or, they can be Windows-based terminals—super-thin clients with no local storage and only enough local CPU power to process screen and keyboard I/O. Such devices already exist, from Wyse's \$349 monochrome model to terminals from NCD, Tektronix, and others for prices more like \$700.

Think thin. Thin clients make a lot of sense for many users. Transactional workers, as IDC's Kusnetzky calls them, stay in one application (like order entry or accounts payable) nearly all the time. Even when they do use other software, they don't stress it. How powerful does a typical desktop system need to be for them? Not very. Yet they're often equipped with Pentium-class systems with lots of RAM.

That wouldn't be so bad—after all, system prices are at an all-time low—but

Reasons to Deploy Windows NT Terminal Server Edition

- ✓ Has improved system administration.
- ✓ Lowers total cost of ownership (TCO).
- ✓ Your applications are low-intensity.

IS departments must shoulder the cost of maintaining these full-fledged networked systems. According to Kusnetzky, hardware and software combined typically aren't more than 15 percent of the cost of a system over its life. The support staff represents 50-60 percent of the cost, and anything that lowers staffing cost goes straight to the bottom line.

Of course, thin-client solutions have their place. "If you're running SAP R/3 or

STATISTICA

STATISTICA (automatically configures itself for Windows 95/NT [log file names, etc.] or 3.1) ■ A complete data analysis system with thousands of on-screen customizable, presentation-quality graphs fully integrated with all procedures ■ Comprehensive Windows support, OLE (client and server), DDE, customizable *AutoTask* toolbars, pop-up menus ■ Multiple data-, results-, and graph-windows with *data-graph* links ■ The largest selection of statistics and graphs in a single system; comprehensive implementations of: Exploratory techniques with advanced brushing; multi-way tables with banners (presentation-quality reports); nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; stepwise logit/probit; general ANCOVA/MANCOVA; variance components; stepwise discriminant analysis; log-linear analysis; confirmatory/exploratory factor analysis; cluster analysis; multidimensional scaling; classification trees; canonical correlation; item analysis/reliability; correspondence analysis; survival analysis; a large selection of time series modeling/forecasting techniques; structural equation modeling with *Monte Carlo* simulations; and much more ■ On-line *Electronic Manual* with comprehensive introductions to each procedure and examples ■ Hypertext-based *Stats Advisor* expert system ■ Workbooks with multiple *AutoOpen* documents (e.g., graphs, reports) ■ Extensive data management facilities (fast spreadsheet of unlimited capacity with long formulas, *Drag-and-Drop*, *Autofill*, *Auto-Recalculate*, split-screen/variable-speed scrolling, advanced Clipboard support, DDE links, hot links to graphs, relational merge, data verification/cleaning) ■ Powerful *STATISTICA BASIC* language (professional development environment) with matrix operations, full graphics support, and interface to external programs (*DLLs*) ■ Batch command language and editable macros, flexible "turn-key" and automation options, custom-designed procedures can be added to floating *Auto Task* toolbars ■ All output displayed in Scrollsheets" (dynamic, customizable, presentation-quality tables with instant 2D, 3D, and multiple graphs) or word processor-style report editor (of unlimited capacity) that combines text and graphs ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000, virtually unlimited ANOVA designs) ■ Megafile Manager with up to 32,000 variables (8 Mb) per record ■ Unlimited size of files; extended ("quadruple") precision; unmatched speed ■ Exchanges data and graphs with other applications via DDE, OLE, or an extensive selection of file import/export facilities (incl. *ODBC* access to virtually all data bases and mainframe files) ■ Hundreds of types of graphs, incl. categorized multiple 2D and 3D graphs, ternary 2D/3D graphs, matrix plots, icons, and unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graph types and add them permanently to menus or toolbars ■ On-screen graph customization with advanced drawing tools (e.g., scrolling and editing of complex objects in 32x real zoom mode), compound (nested) OLE documents, *Multiple-Graph AutoLayout Wizard*, templates, special effects, icons, page layout control for slides and printouts; unmatched speed of graph redraw ■ Interactive rotation, perspective and cross-sections of 3D displays ■ Large selection of tools for graphical exploration of data: extensive brushing tools with animation, fitting, smoothing, overlaying, spectral planes, projections, layered compressions, marked subsets ■ Price \$995.

Quick STATISTICA (for Windows) ■ A subset of *STATISTICA*; comprehensive selection of basic statistics and the full analytic and presentation-quality graphics capabilities of *STATISTICA* ■ Price \$495.

STATISTICA Industrial System (requires *STATISTICA* or *Quick STATISTICA*) ■ The largest selection of industrial statistics in a single package; quality control charts (real-time data acquisition options), process capability analysis, R&R, Weibull Analysis, sampling plans, and an extremely comprehensive selection of experimental design (DOE) methods ■ Flexible tools to customize and automate all analyses and reports (incl. "turn-key" system options, and tools to add custom procedures) ■ Price \$995.

NEW STATISTICA Neural Networks (Interfaces with, but does not require *STATISTICA*) ■ The most comprehensive NN application available on the market ■ Price \$795.

STATISTICA/Mac (for Macintosh) ■ Price \$695 (Quick - \$395).
Overseas prices vary. Domestic sh/h \$12; 30-day money back guarantee.

STATISTICA has received the highest rating in EVERY comparative review of statistics software in which it was featured, since its first release.

Over 3 Hours of Multimedia, Animated Overviews and Examples




2300 East 14th Street • Tulsa, OK 74104 • (918) 749-1119
Fax: (918) 749-2217 • WEB: <http://www.statsoft.com>
e-mail: info@statsoft.com

- StatSoft Ltd. (London, UK), ph: +44 1234 341226, fax: +44 1234 341622
- StatSoft GmbH (Hamburg, Germany), ph: +49 40/466866-0, fax: +49 40/466866-77
- StatSoft France (Paris, France), ph: +33 01 45-185-999, fax: +33 01 45-185-285
- StatSoft Polska Sp. z o.o. (Krakow, Poland), ph: +48 12-391120, fax: +48 12-391121
- StatSoft Italia (Padova, Italy), ph: +39 49-893-4654, fax: +39 49-893-2897
- StatSoft Pacific Pty Ltd. (Australia), ph: +613 9521 4833, fax: +613 9521 4288
- StatSoft Japan (Tokyo, Japan), ph: +813 3667 1110, fax: +813 3668 3100
- StatSoft Taiwan (Taipei, Taiwan, R.O.C.), ph: +886 2 5786587, fax: +886 2 5793179

The complete line of StatSoft products and training/consulting services are available from authorized representatives worldwide, including: Austria, Belgium, Brazil, Chile, Czech Republic, Denmark, Finland, Greece, Hungary, India, Korea, Malaysia, Mexico, The Netherlands, New Zealand, Norway, Portugal, Russia, South Africa, Spain, Sweden, Switzerland, Turkey. Please contact your nearest StatSoft office for the authorized representative nearest you. StatSoft, the StatSoft logo, STATISTICA, and Scrollsheet are trademarks of StatSoft, Inc.

Enter HotBYTES No. 118 at <http://www.byte.com/hotbytes/>



STATISTICA supports multitasking. For example, now I am typing this text in MS Word, and in the background, STATISTICA is recalculating a large model (see the red progress bar).

STATISTICA includes a large library of example *STAT-BASIC* programs...
STATISTICA will automatically configure itself for either: Windows 3.1 or WINDOWS 95.

The largest selection of:
■ QUALITY CONTROL
■ PROCESS CAPABILITY and EXPERIMENTAL DESIGN techniques in a single system.

ANALYTIC DISPLAYS (with OLE links) of selected complexity can be quickly and easily created, either:
■ INTERACTIVELY, or with *STATISTICA BASIC*.

Unparalleled selection of tools to produce publication-ready graphs, charts, diagrams, and drawings.

WORD PROCESSOR-STYLE OUTPUT EDITORS FOR UNLIMITED CAPACITY CAN COMBINE TEXT AND GRAPHS AND CREATE PUBLICATION-QUALITY REPORTS

OLE objects can be dragged directly from The Manager and dropped on graphs.

an order entry system, a thin client is a perfectly valid approach," points out Gartenberg. "If you're running SoftImage or other high-bandwidth apps, you won't be satisfied with performance."

Windows 3.x migration. NT TSE gives Windows 3.x a new lease on life. If the reason you're considering an upgrade from 3.x is that you wanted to run some Win32 application (for example, Office 97), you now have the option of keeping that desktop in place, installing TSE client software, and running the Win32 app on an NT server.

Alternately, you can replace the Windows 3.x system with a near-zero-maintenance Windows-based terminal. If the applications running on that Windows 3.x system will run under Windows NT 4, it's likely they'll run under NT TSE.

Given its ability to turn a Windows 3.x system into a fully Win32-capable system, the obvious use for TSE would be to give new purpose to older systems—turn an old 486 into a Windows-based terminal. But "Fortune 1000 companies just don't have the budget reasons to do that," according to John Frederiksen, group product manager at Microsoft. "Education, government, and the military are more interested" in such reuse.

Windows 9x & NT migration. What about systems that are already Win32-capable? For transactional workers, running TSE still offloads a tremendous administration burden from an IS department. But even for knowledge workers, it offers interesting capabilities. If you need some applications only once in a while, why go through the hassle of running a full install on your system? Why take up the disk space, cram more stuff into your registry, and risk who-knows-what potential DLL conflicts? Instead, if you run the NT TSE client, you can have ad hoc access to applications that run on a server without burdening the client system.

Drawbacks. Windows NT Terminal Server Edition is hardly a slam-dunk choice. For example, if users need to work when disconnected from their servers (e.g., they need a portable computer), TSE's super-thin client isn't going to suffice.

Also, the performance may not be all you want. The perennial ding against NT TSE (and its predecessor, Citrix's WinFrame) has been that it's just not as fast as using a stand-alone desktop system, and you can't run as many applications at once. "Users are not going to be running Office all day with four applications open," says

CE on Your Desktop?

All this talk about thin clients and NT Lite might make you think: Microsoft already has a low-end operating system—Windows CE. Though it currently doesn't have all the features of a Windows 98 or Windows NT, Windows CE points the way forward for a small-footprint version of Windows.

Microsoft has already ported to the Palm PC and Auto PC. But Windows CE can be a lot more than that. Take a look at the Windows terminals built around it by companies like Wyse and NCD.

GartnerGroup research director Michael Gartenberg feels that Windows CE will stay off the desktop, however. "We don't see Microsoft trying to push CE devices with desktop-class applications—that would fragment the ISV market and cause too much confusion."

But, technically speaking, Windows CE could grow up to fill some of the gap that Windows 98 will leave when its life is over. After all, Microsoft has proven itself much better at making software larger, not smaller.

Windows CE 2.1 supports much of the Win32 API set, including COM/ActiveX, Microsoft Foundation Classes (MFC), and MAPI. It includes TCP/IP support, and it supports installable drivers (as for PC Cards). It uses a transactional RAM-based file system. And it includes a Java virtual machine. In short, it's nearly a desktop OS already.

On top of that, it has been ported to many processors, including the Intel x86, several Mips-based chips (NEC's Vr4300, Toshiba's TX 3912, and Philips' Poseidon), and the Motorola MPC821, a PowerPC-based CPU.

That said, it includes none of the desktop administration tools that Microsoft is introducing for Windows 98 and especially for Windows NT 5. And there's a limited subset of hardware that it supports compared to both these operating systems.

In short, Windows CE would have to grow way up to support all the features and applications that we expect from a stand-alone desktop operating system. To some degree, that's starting to happen with the larger-form-factor Windows CE 3.0 devices. According to industry sources, Windows CE 3.0, due out some time this summer or fall, will sport 640x480 screen resolution and support for Universal Serial Bus.


Microsoft's Frederiksen. Compared to WinFrame, TSE has some improvements such as better caching on the client and server and better file data compression over the wire. But it's still painting screens remotely, and client performance seemed a little sluggish when I saw it.

The next issue after client performance is server load. NT TSE shifts the processing and administration requirements from the client to the server. You will need a dedicated server with lots of RAM and probably multiple processors. Microsoft recommends 32 MB of RAM as a starting point, plus 4 to 8 MB of RAM for each "typ-

ical" simultaneous user. Microsoft says that you should be able to get 15 to 25 users per server processor. These numbers are backed up by manufacturers of Windows-based terminals such as Tektronix and NCD. Lee Rainey, director of marketing for the network displays division at Tektronix, says the network load of running TSE is negligible, so at least you won't have to upgrade your network.


Another thing you'll have to worry about is application compatibility. There will be some applications that won't work so well. "Well-behaved 32-bit applications shouldn't be a problem," according to

Windows CE Architecture



NETWORKING IS GOOD BUSINESS

SERCOMM
NETWORK SERVER PROVIDER



*It won't cost much to network a business.
You need SerComm's network solutions.
Print servers, communication servers,
routers and IP sharing devices. Quality at
great price. Every SerComm product helps
you to build a successful business.*



New

Mini PrintMate

Share a printer across your LAN.

- Network Speed - 10Mb/sec
- Network Environment - Windows 95, Windows NT
- Print Port - 1 x uni-direction parallel port (36 pin)
- Printing Speed - Over 300KBytes/sec
- Dimensions - 55(L) x 57(W) x 20mm(H)



New

Widelink 150

An Internet IP Sharing Device

**All LAN users can share a
modem or ISDN TA.**

- The most compact one-port IP sharing device with great performance
 - The best solution of LAN to Internet acc for SOHO users
 - Easy to install and manage with any Web browser.
 - Save money and time by sharing a single IP account and limited E-mail accounts between all users in your LAN.
-and many more advanced user-friendly features.



**Come and see us at
Computex Taipei 98
Booth TWTC A234**

For OEM/ODM, please contact

TEL: 886-2-2696-2387

E-mail: oem@tpe1.sercomm.com.tw

For regional distribution, please contact

America: E-mail: america@tpe1.sercomm.com.tw

Europe: europe@tpe1.sercomm.com.tw

Asia Pacific: asiapacific@tpe1.sercomm.com.tw


SERCOMM

SerComm Corp.

5F, No. 116, Sec. 1, Hsin Tai 5th Rd., Hsi Chih,
Taipei Hsien, Taiwan, R.O.C.

TEL: 886-2-2696-1100 FAX: 886-2-2696-2386

URL: <http://www.sercomm.com>

E-mail: support@tpe1.sercomm.com.tw

All trademarks are property of their respective owners;
specifications are subject to change without notice.



Craig Cumberland, product manager for Windows NT Server.

Well-behaved? Well-behaved 32-bit applications, according to Microsoft, share some characteristics. For example, they use the HKEY_LOCAL_MACHINE registry key only when they want to modify a global parameter. They separate global and local files instead of just dumping them all into WINNTSYSTEM. And they minimize the use of splash screens.

There are some very popular applications that might not work well under Hydra. For example, Microsoft recommends against using IE 4.0's Active Desktop when NT Terminal Server Edition is in multiuser mode. Also, modifications that it makes to the Windows NT kernel thread scheduler mean that it's not a good idea to try running other server applications (such as the BackOffice apps) on the NT TSE machine.

Deploy Web-Based Applications

If you're thinking of going to a thin-client architecture, you might also think about what Web-enabled applications can do. Web-enabled applications fall into three broad categories: direct access to specific legacy systems, middleware access to arbitrary existing applications, and Java solutions. Each category has different characteristics.

Right now, this kind of migration is still largely in the "thinking about it" stage, but IDC's Kusnetzky is hearing rumblings that the future may bring these kinds of changes. "People buy applications, not processors or OSeS," he says. "Right now the most intriguing apps are on Wintel, but I'm starting to see more environments saying that Wintel may not always be the right community." In particular, the Linux community is growing fast. Kusnetzky estimates that sales of new Linux units on the desktop were \$2-6 million in 1997.

Web-enabling the legacy. Research at IBM indicates that more than half the Windows 3.x desktops still in use are dedicated to running a terminal emulator. These terminal emulators hook into text-based applications running on large systems—things like order entry, accounting, and resource planning. Rather than look to a new OS to run the latest version of the emulator, companies can upgrade many of their systems, including CICS and Encina, to immediately Web-enable them.

These solutions, though possibly expen-

sive, give people the same kind of direct access to the legacy systems they've always had, yet they free them from needing a terminal emulator. Users can log in from any Web browser. They don't need any specific OS, just a system that can run a browser—anything from an X terminal to a Windows-based terminal to a full-fledged client running Unix or NT.

In some ways, Web applications offer the advantages of a GUI with the advantages of a text-based application. Like a GUI, Web applications are easier for users to learn than the sometimes arcane text-based interfaces they're confronted with. Users can easily be taught the basics of navigating hypertext (if they don't know already) and can apply it to any application you roll out. But like text-based applications, Web applications don't carry a lot of user interface overhead and usually require no particular software on the client except the browser. This lowers the amount of time it takes to develop and administer the application.

Projecting applications. Or, IS departments can look to applications such as SCO's Tarantella, which can take all kinds of existing applications and transport their screens onto thin clients, much as Terminal Server does for NT. The difference is that Tarantella itself runs on SCO UnixWare, Solaris, HP-UX, and AIX, and can interact with everything from terminal-based applications running on mainframes to Windows applications to Unix applications.

Tarantella is a Web-based program. Users connect to Tarantella through a Web browser. The Web server returns a page containing the Tarantella bootstrap applet. They then log in and receive their "webtop"—a Web page dynamically generated to reflect the users' profiles. The webtop includes Java applets that link to specific Web pages. If the Java applet links to an application, then the webtop downloads the correct display engine, which finds and invokes the associated application.

Tarantella (and similar environments from companies like Attachmate and Wall Data) offers many of the advantages of NT TSE. For example, it can take existing applications and redirect them onto any arbitrary desktop. But it goes beyond the Microsoft TSE solution because it's designed to hook into more existing applications out of the box and it runs on operating systems other than NT.

Rewriting in Java. Another alternative in this vein is to rewrite all or part of your

application in Java. Java's platform neutrality opens your upgrade path from the next version of Windows to anything with a Java virtual machine—everything from Windows CE to Unix to a JavaStation.

Also, Java gives you greater freedom to migrate application logic up and down your multitier network. If you have a powerful system on your desktop, a Java application could download and run entirely locally and even save a copy of itself for use later. And, of course, a Java application can be coupled with a product like Tarantella or NT TSE to project its screen image onto the thinnest of clients.

In any of these scenarios, Java offers administrators the capability to upgrade the application or applet whenever the user runs it. This couples centralized application distribution control with platform independence and a real GUI.

Drawbacks. Each of these three solutions has some drawbacks. Possibly the

Reasons to Deploy Web-Based Applications

- ✓ Creates open client platform.
- ✓ Administration is easier.
- ✓ Lowers total cost of ownership.



largest, however, is that a lot of users hate the idea of thin clients and will undermine rollouts. For them, thin-client computing isn't a rational argument. It's an emotional argument. They view the thin client as a loss of freedom. Overcoming this obstacle will be as much a fight as overcoming any technical hurdles to thin-client deployment.

Of course, that's not to say that the technical hurdles are small. Rewriting applications in Java could be a major task that provides no major immediate financial gain. And if you're looking for shrink-wrapped applications to run on your JavaStations, you may see some weaknesses. For example, today's Java-based office suites are still slow, first-generation products.

It's going to take time before such full-fledged network-computing-based applications are ready for prime time. "It may take 18 to 20 months to develop and document something, and by that time the media is saying 'It must not have worked,'" says IDC's Kusnetzky. "The reality is that

W
I
N
N
E
R
S

BYTE Best of Show, CeBIT 98
SuperNova/Visual Concepts
SuperNova Inc.



Winners in other Categories:

Best Portable
SCENIC Mobile 800
Siemens Nixdorf

Best Technology
SwatchTalk
Swatch telecom AG

Best Multimedia Software
CINEMA 4D V5.1
MAXON Computer GmbH

Best Peripheral
SIVIT
Siemens AG

Best System
E2000 Platform Architecture
Compaq Computer Corporation

Best Application Software
StarONE
Star Division GmbH

Best Multimedia Hardware
601
FAST Multimedia AG

Best Internet Product
Access Point
Philips Speech Processing

Best Development Software
SuperNova/Visual Concepts
SuperNova Inc.

Best Communications Software
MRS 3.1 Message Routing System
PP-Com Telecommunication +
Networking GmbH

Best Communication Hardware
MC220 56K Platinum PC Card
COM One

Best Security Product
First Access Enterprise
First Access Ltd.

Best Operating System
UnixWare 7.0
SCO

For a list of Finalists, visit
www.byte.com/special/3cebit98.htm

the network computing model is just starting to come to fruition."

Switch to Another OS

If you're considering a migration as serious as moving to thin-client computing, it might behoove you to take a second to think outside the box. What if you weren't planning on running a Microsoft OS on the desktop? In particular, with all this hoopla about the world's most-used desktop OS, where do the Macintosh and Unix sit?

Macintosh users will take a look at some of the new features in Windows 98 and ask, "What took so long?" Support for multiple monitors and plug-and-play hardware have been around in one form or another on the Mac for a while.

Most people buy computers for what they can do—usually that means the applications they can run. Applications like Adobe Photoshop and QuarkXpress (mainstays of the publishing industry) will probably continue to run better on the Mac. And people who were trained to use these applications on the Mac will continue to prefer the Mac to run them. Artists who have added multiple SCSI disks to their systems to deal with their plethora of 80-MB Photoshop files really don't want to try the same trick with Windows 9x. It's still not as easy on Windows 9x.

Unix on the desktop these days means mostly either high-end workstations or systems running either Linux or some other free Unix-alike (like FreeBSD). High-end workstation users fit into the same category as Mac users: They have their applications (which often cost more than the workstation they're running on) and have little incentive to switch right now.

At the low end, many users are trying Linux. They're finding what you'd expect: It's extremely flexible, it doesn't crash easily, it isn't a resource hog.

WHERE TO FIND

Attachmate Bellevue, WA 800-426-6283 425-644-4010 http://www.attachmate.com	425-882-8080 http://www.microsoft.com
IBM White Plains, NY 800-IBM-7080 416-383-5152 http://www.pc.ibm.com/networkstation	The Santa Cruz Operation Santa Cruz, CA 408-425-7222 http://www.sco.com
Microsoft Redmond, WA	Wall Data Kirkland, WA 888-786-2268 425-814-9255 http://www.walldata.com

And what do you really get from this major migration? Freedom from Wintel. Freedom to run whatever operating system you want. Freedom to run whatever hardware you can afford. You can set up the network using reliable or low-cost OSes like Linux. You can experiment with new embedded OSes like Lucent's Inferno or Sun's JavaOS. This is where philosophy starts to play a role in your IT decisions. If you believe that the Wintel monopoly is a bad idea, then Java is a godsend—it'll run on anything, anywhere.

Drawbacks. Switching horses entirely off Windows isn't something a lot of people are contemplating. Analyst groups like IDC say that the Mac is losing desktop market share, and will continue to lose it. Linux is growing in share, but corporations are still nervous about running what they perceive as unsupported software (though many Linux vendors, as well as the Linux community, offer support).

And Windows NT is gaining in mindshare. Workstations from companies like Intergraph are starting to make a dent in that market, and even SGI has admitted that NT systems might not be such a bad idea.

Finally, Linux won't run Microsoft Office (for better or worse). Remember: It comes back to applications, and Linux desktop applications—even the good ones like StarOffice and ApplixWare—still don't have the familiarity and, more important, the near universality of applications like Microsoft Office. Even though ApplixWare can read most Office file formats, users who have trained on Office will need to be retrained, and IS departments don't want to have to support multiple office suites. Plus, these free Unix-alikes still look like Unix. Even when you load the window manager, you're left with a sometimes confusing new user interface to learn.

In short, the future of Unix and the Macintosh on the desktop is a niche role, performing one or two critical functions. It's not about the quality of the OSes; in many ways, these OSes are better than Windows. It's about perception, it's about availability of applications. And it's about universality—sometimes it's just easier to run the same software as everybody else.

Making Your Choices

Any OS upgrade choice is the result of a push and a pull. Missing features (including hardware support), lack of applications, poor reliability, and high cost of

ownership are typical pushes. They all have corresponding pulls. And blockers like legacy applications, old hardware, budgets, and deadlines hamper every OS upgrade.

The question of the day is: "Is an upgrade to Windows 98 a good idea?" The short answer is that if you haven't felt the push so far to either Windows 95 or to Windows NT, Windows 98 is probably not worth an upgrade. That's not to say you can avoid it; it will probably come on all your new systems. Nor is this to say that Windows 98 is a bad idea—it's a fine incremental upgrade from Windows 95. Just remember that it's a stepping stone to Windows NT.

If you are feeling a strong push, you have more options—and more confusion—

Reasons to Switch to Another OS

SWITCH TO ANOTHER OS

- ✓ Potentially more stable
- ✓ Potentially easier to use
- ✓ Potentially less expensive to maintain
- ✓ Potentially more secure

than ever before. Windows is splintering: With every release, it leaves behind one more legacy platform. Now we have Windows 3.x, Windows 95, Windows NT 3.x, Windows NT 4, and Windows CE. On top of that, Microsoft offers NT Terminal Server Edition, which can supply Windows applications to non-Windows platforms. Windows NT 5, NT 5 "Lite," and Windows CE 3 are all waiting in the wings, promising features that further confuse things.

And that's just from Microsoft. New thin-client solutions like SCO's Tarantella and Web gateways for many existing applications are offering corporations a way to escape Windows with little or no reworking of their legacy applications. Java offers a thick-or-thin-client solution that will run anywhere. And Linux is gaining ground as a new, non-Windows OS choice.

All these platforms offer strong pulls of their own, but they will all entail some pain. What degree of pain you face on the way will depend on what choices you make. Just remember that a low-pain measure you take today could cost you later. **B**

John Montgomery is BYTE's West Coast bureau chief. You can reach him at jmontgomery@byte.com.

Contrary to popular myth, the computer industry doesn't always move at lightning speed. Truly fundamental technologies such as the Internet, graphical user interfaces, object-oriented programming, and RISC can take years or even decades to evolve before winning broad commercial success. And the inevitable early failures can fool pundits into dismissing new trends prematurely.

The trick is figuring out which blips on the radar screen are significant and which are meaningless ground clutter. In the case of IA-64—the new 64-bit CPU architecture devised by Intel and Hewlett-Packard—the blip is significant indeed.

One obvious reason is that IA-64 is the heir apparent to Intel's dominant but aging x86 architecture. What's less obvious is that IA-64 is the latest attempt to commercialize some "new" parallel processing and compiler technologies that dozens of companies and universities have been developing for at least 20 years.


To report this story, BYTE talked to CPU architects and engineers at competing companies as well as at Intel and HP. We also interviewed academic researchers and computer scientists who have spent years working on the basic technologies behind IA-64. Conclusion: When Intel and HP say their new architecture goes "beyond RISC," it's not just marketing hype. IA-64's roots are decades deep, and it represents the general forward trend in microprocessor design.

EPIC vs. RISC

The basic techniques behind IA-64 are instruction-level parallelism, long or very long instruction words (LIW/VLIW), and branch predication (not the same thing as branch prediction). Intel and HP refer to this combination as *explicitly parallel instruction computing*, or EPIC. (See "Beyond Pentium II," December 1997 BYTE.)

EPIC is a broad definition, like CISC or RISC. Anybody can design a CPU architecture based on EPIC. IA-64 is the first example: It's a proprietary CPU architecture defined by Intel and HP, just as Intel's x86 is a proprietary architecture based on CISC and HP's PA-RISC is a proprietary architecture based on RISC.

Merced is the code name for the first IA-64 processor that Intel plans to ship in the second half of 1999. More IA-64 chips will follow, all from Intel. (HP is a partner but will not independently design, manufacture, or sell any IA-64 chips.)



INSIDE IA-64

IA-64 builds on CPU and compiler technologies that have been brewing for at least 20 years.

By Tom R. Halfhill

"Just as RISC represented a revolution in processor technology over CISC, EPIC represents a revolution in processor technology over RISC," says Carol Thompson, a compiler architect at HP.

It's not an empty claim. EPIC is the result of work that started long before Intel and HP formed their IA-64 partnership in 1994. Two direct ancestors are the highly parallel VLIW machines designed by Multiflow and Cydrome in the 1980s. Although both companies are defunct, a remarkable number of their former employees now work at Intel, HP, and satellite companies.


More distant ancestors of EPIC are parallel-processing systems designed by IBM, Control Data, Digital, Loral, MasPar, Cray Research, Thinking Machines, and others. Additional research at universities has been under way for decades.

This background is important for two reasons. First, it shows that EPIC is part of a slowly cresting wave, not merely a ripple.

continued

Multiflow's VLIW

A fully configured Multiflow Trace 28/200 used 1024-bit-long instruction words, each containing four 256-bit words. Each 256-bit word contained seven operations.



The Multiflow Trace 28/200 (1985) had four processor clusters.

Each cluster had two integer units (ALUs) and two floating-point units (FPUs), plus its own register files and branch logic.

A cluster could execute four integer operations, two FP operations, and one branch operation per cycle.

With each cluster capable of seven operations per cycle, a four-cluster machine could execute 28 operations per cycle.

Multiflow created a 28-way VLIW system in 1985.

Just as RISC can trace its roots back to the pioneering work of John Cocke at IBM in the 1960s and 1970s, EPIC can trace its heritage back to the 1970s and 1980s. CPU architectures have been moving in this general direction for a long time. EPIC was more or less inevitable, with or without Intel and HP.

Second, the long gestation period means EPIC is not built on experimental, unproven technology. This is especially important for the compiler technology—EPIC relies more heavily on optimized compilers than RISC or CISC does. It will probably take a few years' experience in the field to refine the compilers and processors, but the first examples should give users a glimpse of IA-64's potential.

Limits of RISC

EPIC tries to address the shortcomings of RISC, just as RISC addressed the shortcomings of CISC. Those shortcomings—as perceived by EPIC proponents—are the limits of hidden parallelism and the increasing complexity of dynamic instruction scheduling.

Basically, there are two ways to make a faster CPU. One way is to increase the clock frequency, which increases the number of operations a CPU performs each second. All other things being equal, a 200-MHz processor is twice as fast as a

100-MHz processor. Fortunately, higher clock speeds are a natural byproduct of shrinking circuits.

The other way to make a faster CPU is to increase the number of operations it can perform per clock cycle. Modern RISC and CISC processors do this with two techniques: instruction pipelining and superscalar microarchitectures.

Pipelining works like a factory assembly line. It divides the execution path into stages, so the CPU can work on multiple instructions at a time, with each instruction at a different state of completion. Superscalar processors have two or more of those pipelines, so they can work in parallel on multiple instructions.

If achieving higher performance were as easy as adding more and deeper pipelines, engineers could go home at 5 o'clock. Unfortunately, they soon hit a wall of diminishing returns. The main problem is finding enough work to keep all those pipelines busy.

Program code is rarely suitable for parallel processing because it's riddled with control-flow instructions that change the path of execution. Those pesky instructions include branches (IF-THEN-ELSE), loops (FOR-NEXT, WHILE-DO), jumps to subroutines (calls to functions, procedures, and methods), and error handlers (TRY-CATCH, ONERROR). Of course, those are

the same instructions that make software useful. Some scientific programs have long sequences of calculations that are easy to execute in parallel, but most code has a branch every five or six instructions.

Because the CPU doesn't know for sure which way a branch will fork—it often depends on user input—the CPU must resolve the branch before executing any instructions beyond it. So there's little point in having 10 pipelines if the CPU can't execute more than five or six instructions in parallel before hitting a branch barrier.

To get around that problem, modern RISC and CISC processors resort to a variety of techniques: branch prediction, speculative execution, and out-of-order execution. The first two allow a CPU to make a good guess about which way a branch will jump so the CPU can begin executing instructions along the predicted path. That way, the CPU can fill more instruction slots in its pipelines before resolving the branches.

The third technique, out-of-order execution, tries to keep the pipelines busy by rearranging a program's instructions at run time. If an integer instruction is immediately followed by a floating-point instruction, but all the integer units are busy, the CPU might begin executing the FP instruction first and come back to the integer instruction later. A conventional

in-order CPU would stall until an integer unit becomes available.

But these three solutions create new problems. If the CPU mispredicts a branch, it must flush its pipelines of the partially completed instructions to make way for the correct instructions. The more pipelines, and the deeper the pipelines, the bigger the penalty in lost clock cycles. A processor with four seven-stage pipelines might lose 28 cycles (4 × 7), not counting the additional cycles it may require to reload the cache. A processor that's twice as wide and twice as deep could lose 112 cycles (8 × 14). The penalty becomes so enormous that it wipes out the gains of parallelism.

Out-of-order execution has a price, too. The CPU needs complex interlock circuitry and a large register file to juggle the instructions. It has to work fast, because it's rescheduling the instructions while the program is running. It can't see more than a small piece of the program at any one instant. And out-of-order CPUs are much more difficult to verify.

Digital's 21264, the first fully out-of-order Alpha processor, was delayed for months while engineers labored to verify its complex design. The first out-of-order CPUs from Intel (Pentium Pro) and Mips

(R10000) were difficult to verify as well. Some companies, such as Sun, are avoiding out-of-order execution altogether.

CPU architects are eager to solve those problems because new fabrication technology will soon make it possible to build chips with hundreds of millions of transistors. If there's nothing to gain by adding more functional units, they'll have to dump those transistors into bigger on-chip caches. Although bigger caches improve performance to a degree, architects would rather spend their growing transistor budgets on parallel logic that does more useful work.

The EPIC Solution

EPIC tries to address the limitations of today's architectures by encoding parallelism at the instruction level and by using branch predication. Instruction-level parallelism (ILP) requires a compiler to statically schedule the instructions at compile time, instead of waiting for the CPU to schedule them dynamically at run time. Compilers already do this to some extent. But a regular compiler has no way to explicitly tell a CPU which instructions it can issue in parallel. At run time, the CPU must scan the instruction stream to find the parallelism. An out-of-order CPU goes


even further by reordering the instructions again, seeking "hidden" parallelism the compiler missed.

An EPIC compiler schedules the instructions at compile time and exposes the code's parallelism to the CPU. IA-64 defines a template field that encodes this information within a few bits. The CPU reads the template at run time and knows immediately which instructions it can dispatch in parallel to the functional units.

Because an EPIC processor doesn't have to schedule dynamically, it doesn't need as much complex interlock circuitry as an out-of-order RISC or CISC processor. Theoretically, it can be smaller and cheaper.

Another advantage of static scheduling is that a compiler can spend a relatively luxurious amount of time doing global optimizations. At run time, a CPU has only a few nanoseconds to do its job and sees only a tiny fragment of a large program at any moment. A compiler has much more time to analyze the code and sees the whole program (except for any dynamically loaded pieces, such as DLLs or late-loaded class files).

The counterargument is that CPUs know more about a program's actual behavior at run time. "It's a question of how much you can do in hardware versus



how much you can do in software," says Mike Splain, chief technology officer at Sun Microelectronics.

Although recent RISC and CISC processors have been doing more dynamic scheduling in hardware, proponents of ILP are betting on the compilers. "At run time, the CPU knows almost everything, but it knows everything almost too late to do anything about it," says Gerrit A. Slavenburg, chief architect of the Philips TriMedia processor, a VLIW design.

Parallel Encoding

IA-64's templates are a relatively new innovation. Earlier attempts by Multiflow and Cydrome to build highly parallel systems were hampered by designs that bound the compilers too tightly to the microarchitectures. (The microarchitecture is the specific design of a chip, as distinct from the overall defining architecture.)

For example, Multiflow's Trace 28/200 matched 256-bit instruction words to specific processor clusters. Each 256-bit word contained seven operations, and each processor cluster could execute seven operations per cycle. If the type of operations didn't exactly match the type of functional units available, the compiler had to pad the instruction word with NOPs—null operations.

To reduce code size and conserve I/O bandwidth, Multiflow compressed NOPs in memory, then expanded them in the instruction cache after fetching. But Multiflow's approach still wasted instruction slots and forced developers to recompile programs if the system's microarchitecture changed. IA-64 takes a different approach.

IA-64 has long instruction words, too, although they're only 128 bits long. Each word contains three instructions and a template. The template not only tells the CPU which instructions in the word can issue in parallel with each other, but also which instructions in the following words can issue in parallel. This requires some interlock circuitry, but it's much simpler than the interlocks in an out-of-order RISC chip. And there's no binding relationship between word width and CPU width.

Let's say an IA-64 compiler finds eight integer instructions that have no mutual dependencies, so they can issue in parallel. It packages those instructions into three words—two complete words and part of a third. The compiler doesn't have to pad the remaining slot in the third word with a NOP; instead, it fills the slot with a

The Eight Queens Problem

Intel and HP illustrate the advantages of EPIC with a benchmark conceived at Stanford University: the Eight Queens Problem. The goal is to arrange eight queens on a chessboard so that no queen threatens any other queen.

There are 92 possible solutions. The primary line of C source code that computes the problem translates into machine code that includes three load instructions and three branches. The algorithm would require 13 clock cycles to execute on a traditional CPU.

IA-64's speculative loading replaces two of the load instructions (see "Beyond Pentium II," December 1997 BYTE). Predication effectively removes two of the three branches. Together, these techniques reduce the algorithm to seven cycles. However, the most important difference is that predication eliminates the possibility of two mispredicted branches—potentially saving dozens of cycles, depending on the depth and width of the CPU.

Critics claim it's not a good example. "Our customers don't run the Eight Queens Problem very often," says Marc Tremblay, chief CPU architect at Sun Microelectronics. But independent research at universities does indicate that fully predicated instruction sets can eliminate about half of all branches in common code.

A Royal Solution

Challenge: Arrange eight queens on a chessboard in such a way that no queen threatens any other queen.


```
if ((b[j] == true) && (a[i+j] == true) && (c[i-j+7] == true))
```

BEFORE

- 3 load instructions
- 3 potential mispredicted branches
- 13 cycles to execute

AFTER

- 2 speculative loads
- 1 nonspeculative load
- 1 potential mispredicted branch
- 7 cycles to execute



(For other solutions, run the Java applet at:
<http://www-cs-students.stanford.edu/~sah/queens.html>.)

IA-64 avoids two potential mispredicted branches.

useful instruction that can't issue in parallel with the others.

Now assume the compiled program runs on an IA-64 processor that has four integer units. The CPU reads the templates and instantly knows the next eight instructions can execute in parallel. But the CPU has only four integer units, so it needs two cycles to execute all eight instructions (assuming single-cycle operations).

If the same program runs on a different IA-64 processor that has eight integer units, the CPU could execute all eight instructions in one cycle. That's how IA-64 ensures code compatibility between generations—a significant improvement over the Multiflow and Cydrome archi-

tectures. (See the figure "IA-64 Code Compatibility," page 83.)

IA-64's templates don't solve every problem, however. "There are two issues with changing the microarchitecture: compatibility and performance," says Richard Lethin, a former Multiflow engineer who is now president of Equator Technologies Consulting, which specializes in VLIW compilers, dynamic compilers, and emulators. "You can change the microarchitecture without breaking compatibility, but if you want maximum performance, you still have to recompile. Definitely."

Also, note that some functional units remain idle if they can't handle the type of instructions chained together. (FPUs

Let Microway build your next Engineering Workstation,
Personal Supercomputer or Server using...

Screamer™ 633

Cray Performance at a PC Price!

633 MHz Alpha, 1.2 Gigaflops, 4MB Cache

Since 1982 Microway has provided the PC world
with the fastest numeric devices and software available.

No product in the last 16 years has excited us more than
the Alpha Screamer. With its ability to execute 2 billion
operations per second, the Screamer is the best choice

for your next workstation or server! In addition to NT,
the Screamer runs Digital UNIX and Linux.


Your applications can now run on "the fastest Windows NT machine on
the planet." These include Microsoft Office, Oracle and Netscape; plus
engineering and graphics software such as Pro/Engineer, Fortran,
C/C++, Visual Basic, MicroStation, ANSYS, LAPACK,
Gaussian, Softimage and Lightwave. Over the last 16 years
we have designed systems for thousands of satisfied
customers worldwide, including prestigious institutions
like NASA and Lucent Technologies. Our technicians are
expert at configuring all Alpha operating systems and applications,
and you will not find more technically competent sales people anywhere.



Custom Screamer Workstations

Microway systems include 1 to 4 CPUs with
fast caches, up to 2GB of high-speed
memory and peripherals including SCSI
hard drives, 3D graphics cards and RAID
solutions. Microway's exclusive 4MB
SSRAM cache, fed by a 144-bit wide
memory system, boosts performance by up
to 100%. Screamer™ workstations range in
price from \$1,895 to over \$80,000.

Microway produces one of the finest numeric
optimized compilers - NDP Fortran.
Since 1986, hundreds of applications have
been ported to the X86 with it. Using hand-
coded BLA's and FFT's, our new NDP
VDSP Alpha Library hits 343 megaflops
triangularizing dense arrays and performs a
1024 complex FFT in 200 microseconds.
This library also includes LAPACK.



AlphaPowered™

Press Accolades for Microway's Screamer

Windows Sources - February, 1998

"the Microway system blew away the best Intel-based workstations
we've tested. . . on our number-crunching Lightwave 3D test."

LINUX Journal - January, 1998

"Literally everything runs profoundly faster on the Screamer."

PC Computing - July, 1997 ★★★★★

Microway's Screamer . . . "is, quite simply, the fastest Windows
NT machine on the planet. . . The performance leader."

Desktop Engineering - September, 1997 Product of the Month

Computers in Physics - September, 1997 Product of the Month

Visit www.microway.com for complete product
information or call technical sales at **508-746-7341**.

Digital, Alpha, and Digital UNIX™ Digital.
Visual Basic, NT, Excel and Word™ Microsoft.
Screamer, NDP Fortran and Microway™ Microway.

Microway®

Technology You Can Count On

Corporate Headquarters: Research Park, Box 79, Kingston, MA 02364 USA • TEL 508-746-7341 • FAX 508-746-4678
www.microway.com, info@microway.com • Denmark 45 39624156 • Germany 49 6997650001 • India 91 806637770
Italy 39 290782776 • Japan 81 64593113 • Korea 82 25561257 • Poland 48 22487172 • Spain 34 35809444 • UK 44 1819446222

cannot execute integer operations, or vice versa.) But it's still better than padding with NOPs.

Branch Predication

A good EPIC compiler must know enough about a processor's microarchitecture to balance the trade-offs between branch prediction and branch predication. One goal of predication is to dodge the penalty of mispredicted branches—a penalty that gets much worse as CPUs get wider and deeper. Merely increasing the accuracy of branch prediction isn't enough.

Even static branch prediction is about 87 percent accurate, notes Stan Head, technical marketing manager at Mips. Intel's Pentium Pro and Pentium II use dynamic prediction to achieve better than 90 percent accuracy, and for good reason: With three 15-stage pipelines, it costs them as many as 45 clocks to flush their pipes after a bad guess. Future processors with dozens of pipelines would pay outrageous penalties.

Predication effectively eliminates some branches from compiled code by using conditional execution. In IA-64, if the compiler decides to predicate a branch, it

assigns all instructions along one path to a unique predicate register, and all instructions along the alternate path to a complementary predicate register. At run time, the CPU begins executing instructions from both paths in parallel. When the CPU resolves the branch condition, it writes TRUE in one of the predicate registers and FALSE in the other. Instructions finish executing only if they find TRUE in their matching predicate register.

Since there's no longer a branch, there's nothing to predict, so there's no chance of guessing wrong. Yes, the CPU wastes some cycles executing instructions that never complete. But it's cheaper than the huge penalty of misprediction. And eliminating branches makes it easier for the CPU to schedule the larger, unbroken blocks of code in parallel.

Predication doesn't stop an EPIC compiler from predicting some branches. Jumps to error-handling routines are rare, so a smart compiler would predict the program won't take that branch. Likewise, a FOR loop with 1000 iterations will predictably jump backward to the top of the loop 1000 times, so it's a safer bet than predication. The compiler needs to know

enough about the CPU's misprediction penalty to make those decisions. That's why developers will have to recompile their IA-64 software for each generation if they want the best performance—but today's architectures demand that, too.

Predication, to various degrees, is found in architectures as diverse as the Advanced RISC Machines ARM, the Philips TriMedia, the Mips Rx000, the Sun SPARC, the Digital Alpha, the Texas Instruments TMS320C6xx DSP, and even the ancient x86.

In its simplest form, predication appears in an instruction called a conditional move (CMOV). It's easier to attach conditional execution to a single type of instruction than to a whole instruction set. It's also possible to retrofit an old instruction set with CMOVs. Intel added CMOVs to the P6 generation (Pentium Pro and Pentium II) in 1995. They've been in the Rx000 since 1995, the Alpha since 1992, and SPARC since 1991.

CMOVs execute only if a condition code is TRUE. Usually there isn't a special predicate register. Predicating only one type of instruction on a single condition may seem insignificant, but it makes a dif-

You will appreciate the beauty of the LCD screen with amazing 3D graphics and vivid color.

Color - The ACME Lunchbox has the ability to show as many as 16 million colors with a display resolution up to 1024 x 768.

Speed - The 8MB AGP Video Card allows you to see your 3D graphics faster than ever.

DVD Video - Your AGP card also allows you to see DVD video on the Lunchbox using the DVD-ROM.

Applications

- Data acquisition
- Product demonstration
- Multimedia presentation
- Medical data management
 - Networking
- Video teleconferencing
- Portable communication
 - Video editing
- Customer training
- Troubleshooting



Beauty &

ACME PORTABLE MACHINES, INC.
 14140 Live Oak Ave., #D, Baldwin Park, CA 91706 U.S.A.
 Tel: (1) 626 814-0516 Fax: (1) 626 814-0323
 Email: info@acmeportable.com

www.acmeportable.com

ference. According to Stan Head at Mips, about 60 percent of all IF-THEN-ELSE blocks consist entirely of move instructions, so CMOVs can eliminate enough branches to be worthwhile.

Although CMOVs are useful, Digital decided against making every instruction conditional, as in IA-64. The additional gain wouldn't pay off, claims Aaron Bauch, technical marketing manager for the Alpha. Naturally, Intel disagrees: "A more generalized predication model allows the processor to execute longer streams of instructions in parallel," says Carole DuLong, IA-64 principal engineer.

ARM has more experience with predication than practically anyone. All ARM instructions can predicate on 16 possible conditions—a remarkably advanced feature of the architecture since its inception in 1983, says Dave Jaggar, director of ARM's Austin Design Center in Texas. However, ARM processors can predicate through only one branch. That's still a big win because branches occur only about once every eight or nine instructions in ARM code, notes Jaggar. But IA-64 provides 64 predicate registers, so theoretically it could predicate through 32 nested branches.

TI's DSP and Philips' TriMedia are more modern and specialized architectures. Both have fully predicated instruction sets, like IA-64. But TI uses general-purpose registers (GPRs) for predicate registers and devotes only five to that purpose. That's enough for the highly parallel code typically encountered by DSPs, says Henry Wiechman, DSP product marketing manager. "DSP algorithms are more deterministic than general PC applications like Microsoft Word."

Likewise, the TriMedia TM1000 uses GPRs instead of special predicate registers. Multimedia processors frequently execute highly parallel code in audio/video streams, so they don't need to predicate as many branches as regular CPUs.

The point is that predication is not a black art. Allowing a CPU to start executing both forks of a branch before the user chooses "OK" or "Cancel" might seem a little spooky, but it's just another long-used technique that blooms anew in IA-64.

The EPIC Gamble

Intel and HP aren't alone in their enthusiasm for EPIC and VLIW. "VLIW is the next revolution in microprocessors,"


declares Nat Seshan, applications manager for TI's DSPs. "It will definitely bring more high performance to users."

Gerrit Slavenburg, the TriMedia architect, agrees: "Philips has invested a lot in VLIW because we determined it was the best way to get high performance at a low cost. It is the best architecture I know of at this point."

However, that doesn't necessarily mean that Merced will be the world's fastest microprocessor out of the gate. RISC still has plenty of headroom, and EPIC will take time to gain speed. "I have a suspicion that a good out-of-order machine can do better with most applications than Merced," says Stan Head at Mips.

The current speed champ is the Alpha 21264, the first Alpha that executes out of order. It's twice as fast as the in-order Alpha 21164 at the same clock frequency. Digital says the 21264 will run at 1 GHz (1000 MHz) in the year 2000, shortly after Merced arrives. According to Digital's Aaron Bauch, the 1-GHz chip will score better than 100 on the SPECint95 integer benchmark and higher than 150 on the SPECfp95 FP benchmark. That's about twice the rumored

The Beast The Beast is Fierce, Powerful and Fast!



Disk Drive Housing
 2-3 1/2" horiz. hidden disk mount
 1-5 1/4" horiz. open disk mount
 2-3 1/2" horiz. open disk mount

8 expansion slots
 5 full length expansion slots
 3 half length expansion slots

- AGP VGA Card**
- Supports 1280 x 1024 panel advanced graphics
 - Full DVD player supports motion video capture port
 - SDRAM/SGRAM 4, 8 MB
 - Simultaneous display supported
 - Accelerated direct draw & direct video functions



Computex 1998, June 2-6, Taiwan, R.O.C. Booth#CJ114

Flexible - The system board can accommodate current CPUs such as Pentium, Pentium Pro and Pentium II.

Expandible - There are 8 expansion slots available. You can customize your Lunchbox to meet any need with 5 full-length and 3 half-length slots.

Configurable - The 5 drive bays allow many configurations of your hard drive, floppy disk, CD-DVD and Zip Drive.

Trimming Branches

BEFORE:


If the compiler translates the source code directly into machine code, the original branching structure remains.

Source program

```
instructions...
if (condition == true) {
    a = b;
    c = d;
}
else {
    a = d;
    c = b;
}
instructions...
```

AFTER:

A smart compiler optimizes the code by replacing the branch and move instructions with conditional moves (CMOVs).



integer performance of Merced and about three times its rumored FP performance. Moreover, Digital expects the 21264's die to be about half the size of Merced's on the same 0.18-micron CMOS process—despite the extra interlock circuitry Alpha needs to manage out-of-order execution.

How fast can Intel ramp up IA-64's performance? Intel plans to introduce a second IA-64 chip in 2001 that's about twice as fast as Merced. But it probably won't be until 2004, when a true second-generation IA-64 chip will likely appear, that we'll get a clearer picture of IA-64's genuine potential.

By then, CPUs could have 200 million

transistors—enough, perhaps, to settle the debate about which architecture makes the best use of those resources. If RISC suffers diminishing returns from dynamic scheduling while EPIC's performance scales on a more linear trajectory, the handwriting will be on the wall.

But don't forget the other key variable: compilers. "My biggest fear about IA-64 is that bad compilers may ruin its reputation," says David August, a researcher at the University of Illinois (Urbana-Champaign). His masters and doctoral theses explore ILP and compiler predication, and he belongs to the Illinois Microarchitecture Project utilizing Advanced Compiler Technology (IMPACT), a research team

that has spent years working on next-generation compilers.

"Retargeting an existing compiler is simply not going to work," warns August. "IA-64 compilers need a new infrastructure to do predication, speculation, and static scheduling/optimization correctly. The IMPACT group knows this as fact, and some companies, including Intel, are learning this from us or are using our technology. However, I know some companies don't know not to take the retarget approach. It has always worked in the past for them. This time it is going to be very, very different."

The VLIW veterans at Philips and TI agree. They've labored as long as 10 years on their highly tuned compilers. "Compiler design in some ways is even more complicated than machine design," notes Slavenburg.

It's a tough call. The technology behind EPIC wins accolades from experts, but it's not certain that Intel and HP can break it out of the labs and into the mainstream. History shows that stellar technology does not always mean commercial success. **B**

Tom R. Halfhill is a BYTE senior editor based in San Mateo, California. You can reach him at tom.halfhill@byte.com.

WHERE TO FIND

Advanced RISC Machines
Cambridge, U.K.
+44 1223 400400
<http://www.arm.com/>

Digital Semiconductor
Hudson, MA
510-490-4753
<http://www.digital.com/semiconductor/>

Equator Technologies Consulting
Portland, OR
503-225-0583

Hewlett-Packard
Palo Alto, CA
650-857-1501
<http://www.hp.com/>

IMPACT
University of Illinois
Urbana-Champaign, IL
<http://www.crhc.uiuc.edu/IMPACT/>

Intel
Santa Clara, CA
408-765-8080
<http://www.intel.com/>

Philips Semiconductor
Sunnyvale, CA
408-991-2000
<http://www.trimedia.philips.com/>

Silicon Graphics/Mips
Mountain View, CA
650-933-6477
<http://www.sgi.com/MIPS/>

Texas Instruments
Dallas, TX
800-477-8924 x4500
303-294-3734
<http://www.ti.com/sc/docs/dsp/dsphome.htm>

GET a GRIP on SCRIPTS

Choose scripting languages for dynamic and maintainable Web apps.
By Cameron Laird and Kathryn Soraiz

There are scripts in your future. And we don't mean Hollywood. As companies move to extend their presence on the Web, they are turning increasingly to scripting languages. They are a fast, inexpensive way to create dynamic Web applications that do everything from accepting input from a form to executing queries against a database to attaching to legacy Common Object Request Broker Architecture (CORBA) applications.

For Web applications, scripting languages offer a host of advantages over traditional third-generation languages (3GLs) such as C. They are easy to learn, discourage errors, are widely supported, and are safe. In this context, safe means reliable, inexpensive (if not free), maintainable, and viable.

Viable? We write that to emphasize the management-oriented concept that Rexx, Perl, Tcl (for Tool Command Language), Python, and the other technologies mentioned here are not dead ends. If you have an application written in one of these languages, it's certain you can hire programmers who are savvy in it, train your organization in its use, and find colleagues nearby who will talk shop about it.

In this article, we explain why you should be looking at scripting languages. We also examine several of the main ones so you know what your options are.

More Than Perl

For years, every major Web server has offered CGI capabilities. Over time, CGI has become virtually synonymous with Perl, the Practical Extraction Report Language of Larry Wall. Plenty of people believe that you must use Perl for CGI, though that's not true.

Many famous Internet sites such as Yahoo and Excite use Perl. It also keeps the current flowing at Wisconsin Electric Power, where information consultant Jim Esten says, "We've got a huge Perl-based project that controls the nuclear-fuel management process. The project consists of about 25 legacy FORTRAN codes glued together by Perl, and several stand-alone Perl CGI applications that handle fuel forecasting, financials, government-accountability reporting, and power-generation reporting—both in-house and for the Nuclear Regulatory Commission. The

project has been successful enough to market to other utilities."

But other scripting languages, including Tcl, Python, and Rexx, are around and offer some advantages over Perl. Prominent Tcl-powered sites include Travelocity, c|net, and MilliCent. For most sites, "Tcl is the glue between the Web and databases on the back end," explains Brent Welch, senior Web engineer at Scriptics. More than any other scripting language, Python is suitable for coding large, complex applications that are conventionally the province of C++ or Java. Sophisticated sites such as Four11, InfoSeek, and Musi-Cal are examples of Python's use. The IBM server for the Olympics relied on Rexx under AIX.

What Is Scripting?

The core notion of scripting is a simple one. Welch explains that scripting is all about "gluing": It's a way to "assemble a lot



of diverse components into a whole." The idea is that a job actually gets done by something outside the script. The script directs the action.

Scripts are generally concise. Scripting languages get to the point of a problem more concisely than do C or Java. Programmers can create solutions quickly and succinctly. The computer does more low-level work, and the developer concentrates on the business problem.

This is no surprise. Most scripting languages originated to solve particular problems more rapidly and safely than would have been possible with traditional development in C or other languages. For example, Wall wrote Perl to automate the production of reports on a conferencing system.

Among the responsibilities scripting

languages often shoulder is memory management. This is one bane of C development. C programmers who understand how to allocate and use memory correctly are rare. Most scripting languages eliminate entire classes of errors by automating memory management and related functions.

With more work done by the language and less by the programmer, scripting languages also typically hit performance boundaries before C-coded programs do. Does this disqualify them from serious use?

Not at all. It's true that equivalent programs might run twice as fast in C as they do in Perl. On the other hand, developing an equivalent correct program in a scripting language takes only a fraction of the time that it does in C.

There are technical solutions for most performance challenges. If CGI limits the speed of your operations, for example, you can move to a more sophisticated Web server. Mike Cowlshaw, the IBM Fellow who invented Rexx, describes the IBM GoServe server: "The Rexx interpreter is called directly on the same thread as the incoming TCP/IP request, giving significant (seven to 10 times) performance improvements over CGI." This is typical. Each scripting language is available in one or more high-performance Web servers.

The interpreter/compiler debate has merits on both sides. Interpreted scripting languages can run unchanged on any platform with an interpreter. Compiled languages must be compiled on each platform, and the compiled form of the script runs on only that platform. On the other hand, compiled scripts run far faster than interpreted scripts. If you're scripting for mass distribution, you probably want to stick with interpreted scripting languages. If you're writing for a single platform, it makes sense to compile the script and use that.

For applications that need to get up and running quickly, will change often, or need to glue together many existing components, scripting languages make a lot of sense. But for performance-intensive applications, they probably don't.

Structured HTML

Fortunately, on the Web, most applications you're likely to point a scripting language at aren't horribly performance-intensive. One common requirement for growing Web sites is to structure their HTML pages. It's a great advantage to be able to structure your HTML source to factor out common elements such as references to corporate logos, standard page layouts, and textual styles. This improves the consistency of your presentation, reduces errors during development, and slashes the cost of maintenance.

However, the means for such structuring are poorly standardized. By 1994, server-side includes (SSIs) had become popular. They generally look like this:

```
<HTML>
... [Content]
<!--#include file
"standard_logo_and_contact_info
.html" -->
</HTML>
```

SSIs might still be the technique in

Which Scripting Language?

More important than deciding which scripting language is simply choosing one. Any one. It costs only a small amount of time to download, install, and exercise a scripting language. Learning any scripting language has only a fraction of the overhead of working with C, C++, or Java.

Most scripting languages have roughly the same features, so "social" factors, such as colleague support, are paramount.

After those broad guidelines, the choices get more subtle. If your shop is painted blue, select Rexx, available for all of IBM's commercial OSes. Rexx has even kept up with IBM's strategic move toward Java. Many developers find it easier to work with Java objects through Rexx than through Java itself.

If you want the market leader, choose Perl. Perl dominates CGI programming and seems the choice for most Unix system administration tasks.

If you want a language that can also handle your cross-platform GUI-development and network management

needs—and more—try Tcl. It is easier for beginners than Perl, due to its interpretation and compilation models, its installation, and so on. Tcl is a favorite for international work, because it conforms to Unicode standards. Moreover, you might already be using Tcl. Many vendors, from router manufacturers to Standard Generalized Markup Language (SGML) vendor DynaBook, expose Tcl as a programmable interface to their products.

Planning for the long term? Try Python. Its inventor, Guido van Rossum, tells us the single best recommendation he hears is that, "Programmers who try Python end up being happiest with it." Python is clean, portable, ideal for team projects, as fast as Perl, as easy to learn as Tcl, and as capable for big projects as Java or C++.

Want to involve your graphics specialists in scripting? Look at MetaCard, which brings the easy-to-understand HyperCard model to Unix and Windows. (Tcl is also comprehensible to non-programmer graphics types.)

Do you script client-side

operations for a Web application? JavaScript is the safest choice here: It's most likely to be available in the browsers of your end users. But if you choose JavaScript, learn at least one other scripting language, too. As of this writing, JavaScript is available only for Web applications, and its portability on the server side is only partial.

Other languages—PHP, Forth, Guile, Frontier, and more—share characteristics with those mentioned. We recommend them only for special purposes. None has the market presence, portability, and functionality to make it a safe choice for now.

Among the technical aspects of the languages, perhaps the one that differentiates them most is the set of available extensions. Sriram Srinivasan, author of *Advanced Perl Programming*, has written, "Languages such as Perl have been highly successful because of the wide availability of third-party modules (libraries). When comparing languages, I consider the availability of libraries to be more important than pure language features."



JBUILDER 2.

DELIVERING ON THE PROMISE OF JAVA.

PURE JAVA DISTRIBUTED APPLICATION DEVELOPMENT.

JBUILDER™ 2 is the preferred development solution for leading companies such as NationsBank, Daiwa Securities, and MicroAge. These and other corporations are currently using JBuilder to deliver robust business applications, while building a bridge between disparate platforms and complex corporate databases.

JBUILDER 2 is the only Java™ development solution that delivers on the promise of Java. While other development tools use proprietary extensions, compromising the true platform benefits of Java, JBuilder generates applications that are **truly portable** by adhering to the Pure Java standard and by supporting JDK 1.1, JDK 1.2, JFC/Swing, Enterprise JavaBeans™, JDBC, RMI, and Servlets. Corporations benefit by being able to create applications once and then run them on all their computing platforms.

JBUILDER 2 Client/Server Suite comes with VisiBroker™ for Java, Borland's CORBA technology. Now applications can be **integrated in distributed computing environments** and cooperate with other applications whether written in Java or not.

JBUILDER 2 excels in productivity as well. It comes with over 200 JavaBean components with source code and visual tools for creating and managing JavaBeans. It facilitates drag-and-drop creation of database applications. It also has a DataStore for pure Java data caching and persistent storage of data, objects, and files. Developers will build **better Java applications in less time than ever before.**

Get to know JBuilder better. **Download a free self-running demo from our Web site at www.borland.com/jbuilder/demo2** to find out how JBuilder can mean increased productivity, competitive advantage, and improved profitability for your company.

On Time. On Budget. On JBuilder.



Borland®
www.borland.com

Meet the JBuilder experts at
the 1998 Borland Conference!

Register at www.borland.com/borcon98 today!
Enter HotBYTEs No. 105 at <http://www.byte.com/hotbytes/>

widest use. But now, it's easy to configure a Web application for a scripting language, any of which are more powerful than SSIs.

Welch has reengineered the Scriptics Web pages to exploit what he calls "inside-out scripting." In "hot spots," he exploits the power of a scripting language. The employees' HTML page includes templates for information about individuals:

```
[PersonP "John Ousterhout, CEO"
people/john.ousterhout]
John Ousterhout created Tcl
```

PersonP is a procedure in Tcl:

```
# PersonP - Person Paragraph
# name - Their name
# url - Optional, home page link
proc PersonP {name {url {}}} {
    set html "<p><b>"
    if {[string length $url]} {
        append html "<a
href=\"\$url\">$name</a>"
    } else {
```

```
    append html "$name"
}
append html "</b><br>"
return $html
}
```

Technical writers and graphics designers reuse commands such as PersonP to code sophisticated, consistent, and correct HTML pages, without worrying about the details of end tags and quoting conventions. Welch says, "I think that HTML/Tcl templates can replace most CGI applications."

Scriptics happens to serve up these pages from a SparcStation running a Tcl-coded HTTP server. But the same server runs under the MacOS, Windows, OpenVMS, and more. The same Tcl procedures will also run with any other standard HTTP server, through either CGI or Tcl-savvy extensions (for Apache, Microsoft's Internet Information Server [IIS], Netscape's Enterprise Server, and several more specialized ones).

There's more flexibility, too. Scriptics has its HTTP server interpret the Tcl in its Web pages on the fly. That can be slow. Scriptics could use another simple script to preprocess the source into expanded HTML stored on disk instead. In our consultancy, the approach we recommend depends on the circumstances.

Mission-Critical Scripts?

While scripting languages have the reputation of "toys" in some circles, working with them is at least as appropriate for professionals as reliance on leading software vendors. Most scripting languages have a history of a decade of responsive maintenance and development. Their speed, size, and incidence of faults compare favorably to systems programming languages. Expertise in scripting languages is available for hire.

All scripting languages include ways to connect to databases, file systems, Java libraries, network protocols, and other common technologies. All are quick to

Other Web Technologies

Tracking all the ways to make a Web site dynamic and well structured is a full-time job in itself. Here are a few alternatives to standard scripting languages:

Dynamic HTML (DHTML)

Hasn't stabilized yet. No guarantee that a browser will support it. Netscape and Microsoft are feuding about how it should work.

Proprietary Web Development Applications

Some are great. Macromedia's Dreamweaver is a powerful, polished tool for professionals. Silverstream Software's Web Applications Platform management tool can yield large gains for you. Gains come with risk. The time to determine whether the vendor's model of operations fits your organization may well outweigh the license fee. With proprietary applications, you have little recourse if you hit a dead end in portability or features. Scripting solutions are mostly portable across OSes, platforms, and two- or three-level architectures.

Scriptlets

This Microsoft technology works only with Internet Explorer 4, although Microsoft announced a server-side beta release earlier this year.

Servlets

Pluses of these server-side Java codings include support by a growing number of servers. Servlets will play a large part in the Web of the future. For now, we find the scripting languages more mature and easier to teach to beginners.

Server APIs

Netscape and Microsoft offer C bindings called Netscape Server API (NSAPI) and Internet Server API (ISAPI) for their respective Web servers. We've abandoned coding directly in C for them. There are interfaces between these APIs and scripting languages. Scripted solutions are so much more maintainable in a production environment that there is no reason to work in C.

Server Configurations

High-end commercial work involves credit-card processing, currency conversions, hardware coordination, and transaction security. Rather than program these facilities (again) ourselves, we are happy to buy them in commercial HTTP servers such as Microsoft Site Server, Netscape Enterprise Server, and WebSite Professional. But the most efficient way to customize their operation is with well-chosen scripting. Perl interfaces are available. Most support programming in Java-Script, Python, and Tcl. Sites such as InterShop, Amazon, Yahoo, Internet Movie Data Base, and even Microsoft rely on this kind of scripting.

SSIs

Server-side includes never standardized well, and it's cumbersome to interact with them. We've stopped recommending SSIs. Everything they do, scripting (or proprietary site development tools, or sometimes both) can do better.

Extensible Markup Language (XML)

Not yet ready for prime time. Still no ratified XML standard (as of this spring). Will be a big winner eventually, but any use now is experimental. Scripting languages may be the best way to use it. Perl plans an XML extension. Tcl seems to be in good shape, with Unicode built in. Steve Ball, author of *Web Tcl Complete*, has released a TclXML package that gives Tcl applications the ability to parse XML documents.

Scripting languages are more mature—and more proven—than the alternatives. When DHTML and the others become ready, scripting languages will be more teammates than competitors. Traditionally, each new release of a scripting language accommodates important new technologies such as XML or servlets.

Another benefit of scripting languages is their flexibility. You can use them in all sorts of architectures. You can use and reuse the code you write. Java is just approaching this mobility, and JavaScript and VBScript simply don't have it. With scripting languages, we can have it all.

Something Missing?

Complete your **BYTE** collection by ordering Back Issues today!

	1993	1994	1995	1996	1997	1998
January	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
February	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
March	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
April	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
May	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
June	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
July	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
August	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
September	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
October	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
November	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
December	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Rates (postage and handling included):

Holland **Df1 20.00**, Switzerland **SwFr 16.00**, United Kingdom **£ 7.75**, France **FFr 59.00**, Germany **DM 18.00**, Sweden **SEK 80.00** Only currencies mentioned above will be accepted. Other orders need to use credit card.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:



Back Issues,
c/o Dynamic Graphics International
P.O. Box 25, 3950 AA Maarn, The Netherlands

Check enclosed Charge: First Name
 MasterCard Eurocard American Express VISA Last Name
 Card # - - - Address
 Exp. Date - Address
 Name Postcode City
 Signature Country

Only credit cards or Eurochecks accepted! Please allow three weeks for delivery by surface mail.

A Division of The McGraw-Hill Companies 

install and learn. In fact, it will take most readers about the same time to download a scripting-language processor, install it, and learn enough to write a first small program, as it does to read this article.

The biggest adjustment to using a scripting language might be on the business end. Bundling of scripting-language products and services differs from conventional software. There are fewer shrink-wrapped packages. The usual path is to download—for free—a processor for a particular platform, and contract for support and training from the independent suppliers for each language. There are variations on this theme:

- MetaCard licenses its scripting language of the same name on the model of Visual Basic or Delphi.
- Several vendors sell Rexx versions (IBM's is Object Rexx) for a variety of platforms, including mainframes.
- Perl programmers and documentation are so widely available that companies see no need to contract Perl support.


Shooting from the Script

The most crucial choice is the first one: to use some scripting language. Their different technical capabilities are almost secondary to their compatibility with the local computing culture. Choose at least one that's accepted institutionally.

Tcl is an interpreted scripting language that was developed by John Ousterhout at UC-Berkeley. (Ousterhout later

worked for Sun, and Sun created its Sun-Script division to market Tcl-based products.) Developers use Tcl to develop

graphical interfaces. It's also popular for writing CGI scripts. Originating in the Unix world, Tcl is available for many other



In the Script

Language	Advantages	Disadvantages	Source for information
JavaScript	Standard in modern browsers	Does not work outside Web applications	http://developer.netscape.com/one/javascript
MetaCard	Easy for nonprogrammers to learn	Very small customer base	http://www.metacard.com
Perl	Widely used and dominant in CGI; specialized extensions are available	GUI, Windows, Mac OS maintenance given less attention	http://www.perl.org
Python	A clean, portable, maintainable language	Base of Python expertise still small	http://www.python.org
Rexx	Available for and well integrated with all IBM OSes, including mainframes	Impoverished library of facilities compared to Perl, Python, and Tcl	http://www.rexla.org
Tcl	Simple syntax, easily learned, extensible	Clumsy for simple arithmetic and some other common operations	http://www.tclconsortium.org
VBScript	Resembles Visual Basic	Single source; useful only with Microsoft Web products	http://www.microsoft.com/scripting/vbscript/default.htm

Note: Be careful with the .com sites. We found some to be error-ridden, at least in comparison to the volunteer work at .org sites.

RELIABLE OVERLAND DLT™ AUTOMATION

Backup and restore your peace of mind.

Relax. It's Overland. Our full line of DLT tape solutions is designed to make your job easier and more productive. Emphasis on reliability. Industry-leading warranties. Commitment to high performance. Compatibility with all leading backup software. Focus on the right price. Scalability to make your investment last. That is what customers around the world have come to expect from us. And there's more to come. The seven major industry awards for excellence that we have won are just the beginning.



The LXS MiniLibrary™ is cost effective DLT automation for workgroup to enterprise data storage. Recommended for systems with 50 GB to 350 GB of data. Available in either desktop or rackmount. Starting at \$10,495.



The DLT LibraryXpress™ offers true scalability. It grows as you grow, offering more capacity and performance options than any other library. For systems from 50 GB to 3,000 GB. Starting at \$13,995.



The New LoaderXpress™ provides DLT automation - at a cost comparable to a stand-alone drive. And a 5- or 10- cartridge magazine allows for up to two months of unattended backup. For systems from 15 GB to 100 GB. Starting at \$4,995.



Relax. It's Overland.

www.overlanddata.com
1-800-729-8725 or 619-571-5555

Worldwide 619-571-5555 Europe (+44)118-9891891

DLT is a trademark of Quantum. All others are trademarks of Overland.

Enter HotBYTES No. 113 at <http://www.byte.com/hotbytes/>

platforms, including Macs and PCs.

You can use Tcl with ordinary languages such as C and C++. You compile the application with Tcl functions and the Tcl interpreter. The result can then talk to both Tcl scripts and the executable program. Thus, Tcl is one language that can glue pieces of programs together. Tcl acts as the interface between the various components.

Tcl is extensible: You can write commands. Tk is a valuable extension that greatly simplifies constructing GUIs.

One drawback of standard Tcl has been that it lacks code module structures—

except procedures. This can make maintaining large scripts more laborious.

Thousands of users download free Tcl from SunScript each week. Sun also sells SpecTCL, for creating GUIs to Java and Tcl applications. (When visiting Tcl sites on the Web, don't be surprised to see feather symbols. Tcl is pronounced "tickle.")

Perl is also an extensible language, but many judge it more difficult than Tcl (if you like *awk* and *sed*, you'll love Perl). However, that hasn't stopped freeware Perl from becoming the lingua franca of CGI scripts. Perl 5 includes object-oriented

support and references (for making aliases for variables and constants, and simplifying the creation of arrays).

Perl is popular for handling system administrator tasks. Developers often tap its Unix legacy of string functions (e.g., filtering, sorting, and matching) for string-related tasks on Web servers (this is ironic; Perl started in 1987, well before the Web). A pointer to PerlInterpreter lets you execute embedded Perl scripts from C. You can also extend Perl with C code.

Being free does wonders to increase the number of language users. Perl benefits from this with many free tools and archives full of usable code. Check Comprehensive Perl Archiving Network (CPAN) Web sites (starting from <http://www.perl.com>, a useful Perl directory).


Python is another freeware scripting language. (Yes, its creator, Guido van Rossum, did name it after *Monty Python*.) Interpreter platforms include the Mac OS, OS/2, Windows, and various Unix types. One peculiarity is that statement indentation creates blocks: A block starts where a new level of indentation starts and ends where previous indentation resumes. It does use *if*, *while*, and *for* structures.

Python is adept at manipulating strings and has special list-handling functions. Developers find Python useful for string handling, administration, GUIs, and other general purposes. Free utilities are available on the Web, such as debuggers and profilers. Object-oriented Python is probably more suitable for larger projects than, say, Tcl. It's easier to read and understand than Perl. You can extend Python, as with other languages.

Scripts in Action

Scripting languages have many appealing features. We particularly like that they encourage "incrementalism." You can achieve positive results with even small amounts of effort. This encourages developers to learn more, accomplish more, and so on. You can start the same process yourself: Pick a scripting language, install it, and see how easily you can create reliable, maintainable Web solutions. **E**

Cameron Laird (claird@NeoSoft.com) and Kathryn Soraiz manage Network Engineered Solutions, a software consultancy near Houston. For updates and amplifications to scripting languages, visit http://starbase.neosoft.com/~claird/comp.lang.misc/web_scripting.html.



With EtherLite™— the Terminal Server Alternative.

Central Data's *EtherLite* Port Servers deliver super-fast RAS performance, hassle-free! *EtherLite*'s streamlined design strips away complex network overhead. The result: network-based, but locally administered COM ports that are really fast—up to 230K baud.

EtherLite Port Servers are ideal for all your remote access, point-of-sale, and fax server applications. Several models are available that support 2 to 32 ports, 10 to 100 Megabit Ethernet, and NT & UNIX.

Turbo-charge your serial communications with *EtherLite* from Central Data. Call 1-800-482-0316 today.

**Central
Data**

1-800-482-0316
www.cd.com
info@cd.com
217-359-8010
fax 217-359-6904

Designed for

Microsoft®
Windows NT®

Copyright © 1997 Central Data Corporation. All rights reserved. EtherLite is a registered trademark of Central Data Corp. UNIX is a registered trademark in the U.S. and other countries, licensed exclusively through X/Open Company, Ltd. Windows NT is a registered trademark of Microsoft Corporation.

E-Business

T E C H N O L O G Y



Tailoring your site to each customer's preferences will pay off.

THE WEB GETS PERSONAL

PAGE 96H

GSM'S SHORT MESSAGE SERVICE

Telecom Finland uses SMS to give its customers bank account information, stock prices, and more.

PAGE 96E

WIRELESS ELECTRONIC FUNDS TRANSFER

Businesses establish new mobile-based retail distribution channels.

PAGE 96E

SMARTCARDS ENHANCE MOBILE E-COMMERCE

Turn your GSM phone into a network computer.

PAGE 96D

From the Editors of

BYTE



46 million hits. Even Pete Sampras couldn't cope with that. But the website for Roland Garros 97 did. Designed by IBM, the site was conceived using scalable technology to anticipate massive traffic peaks.

FACT

The cost of processing a traditional airline ticket is about \$8. The cost of processing an e-ticket is only \$1.




With a projected 175 million people connected to the Web by 2001, customers will need travel no further than across their living room to purchase all kinds of goods and services. This year, 55 million potential customers already can. (Source: IDC/LINK)



SAFETY IN CYBERSPACE

Finally, a security standard for Internet transactions you can bank on. **SET™ (Secure Electronic Transaction)** is the standard for payment card transactions on the Internet. Developed in cooperation with VISA and MasterCard, SET is a watertight protocol using digital certificates to authenticate every party involved in every transaction. The customer's credit card details are encrypted and enclosed in a secure digital "envelope" which can only be opened by the issuing credit company.



Think you could handle 50 million unexpected customers? In the world of e-business, forecasting demand is trickier than ever. But with scalable solutions from IBM, your website can be ready for just about anything. Especially success.

Commerce doesn't wo

As an e-business, your company enjoys global reach with all that implies concerning access to new markets. Customers everywhere love the convenience. In particular, all those potential customers who are pregnant, live in Greenland, and have an insatiable craving for one of your products.



E-business is the future of commerce.

It's happening now. Businesses of every description are becoming e-businesses.

Electronic businesses. Using the Internet to find new customers, doing business in new and better ways.

Tens of thousands of businesses are adding www addresses to their regular addresses. But what does this change?

It depends. An information-only website will hardly set your sales figures on fire. The serious players are already selling stuff over the Internet. Clearly, e-business is taking off. IBM's role is to help businesses do it profitably.

PC Week predicts business-to-business e-commerce will grow from \$8 billion last year to over \$327 billion by 2002. The most

to link 4,000 retailers and share marketing information.

Travel is the Web's biggest business sector, accounting for 50% of all business on the Net. The industry generated \$1 billion in revenue last year through 80,000 websites.

But the profit motive is drawing all sectors towards e-business solutions; on-line commerce generally offers 4% higher margins. Consider this: an Internet order costs 66% less to process than a phone order, and a website can make sales 24 hours a day. Arguably, you could bring prices down while pushing service standards up. And still make more money.

IBM is helping thousands of businesses to become e-businesses. Here are just three:

ork as well without

obvious opportunity is on-line consumer shopping. To get there means setting up your e-business to handle electronic credit card transactions. Safely.

That's why IBM, working in collaboration with VISA and MasterCard, helped establish the SET™ (Secure Electronic Transaction) standard for Internet bank card security. It's also why IBM developed Net.Commerce as the world's first merchant server based on SET 1.0.

Net.Commerce allows you to sell directly off your website, showcase your product line, even tailor presentation for specific customer segments. It can also gather information from every order to form the basis of marketing statistics. The distributor of Shimano bicycle components in Italy, MIC, uses Net.Commerce

Case Study #1: French wholesaler Supervox is servicing trade customers on the Web. This "electronic catalogue" is expected to generate annual turnover of \$8 million.

Case Study #2: We helped the Swiss Railways build one of the first on-line rail ticket sales services. Customers can book and safely pay for tickets from anywhere.

Case Study #3: We helped merchants from the Principality of Monaco create a cybermall, offering an exclusive range of luxury goods to a worldwide market.

Open: www.ibm.com/e-business

For more e-business case studies, facts and solutions relevant to e-commerce in your industry and country, visit our website often.

The future of your business starts here.



e-business



Solutions for a small planet

A new breed of Global System for Mobile Communications (GSM) Subscriber Identity Module (SIM) smartcards can run software independently and use a mobile telephone's user interface and communications resources. The result: Your mobile phone essentially becomes a network computer.

A number of trials are already under way to test services based on the integration of GSM and smartcards. For example, the Moments project, funded by the European Union and directed by Nokia, is delivering content from Reuters and other providers. The project involves 100 users from three major mobile-phone-network operators—

E-Plus (Germany), Omnitel Pronto (Italy), and Orange (U.K.).

Key issues in this trial involve data compression, optimization of TCP/IP for the inherently narrow cellular user channels, presentation of content, and electronic-payment techniques. The project, which uses a multiapplication smartcard from Gemplus that runs the SIM and electronic-cash applications, will also look at how mobile electronic commerce can benefit from the higher mobile-transmission rates for the third-generation mobile systems known as Universal Mobile Telecommunications Systems (UMTSes).

Similarly, a project being run by CyberMark, Florida State University,


Gemplus, Motorola, and Powertel (West Point, GA) lets 50 students at Florida State University's Tallahassee campus use Motorola's StarTAC digital mobile phone for a whole range of cashless services. These students can also use their cards to make purchases at vending machines and to operate washers, dryers, copiers, and fax machines. "The smartcard inside the phone is actually the student's identification card, which also acts as a stored-value card that contains cash as a substitute for real currency," explains Jennifer Friedland, marketing director at Powertel.

More applications are on the way. Recently introduced 16K smartcards, such as Schlumberger's Activa card,

New Smartcards Enhance Mobile

SHOP ANYWHERE, BANK ANYWHERE

Combine a smartcard with the power of the Internet, the connectivity of a mobile GSM phone, and the flexibility of a Windows CE-based PDA, and you have all the necessary ingredients for the successful implementation of mobile electronic commerce. The integration of GSM and smartcards makes it possible to deliver e-commerce capabilities directly into the hands of customers—anywhere, anytime—via wireless technology. Mobile-phone subscribers can receive content anywhere in the GSM coverage area and pay for it using electronic cash loaded onto a smartcard in their GSM handset. Fascinating new applications are just starting to appear.



offer more memory, which opens the door to having a basic GSM ID application and two or three additional programs on one card. Future applications will be developed in Java, which offers the security and on-line orientation needed to efficiently use the smartcards' limited computing resources.

With over 150 million mobile phone users anticipated around the world by the year 2000, mobile telephony is expected to offer a strong foundation for the further development of mobile e-commerce applications. In a recent report, the U.S. Commerce Department said that the worldwide e-commerce market should reach \$300 billion by 2002. —Peter Hofland

Wireless Electronic Funds Transfer

With the growing number of credit-card users around the world, the use of Electronic Funds Transfer at Point of Sale (EFTPoS) systems, which allow retailers to guarantee the clearing of funds from a customer's account into a merchant's account, has exploded.

Traditionally, EFTPoS terminals have relied on a connection to a fixed telephone line, which disqualifies them for use by taxi drivers, pizza deliverers, couriers, and others who rely on their mobility to do business. To solve this problem, Akyman Financial Services (Brighton, Australia) has developed its M-PoS solution, which mixes traditional EFTPoS functionality with GSM connectivity. The AFS-800 hand-held terminal for wireless PoS applications offers an on-line credit/debit card, as well as payment-authorization functions, invoice printing, and mobile paging for person-to-person or smartcard-to-computer links.

The smartcard inside the terminal holds the user's GSM information, plus security codes required for the unlocking and processing of card payments. The AFS-800 can be upgraded with new security keys using Over the Air Programming, which turns it into a flexible billing system.

Akyman's M-PoS solution and other, similar products, such as Schlumberger's Electronic Commerce Unit, are expected to play a major role in the uptake of mobile electronic commerce. "The M-PoS solution establishes relationships among businesses, financial institutions, and GSM network operators, with obvious benefits to all parties involved," says Michale Branagh, director at London-based Digital Commerce International, the distributor of M-PoS in Europe. "It allows businesses

to establish new mobile-based retail-distribution channels, helps banks capture merchants' banking business—generating income from transaction-processing fees, card commissions, and



The AFS-800 wireless terminal.

money markets—and helps a GSM or mobile-telephone-network operator grow their business. That's a lot of whizbang technology to use to pay for your pizza." —P. H.


Get the Message

Many Swedish Postgirot Bank customers use their GSM handset to access their bank account. Now users of Telecom Finland Mobile's cellular service can even purchase goods via a wireless on-line service and be charged on their monthly telephone bill.

The key to both of these services is SMS, the GSM network's Short Message Service. "[Using] SMS and the appropriate SIM card allows our customers to do business wherever they are," says Robert Leonardi, Postgirot Bank's business-development manager.

With the Telecom Finland SMS service, a customer calls a special phone number to obtain specific information, such as his or her latest bank-account data, stock prices, or the balance of a loyalty-point scheme. The customer then receives an SMS message containing the desired information. When a user wants to make a purchase, he or she receives confirmation via SMS and is billed later. —P. H.

E-Commerce





More and more home Internet users are discovering the convenience of e-business. A US survey by Computer Intelligence showed that 18% had already used the Net for financial services (home banking, stock trading), 14% for consumer services (like travel or flowers), 12% to buy consumer electronics (PCs, software, audio/video equipment).




FACT

e-business is a great way to find customers, but how do customers find you? A recent survey showed 39% of people who bought goods or services via the Web clicked on Web ads prior to purchase. (Source: Find/SVP)



FACT

How ambitious are your ambitions? A prototype IBM S/390 Enterprise Server handled 136 million hits in a single day. This may well be the volume of traffic that e-business websites have to handle in the future.



Okay, so your company based in Weston-Super-Mare doesn't intend opening an outlet in Wyoming, but that doesn't mean you can't have customers there. In the world of e-business, a company can differentiate itself by offering better service. Who knows? You could start a virtual stampede.

Customer service doesn't

Dashing from one customer to another is a tragic waste of your sales force's time, energy and shoelace. Many customer needs can be met more efficiently via an interactive self-service zone on your website. This frees up your reps for the vital face-to-face stuff and gives you happier customers all round.



E-business is the future of customer service.

It's gathering momentum every day. e-business. Electronic business.

For companies, it means using the Internet to do business in new, better ways.

Good customer service is essential to success. (The number one reason for losing customers is poor service.) Arguably if you serve customers more efficiently you can increase revenues. The breakthrough opportunity for improving contacts with customers today is the Internet. Not to replace the human touch, but to add value (like the convenience of a 24 hour website).

e-business is here to stay and IBM is ready.

With IBM customized solutions, you could provide personalised service for

Rhône-Poulenc Rorer, is building a unique relationship with pollen allergy sufferers by providing a personalised pollen warning service. Their website, designed by IBM, allows people to enter details like individual thresholds. On high risk days they receive a warning e-mail. Medication taken in time can usually prevent an allergic reaction.

As an e-business, your website becomes a key point of contact with customers. Be warned: if you expect 4 million customers and 8 million turn up, your site can slow to a crawl. Worse, thousands could fail to enter.

Unless your server has scalability - the ability to expand capacity - built into it. Not all servers have it. All IBM servers do.

Case Study #1: Belgian insurer SMAP maintains policy info on-line using IBM's

work as well without

millions of customers. Instead of having customers phone your company, hold for ages, then wait for an operator to access your database, you can give them direct access to their personal account via the Web.

It saves them time; it saves you money. Clearly, e-business is a win-win proposition.

Your website can include a menu of services for each customer to choose from, thus creating a "just-for-me" website. You can also link up a dataminer like IBM's Intelligent Miner. By spotting patterns in a customer's behaviour you can see what they like, so you can personalise offers, volunteer useful information and market items of potential interest. No other direct marketing medium can do all this as cost-effectively.

e-business makes life better for customers.

A pharmaceutical company in Denmark,

DB2 and Net.Data. Now its 1.6 million policy holders can access their policy details any time, freeing staff for important work.

Case Study #2: Sweden's biggest mail order company, Ellos, is expanding revenues from existing customers with 24 hour shopping. The catalogue site runs on Net.Commerce.

Case Study #3: One of the UK's leading detergents, Persil, and European sister brands are using the Web to build an interactive relationship with consumers in 14 countries. IBM developed the lively website and CD-Rom which give handy clothing care tips.

At your service: www.ibm.com/e-business

For more e-business case studies, facts and solutions relevant to customer service in your industry and country, visit our website often.

The future of your business starts here.



e-business



Solutions for a small planet

THE WEB GETS PERSONAL

Knowing who your Internet customer is, and what his or her preferences are, pays big dividends.

By Mike Hurwicz

Companies using the Internet to conduct business are reducing costs, increasing efficiency, shortening production cycles, and raising direct-to-consumer sales. At the same time, the Internet is frequently inefficient, as users search and browse to find what they want, often wandering into byways and dead ends along the way. Even when they get to the site they're looking for, potential customers may encounter a sea of information that drowns out what they had hoped to find.

Although companies may brag about the number of hits their sites get, they can't take those hits to the bank. Amazon.com, the pioneer on-line bookseller widely used as the poster child for e-commerce, lost \$27.6 million in 1997 (even while reporting nearly \$148 million in gross revenues for fiscal 1997, an 838 percent increase over fiscal 1996).

Of course, most new companies lose money for a number of years because of the costs of starting and growing a business. And most Web-based ventures are very new.

Lost in Cyberspace

But many Web sites are counterproductive: A rich, complex, full-featured site that's selling a variety of products often overwhelms and confuses the potential buyer who is interested in just one product—the one that will address his or her particular current need.

PHOTO ILLUSTRATIONS: BILL WESTHEIMER © 1998

Today's e-commerce sites often resemble malls where all the stores are open but there are no sales people and no information desks, just maps, brochures, and long aisles of products. This is often not an efficient way for people to find the products, services, or information they need.

It's probably not an accident that one of the most successful high-tech vendors on the Web, Cisco Systems (doing 50 percent of its business over the Web—\$10 million a day, the company says), has implemented automated sales agents that help customers configure network equipment. For Cisco, personalization may have meant the difference between success and great success. For other companies, it may mean the difference between success and failure.

Getting to Know You

Today, the basis of most personalization is the customer profile. An application, such as an e-commerce server, profiles each user and then, when a particular user logs in or attempts to perform some action, reacts differently based on the profile.

Applications can profile users in any number of ways. Some of the most common ones are:

- The user explicitly provides information by filling out a registration form or survey, or by making a menu choice. This is the usual way of getting basic information such as name and geographic location. Generally, it has to be used sparingly. Most people have a low tolerance for filling out forms.

- The application records the user's actions and builds a profile based on this history. At the simplest level, a site that sells both CDs and books may note that a particular user never goes into the book section, only the CD section. That person gets profiled as a music lover, as opposed to a book lover. To get further information about the person's interests, the application may monitor the site's search engine, record the search criteria, and note which of the results the user pursued.

- The system makes inferences based

on time of day or day of the week. Someone who uses the site only on weekends is more likely to be logging on from home than from work.

- The site visitor's domain name tells the application who the user works for, that the person is associated with a university or government agency, or that the user is likely to be a business or professional user. For instance, johndoe@syr.edu is associated with Syracuse University in New York state.

- The application employs third-party data about the user. For instance, a national white pages listing provides the user's address and phone number, based on the user's name and city.

- The application uses statistical means to draw inferences about the user. For example, an on-line bookstore knows from previous buying patterns that readers who buy author A are also likely to buy author B. The application defines a community of customers who buy either author A or author B (or both) and makes membership in that community part of a user's profile.

A profile may be a record in a database. In addition, the application may implement context-based personalization, based on the user's current activity. For instance, it may treat you differently if you're browsing a history of past support incidents than if you're registering a new support incident.

Using the profile, the application may:

- Simply play back some data that the user entered, such as his first name ("Welcome, Frank!").

- Use the information to calculate discounts or trigger special offers.

- Make a suggestion. For instance, it may attempt to up-sell ("Perhaps you'd rather buy this?") or cross-sell ("Maybe you'd like to buy this, too?").

- Ask a question. (After the user purchases an automobile: "Do you already have automobile insurance?")

- Give the user relevant information. ("The equipment you are asking about is not compatible with the equipment you bought three months ago.")

- Display an appropriate ad (e.g., for

a weekend trip to Florida if it is winter and the customer lives in a state with a cold climate).

- Implement collaborative filtering, an automatic mechanism for creating communities of people who prefer similar content. For instance, using Catalog Navigator personalization software from Firefly Network, bookseller Barnes & Noble is implementing collaborative filtering on its Web site, building communities of people who are interested in the same types of books.

- Put the user in touch with a customer service representative or salesperson. A smooth transition from automated to personal interaction can be made using products like Interact Express and Interact Service, from Business Evolution (Princeton, NJ). These products offer real-time communication in pop-up windows, so the user doesn't have to make a

Cisco's site allows the user to create a valid configuration for a router.

phone call (without Interact, someone who has only one phone line would have to log off the Web to place an order).

Key Technologies

Database technology is basic to many personalization strategies. Not only profiles, but also content, such as Web pages and graphics, can be stored as database records. Thus, relational database technology can provide a standard means of relating profile characteristics to content.

Object technology offers a paradigm based on classes of objects. An e-commerce system might define objects such as customers, communities of customers, Web pages, and products. Each object is

THE WEB GETS PERSONAL

associated with both attributes and actions. A customer object could have attributes such as name, e-mail address, and various preferences. Actions could include logging on to a site, making a purchase, making an inquiry, viewing a Web page, or receiving an offer. Support for actions often makes personalization more straightforward. With a database-oriented approach, if all responses must be triggered by changes in the database, you might need to create a "logged in" field, which the Web server would change when a customer logs in, so that an action could be triggered at log-in time. With object technology, the Web server can trigger the action directly by interfacing with the object, without going through the unnecessary step of changing the database to reflect the login.

Dynamic Web pages are created on the fly in response to user actions and choices, taking into account the user's profile (as opposed to static Web pages, created once and never changed).

Business rules describe the way a business works. In the context of automated personalization, business rules typically describe how an employee would behave if the employee were performing the auto-

mated function. ("If the customer is associated with an educational institution, offer a 30 percent discount.")

An *inference engine*, or rules engine, is a software module whose purpose is to solve problems using facts ("A university professor is an educator") and rules ("Offer educators a 30 percent discount"). Facts and rules are contained in a knowledge base or rules base. Inference engines and knowledge bases were first created for expert systems, also called artificial intelligence systems. They are typically designed to seek out and acquire knowledge. Inference engines can work with information that is incomplete or appears incomplete. This is not usually the case with conventional transaction processing or database systems.

A *cookie* is a small piece of data used to identify a particular user, either during a single session or across multiple sessions.

Push technologies send the user information that the user has not specifically requested. E-mail is the most popular push technology.

Let's Get Personal

A wide variety of tools are available to personalize a Web site. Web servers or com-

merce servers may include features that can be used to implement personalization. For instance, the "personalization and membership" features in Microsoft's Site Server include:

The *Membership Directory*, which can contain both persistent profile information and dynamic information pertaining only to the current session.

The *Rule Manager*, which is used to create and manage rules to personalize Web pages and e-mail messages. Simple rules, such as greeting a user by name when he logs on, can be implemented by modifying a template (in this case, adding the "user name" attribute). Web authors can also create sets of condition tests, content retrieval parameters, and output specifications.

Thanks to the Rule Manager, the Web server can do things like present a special offer only to "premier" members within the U.S., a different offer to "premier" members outside the U.S., and still another offer to nonpremier members. Personalization can also vary with date or time, and rules for a given section of the site can be combined into rule sets and organized by priority.

NEURON DATA GOES TO COLLEGE

Oklahoma City Community College is implementing an integrated system to handle student, human resources, and financial information. Administrators, faculty, staff, and students will use the Web to access the functions they need from anywhere in the world.

The rules capability of the system, called ZeoLogix (which uses Neuron Data's Elements Advisor as a back-end rules engine), will allow it to fulfill some of the functions of an academic or financial advisor for students. For example, the system will help each student develop a personalized learning plan, based on the job they're seeking or the college they want to transfer to. The student can plan a semester at a time or make a two-year plan. The system helps students fill out schedules, taking into account personal information such as the student's work hours. Integrating financial aid information into the system will allow it to determine if a particular course will be paid for by

financial assistance.

The college spent much of 1997 reengineering its processes to use the new system more efficiently. For instance, many of the mundane administrative tasks that previously took up a faculty member's, advisor's, or financial counselor's time will now be performed by computer.

"The system will allow advisors to spend more quality time with students," says Barbara Vrana, chief information officer for the college. "Rather than spending their time determining whether a particular course transfers to such and such university, they can spend it talking through job



Barbara Vrana, CIO of Oklahoma City Community College

possibilities and making recommendations for elective courses."

PHOTOGRAPH: DAN BRYANT © 1998

The *Direct Mailer*, which sends personalized e-mail based on the user's on-line behavior and profile.

The *Push Server* gathers content from sources such as file directories, commerce databases, "knowledge briefs" created by the Knowledge Manager (see below), the Index Server catalog, and the Search Server catalog. The Push Server places this content into a "channel," which is then routed to users who have requested that channel.

The *Knowledge Manager* leverages the infrastructure provided by the Search, Personalization and Membership, and Push servers. It can search, browse by category, and subscribe to topics of interest from the Push Server. (These features are all new in Site Server 3.0, which went into beta in January and was scheduled for release in the first half of 1998. Pricing was not available at press time.)


PublishingXpert, part of Netscape's CommerceXpert family of products, is designed for selling information on the Internet. It is being used by the *New York Times* and the GartnerGroup. During the registration procedures, customers supply PublishingXpert with demographic information, typically consisting of a list of their preferences. The result is a user profile and a list of preferences and interests. With version 2.0, this information can be used to target e-mail to the customer or to dynamically create a home page that contains choices representing the customer's interests.

PublishingXpert 2.2 will bundle a one-to-one marketing module and an ad server. This brings, first, a sophisticated advertising function, including scheduling, billing, and targeting ads to particular users, and second, the ability for both ads and content to present related material to the user. Version 2.2 supports up-selling, cross-selling, or simply presenting related topics that the user did not explicitly mention. More sophisticated business rules can be integrated into the system using JavaScript.

IBM's Net.Commerce software does not currently contain any personalization features, but it does contain a Product Advisor module with sophisticated search functions that can help a user find desired content quickly. For example, you can do a parametric search, which allows you to

hunt for a product based on certain features. A site developer using Net.Commerce can set things up so that the user is able to get side-by-side comparisons of products, or create a "tree" of questions

Qforms application. Atypica's program makes it easy for organizations to develop complex forms-based applications for the Web. Qforms, which can run on Microsoft's Internet Information Server



This "shopping cart" application is being developed with Progress Software's WebSpeed Workshop tool.

that leads to particular products based on the user's answers.

More personalization is coming for Product Advisor. It will be able to support "sales agent" functions such as up-selling and cross-selling, says Darko Hrelac, program director of electronic commerce architecture. IBM is also considering rules-based functionality. No time frame has been announced for these capabilities, but they will probably be available before the end of the year.

Generally, prioritized rule sets like Site Server's are most appropriate to fairly simple, straightforward types of inferencing and personalization. The most manageable rule sets are small, perhaps four or five rules. Beyond that, it can get difficult to test all the possible outcomes, given various user profiles (or different date or time characteristics, if those are used).

Progress with WebSpeed

Atypica (Bedford, MA), a software developer specializing in database-oriented Web applications, used Progress Software's WebSpeed (a Web-oriented rapid application development tool) to build its

(IIS), Netscape's Enterprise Server, or O'Reilly's Web Server, includes a number of personalization features:

Multiple levels of cookies. You could set up a system whereby a user who registers at cookie level 1, which just requires typing in a name and password, could participate in discussion groups. A user at cookie level 2, which requires credit card information, could make purchases. And a user at cookie level 3, which requires membership in a professional organization, gets special discounts.

Weighted responses on forms. If several questions on one or more forms relate to credit-worthiness, for example, the application can add up the weights of those questions to determine an overall credit-worthiness score for the user. This could become part of the user's profile in the database.

Prioritized sets of rules can be employed to redirect a user to another Web page. For instance, if 1) the user accesses a technical support page, and 2) the database does not show a currently open technical support incident for the user, and 3)



What price remote access?

The IBM Network Station is a tiny black box that looks great beside a superthin IBM monitor. And it's cheap to buy.

But what's making it the darling of network managers and finance directors alike is the astonishing cost of ownership figures - up to 70% savings in the medium to long term.



FACT

The same IBM RS/6000 server technology that gets people working together now gets planets working together. NASA put RS/6000 technology on board the Pathfinder mission to Mars. Having travelled 500 million km at up to 120,000 km/h and withstanding temperatures between zero and minus 55°C, it sent back images of the red planet that astonished our blue one.

Year 2000 21%

Publishing 27%

Order mgt 39%

Teamworking 40%

Commerce 44%

Customer service 47%

Inventory mgt 53%

Database access 68%

An intranet makes good business sense. Here's what companies got back on their investment over the first year.
(Source: Meta Group)



With IBM e-business solutions, you can work long distance yet still be an intimate part of the team. Using Lotus Domino, a sales rep armed with a Thinkpad can access your company's most up-to-date information, pricing and stock availability before it becomes ancient history.

Working together doesn't

With an extranet, you can link work teams from different companies to collaborate on a single project. The result is greatly improved communication, streamlined decision-making and drastically reduced cycle times. (Note: IBM recommends the use of a mouse rather than a lizard.)



E-business is the future of working together.

You keep hearing about it and you wonder if it could apply to your business.

e-business. Electronic business. Using the Internet to work together in new better ways.

The key issue involves getting people working together better; to increase productivity, reduce cycle times, improve speed to market, and to spend less getting things done. (A recent study showed most companies run at only a fifth of their capacity.)

But what does it take to make a business five times more efficient?

IBM is helping make e-business work.

Thousands of businesses are consulting IBM to achieve better collaboration. You're no doubt familiar with how useful e-mail

up-to-the-minute information had a 68% ROI. Meaning: the more "collaboration rich" your website, the better the payoff. The second advanced level of collaboration, the most benefit-rich, is an extranet. This links the key players involved in your everyday business processes to achieve total collaboration both within your organization and beyond; vendors, suppliers, business partners, customers. Everyone is connected.

Using an IBM collaborative solution, the Dayco Corporation reduced the number of manufacturing processes from 48 to 25.

Case Study #1: Gabetti, Italy's foremost property broker, uses an IBM intranet/Internet solution to forge a competitive edge. Property details are updated centrally and shared

work as well without

is in connecting people for faster, fluid communication, but it only scratches the surface. IBM can help you move to the next two levels of collaboration to reap even greater benefits. The first level is an intranet. This private network creates an informal collaborative environment. It allows people to exchange sophisticated documents (with video, sound and photos) as well as share expertise or opinions anywhere in the world. Easily, seamlessly.

Lotus Domino is a shrewd choice of intranet environment because it's a platform that goes across other platforms.

A recent study by the Meta Group showed that corporate intranets had an average Return-On-Investment of 38%. Pretty good. But the study found that intranets which gave access to dynamic

across a nation-wide network. Customers have Web access to a 24 hour property catalogue.

Case Study #2: Coloplast, a leading Danish health care product manufacturer, is planning a secure zone for its website as a global forum for new product development. IBM based the site on Lotus Domino.

Case Study #3: Castrol International, as a sponsor of Formula One racing, distributes high quality action photos to the world's press direct from trackside - via the Web. The solution built by Agora, an IBM business partner, uses Lotus with Domino and Notes.

Join us: www.ibm.com/e-business

For more e-business case studies, facts and solutions relevant to collaboration in your industry and country, visit our website often.

The future of your business starts here.



e-business™



Solutions for a small planet

the user is from XYZ Corporation, then display the Web page for opening a new incident for XYZ Corporation. Knowing the user and the company, the form can be simplified, or defaults can be provided in some fields, such as "company name," to save the user time.

A Sophisticated Advisor

What if you wanted more sophisticated inferencing and business rules capabilities in a WebSpeed application such as Qforms, or for a Site Server-based application? One way of going about it would be to use Neuron Data's Elements Advisor, a business rules platform that operates as an independent component in an enterprise application architecture. Elements Advisor includes a visual rules development environment, a rules engine (which can be deployed as a server, as a client, or with an Internet application such as an HTML page), and a rules base. Neuron Data is a well-established AI vendor bringing its technolo-

gy to bear on applications such as customer service, electronic commerce, financial services, and intranet applications (including benefits selection, purchase requisitioning, vendor management, and contract management).

Elements Advisor, including the rules engine, is written entirely in Java. Elements Advisor 2.0, released in February, includes enhanced capabilities for integrating objects, including Distributed Component Object Model (DCOM), ActiveX, Java, and CORBA objects, as well as objects that conform to Neuron Data's proprietary object model. This allows programmers to hook their applications up to messaging middleware and distributed application services based on these object models. To take advantage of Elements Advisor, you have to be working in a Java development environment, such as Microsoft's Visual J++, Symantec's Café, or IBM's Visual Age for Java. Pricing starts at \$995 per user for the development environment and \$15,000 for a server deployment configuration.

Though the rules base is designed to be maintained by a nonprogrammer, Elements Advisor is a high-end tool for professional Java developers. While its Java orientation is probably a long-term strength, it might be a short-term liability, says Steve McClure, an analyst with International Data Corporation (IDC, Framingham, MA). "Java products are not mature or robust. It's too soon to have enterprise class products in the Java space. It won't be that much longer. Another year and they'll be there."

Meanwhile, Neuron Data announced in February that it will partner with Microsoft to integrate Elements Advisor and other Neuron Data products into Microsoft's Visual Studio and Microsoft's Express Platform. This will allow developers to use Visual Basic, VBScript, and Visual Studio to incorporate Elements Advisor into their programs.

The Old Soft(ware) Sell

Brightware's ART*Enterprise is an application development tool for putting rules-based inferencing behind enterprise applications such as e-mail. ART*Enterprise Web does the same for Web sites. ART*Enterprise assumes a C++ programming environment. The Brightware

in-bound marketing agent, on the other hand, is off-the-shelf software that can be installed, configured, and managed entirely by nonprogrammers.

The Brightware Inbound Marketing Agent's most visible strength is its natural language interface. However, behind the scenes, it has a sophisticated inference engine, comparable to Neuron Data's. Combining its natural language and inferencing skills, Brightware engages the Web user in an interactive dialog that simultaneously answers questions and qualifies the user as a potential customer.

Today, with Brightware 1.0, the dialog takes place via e-mail, which means there is a lag while the messages traverse the Internet. With Brightware 2.0 (for which no release date has been announced), the dialog will be interactive in real time.

Brightware is a high-end application, targeted at the Fortune 1000. CountryWide, the nation's largest mortgage banker, generating \$6.9 billion in new loans each month, is using Brightware on its e-commerce site. Through the site, the company will make around \$33 million worth of loans per month in its first year, according to Cameron King, executive vice president for electronic commerce. Brightware will help customers determine what kind of loan they need and qualify for—a complex and highly personalized process that varies both with changes in the loan market and with the credit-worthiness and needs of the customer. The application was scheduled to go live in April, after about three and a half months of installation and configuration work, mainly devoted to building the knowledge base.

Early experience suggests that Brightware will improve the efficiency of account execs 25 to 30 percent, says King, because they don't have to answer as many questions and they'll be working with better-qualified leads. Brightware 1.0 starts at about \$190,000, or \$250,000 with the vendor's consulting integration services. That price does not include the e-mail system or the commerce server with which Brightware interacts.

BroadVision's One-to-One

Although Brightware intends to create other agents in the future, for now its software is limited to sales applications.

MINING WEB DATA

The next big step in selling more products over the Web and finding new Internet customers is data mining. Data mining lets you draw conclusions about your products, services, and customers after reviewing large collections of information over an extended period of time. It's a great idea, but we're not aware of anyone who's doing it. It's possible that some companies are doing it and not talking about it, of course.

"Data mining is a deep dark secret weapon used for competitive advantage," says Mike Blundin, director of product marketing for Datasage (Redding, MA), a small developer specializing in scalable enterprise data mining solutions. However, Blundin also says that, while organizations are coming to his company for help in applying data mining to e-commerce and other Web-based applications, no customers have gone on-line yet. Most organizations have got their hands full just trying to mine more traditional data sources within the corporation, without turning their attention to the new flood of intelligence coming into corporate Web sites.

BroadVision's One-to-One, on the other hand, supports three areas of application: commerce (i.e., sales), finance (banking, mortgage loans, mutual funds, insurance policies), and knowledge management (publishing complex information on-line). BroadVision is based not on an inference engine but on "intelligent matching agents," designed to match users with content based on profiles. One-to-One performs various types of personalization, including:

Rules-based matching, based on user profiles or communities ("If the user is a *Wall Street Journal* reader, then display the Baron's ad");

Context-based matching ("If the user is on the sports page, display the sports equipment ad");

Category-based matching, in which content producers classify their content based on certain attributes, users rate their preferences in terms of the same attributes, and a BroadVision agent steers users to appropriate content;

Feedback and learning, in which the application updates the user's profile based on the user's actions, either in real time or as a result of off-line feedback or data mining;

Community rating, in which users are surveyed and the results used to recommend popular content.


U.S. West Communications used One-to-One to create its Interconnect Application System, which allows other telecommunications companies to purchase U.S. West local exchange services at wholesale prices, directly over the Web, in order to resell those services to their own customers. The application, which runs on a Sun server along with an Oracle database, ties together 30 mainframe databases and serves thousands of resellers. Both the tariffs and the regulations governing the sale and resale of local exchange services are extremely complex, hence the need for such high-end technology.

The base BroadVision product starts at \$60,000. Each specific application costs an additional \$30,000. A typical configuration might cost \$200,000. Some high-end installations have gone into the millions of dollars for a full turnkey application, including commerce and database services (but not e-mail).

Internationalization

Customization to accommodate users in different countries has not progressed quickly, largely because the U.S. dominates

er area where an e-commerce site could apply knowledge about the user's location. In some cases, the buyer needs to know about taxes at the seller's location. In other cases, it may be the seller's re-



A customer's question is classified electronically, then answered or routed according to company policy.

so heavily in the e-commerce arena. Europe, for instance, is 18 to 24 months behind the U.S. in e-commerce implementations, says Patrick King, Neuron Data's sales and operations director for northern Europe. The U.S. accounted for 75 percent of the worldwide commerce server market as of Q3 1997, according to a report from Ovum, a London-based consulting and market research firm.

One obvious opportunity for international customization is displaying text in the user's language, or providing on-demand translation. In France, for instance, availability of French translations is mandated for all advertisements by the 1994 Tourbon law.

Currency conversion is a much more straightforward, but nevertheless extremely useful, function. Even sites that provide currency conversion do so in a limited and nondynamic way today. That is, they include only a couple of currencies, and numbers are not automatically updated as rates of exchange move.


Time zone conversion would be another useful function, particularly for travel and reservations. Local taxes are another

responsibility to impose taxes applicable at the buyer's location.

One of the problems with personalization is that there is no one product or company that can handle all forms of personalization. "Customers want it all in one solution," says BroadVision's Berry. He sees some consolidation coming in the personalization market, through mergers and acquisitions.

Personalization works best when you already have a good knowledge of your user base. In general, the richer your customer profiles, the better the inferences you can make. For instance, The-ProShop.com, an on-line golf store created with WebSpeed, has been running for more than two years. However, the company has only recently built up the customer base, and knowledge about that customer base. Now the e-store can do things like recommend a golf club based on the customer's brand preferences, height, and weight. **B**

Mike Hurwicz, a freelance writer, is a frequent contributor to BYTE. He can be reached at mhurwicz@attmail.com.



Get ahead of the competition.
Get into e-business now.



www.ibm.com/e-business



e-business




Solutions for a small planet

Winning isn't everything. Fifteen years ago, the emerging relational database management systems (RDBMSes) were fighting to establish themselves as legitimate alternatives to entrenched database products, such as IBM's IMS and Cullinet's IDMS, which were based on the then-popular hierarchical and network/CODASYL (Conference on Data Systems Languages) data models. Enterprise RDBMS vendors, including IBM (with DB2), Informix, Oracle, and Sybase, ultimately won the battle for the on-line transaction processing (OLTP) systems market. But now they face new challenges that are no less daunting: Avoiding being relegated to low-margin "commodity" status by Wall Street and delivering ever-increasing functionality and ease of use to end users.

Consider the diverse list of features that customers expect enterprise RDBMSes to offer:

- Their original OLTP mission—providing the high availability and fault tolerance that enterprises need for their mission-critical 24x7 OLTP systems, such as order entry and supply-chain management.
- Advanced hardware and more parallelization.
- Thin-client support.
- Data delivery to Web application servers (supporting potentially tens of thousands of concurrent connections) and Web-site content management.
- A variety of replication architectures.
- Ease of installation and management.



Enterprise Databases

BATTLE ON

PART I

Enterprise databases have a daunting to-do list. How will they cope with new demands?
By Karen Watterson

- Robust participation in electronic commerce.
- Data warehouses, very large databases (VLDBs), and data-mining operations.
- Enterprise performance on Windows NT.
- On-line analytical processing (OLAP) or its relational counterpart, ROLAP.
- Object-oriented functionality as "universal" servers.
- Support for special extended data types.
- More openness in general—interoperation with major systems; network, transaction, and component management software; ODBC/JDBC drivers; repositories; distributed object models, such as the Distributed Component Object Model (DCOM) and Common Object Request Broker Architecture (CORBA); and server-side Java.

As if that weren't enough, users expect enterprise-database vendors to participate in various standards efforts; develop training materials and certification procedures; work with partners, developers, and the distribution channel; provide on-site consultants to important customers and independent software vendors (ISVs); offer migration services from competitors' RDBMSes; maintain a special TPC (Transaction Processing Performance Council, San Jose, CA) benchmark team to crank out some good numbers to post at <http://www.tpc.org>; and sponsor at least one major users-group conference annually.

Is it realistic to expect any one product to do it all well? Has the market for RDBMSes actually become saturated? The answer to both questions is the same: Probably not.

First of all, there's a basic difference between the needs of OLTP and those of OLAP or other decision support. You typically optimize OLTP systems to handle many concurrent data-entry connections, where short transac-

Enterprise Database Wish List

	Oracle	IBM	Sybase	Informix	Microsoft
RDBMS	Oracle8	DB2 UDB	Adaptive Server Enterprise	Informix Universal Server	SQL Server 7.0 (Q398)
Multiplatform	Yes	Yes	Yes	Yes	Intel and Alpha only
Parallel edition	Oracle Parallel Server	DB2 UDB Enterprise Edition Extended	Sybase MPP	Extended Parallel option	
Object support	Cartridges	Extenders	Specialty data stores	Universal Data option	Access via OLE DB
Lean version for mobile computing	Oracle Lite		Adaptive Server Anywhere		
Data-warehousing support	Oracle8	IBM Visual Warehouse	Adaptive Server IQ and QuickStart DataMart	Advanced Decision-Support option	SQL Server 7.0 and its Data Transformation Services
OLAP	Oracle Express	DB2 OLAP Server		MetaCube ROLAP option	Unnamed at press time
Data-mining support		Intelligent Miner, IBM Decision Edge, IBM Business Discovery Series			
Text-mining support	Oracle ConText	Intelligent Miner for Text	Verity search engine (included with Adaptive Server Enterprise)	Text DataBlades (available from Excalibur and Verity)	Microsoft Index Server
Replication	Built-in	Built-in	Replication Server	Built-in	Built-in
TP monitor		TX Series			Microsoft Transaction Server
Message queuing		IBM MQSeries	dbQ		Microsoft Message Queue Server (included with Windows NT 4.0 Server)
Component broker	Object Transaction Server (beta Q398)	IBM Component Broker	Jaguar CTS		DCOM and Microsoft repository
E-commerce	Oracle Internet Commerce Server	IBM net.commerce	Build using PowerSite or PowerDynamo	Build using Web Internet option	Microsoft Site Server
Developer tools	Developer/2000 and Designer/2000	VisualAge family	PowerBuilder, PowerDesigner, and PowerStudio	Informix Data Director	Visual Studio family
Java	SQLJ	VisualAge for Java	PowerJ Enterprise, jConnect for JDBC	Informix Data Director for Java	Visual J++
Other	Oracle Applications product line (accounting)	Small army of IBM Global Services personnel	Only ISO 9001-compliant vendor		1 million+ Access owners can upgrade to Win 9x version of SQL Server 7.0

tions corresponding to database inserts are the norm. High-end OLTP systems run telecommunications and banking systems, stock markets, and airline reservation systems—systems where high availability is a must. IBM's mainframe-based hierarchical IMS is still a leader in this market.

On the other hand, OLAP systems must be optimized for the ad hoc queries associated with decision-support systems (DSSes). About the only predictable things about DSS queries is that they typically require complex joins and can take minutes or hours rather than fractions of seconds to complete. NCR's high-end Tera-data systems, which are optimized for decision support, run many of the world's largest data warehouses.

IBM

RDBMS vendors are now recognizing that they can't do everything, and they're beginning to concentrate on areas that leverage their strengths. IBM seems to be staking out the e-business and business intelligence (BI) markets for its DB2 Uni-

versal Database (UDB) database servers, which run on anything from NT servers to massively parallel processing (MPP) SP2s. (You can also run UDB stand-alone under Windows 95, but there has been no announcement from IBM about a "lean" version to support mobile computing.)

Given IBM's reputation and strong presence in international IT consulting—its 110,000-person IBM Global Services unit alone generated 1997 revenues of approximately \$26 billion—it's not surprising that Oracle CEO Larry Ellison said in an interview (*Upside*, November 1997) that "we really don't have any strong competition from a technology standpoint other than [from] IBM."

IBM, like Oracle and Sybase, has moved aggressively into the Java arena, and observers widely perceive it as offering the most comprehensive support for "extended" object/relational data types (see the text box "Third-Party Help" on page 99). Similarly, IBM has established an early lead in the nascent data-mining portion of the exploding BI market.

Oracle

Like IBM, Oracle derives a substantial portion of its revenues from consulting and services, but, unlike IBM, it's primarily a software company. Although it started as a "pure" database company (Oracle first shipped in 1979), its offerings now include e-business products; "packaged" applications that compete with SAP, Baan, and PeopleSoft; developer tools; and many industry-specific vertical applications. Oracle generated \$6 billion in revenue in 1997.

Along with its focus on applications built on Oracle's database servers, the company has a stated mission in the network-computer, or lean-client, market. Its new line of small-footprint Oracle Lite products for PDAs (about 150 KB of RAM) and Windows CE platforms (250 to 700 KB of RAM) debuts this summer. Although Oracle Lite is new, rather than a subset of the current data server, the \$195 product will share data with server-based Oracle databases, including those that are extended with data cartridges. Never known

for making its products easy to manage, Oracle has made great strides in "humanizing" Oracle Enterprise Manager.

Sybase

Sybase CEO Mitch Kertzman says that his company is focusing on mobile computing, Internet applications, and data warehousing. Sybase has three main product groups: the Adaptive Server family, Powersoft-division tools, and data-access and movement tools. Sybase's 1997 revenue was \$900 million.

Sybase led early on in the mobile-computing race with its Adaptive Server Anywhere (originally known as Watcom SQL). Adaptive Server Anywhere currently offers complete compatibility with the more scalable Adaptive Server Enterprise (formerly known as Sybase SQL Server, first shipped in 1987), but it's slimming down to run on Windows CE.

Adaptive Server IQ rounds out Sybase's database family and is the foundation of the company's data-warehouse strategy. Sybase's Powersoft division, which originally consisted of the popular PowerBuilder client/server application-development tool, has become decidedly more Java- and Internet-focused with PowerSite, jConnect for JDBC, and Jaguar CTS (Component Transaction Server). Sybase, unlike IBM, Oracle, and Informix, lacks an OLAP product.

Informix

Earlier this year, Sybase's Kertzman observed that Informix was effectively "the only company left that's a database company," the rest being more diversified. That's changing, however, as Informix is capitalizing on object technology (acquired from Illustra) and beginning to compete aggressively in the Web-content-management arena (with Visual Basic-oriented Informix Data Director, from CenterView, in Java and Web versions).

Informix's chairman, Robert Finocchio, has stated that the company will focus on

the high end in three key areas: high-performance OLTP, Web-content management, and data warehousing. Although Informix, like all the vendors mentioned here, has an NT version of Informix Universal Server, the company doesn't seem that interested in the low end. This makes sense, since Microsoft seems destined to dominate that market.

Microsoft

When Microsoft ships SQL Server 7.0 this summer, the database market is going to explode, especially the low end. Not only will SQL Server finally be available on Windows 9x platforms—which will

Third-Party Help

In addition to IBM's own DB2 UDB extenders for text, audio, video, and images, third-party extenders include:

- Optical storage management (Consistency Point Technologies)
- Add-on SQL functions (The Fillmore Group)
- Complex data RAD environment (Formida Software)

- Multimedia application authoring (Innovus)
- Advanced data extraction (IsoQuest)
- Name and address (OG Software)
- DES encryption (Prime Factors)
- Field-level security (Protegrity)
- Time-series analysis (EcoWin)
- Currency (i.e., money) (OANDA)
- Spatial extenders: MapInfo; ESRI's SDE spatial tool; and ESRI and IBM's joint work on a spatial extender, which IBM will probably offer.

entice many Microsoft Access users to upgrade—it will also offer what promises to be a powerful, easy-to-use, NT-based OLAP server. (But, as the table on page 98 shows, SQL Server lacks high-end parallel server support.)

Everyone expects SQL Server 7.0 to slowly move up the database food chain into the enterprise, despite its lack of a Unix version. Nevertheless, it has come a long way since its origin as a PC version of Sybase SQL Server. Expect to see it deployed across the board in OLTP, data-warehousing, OLAP, and e-commerce applications. Where it seems weak is in the object/relational market, in its use of "extended" data from OLE DB, and in its confusing array of data-access APIs.

systems, it's not surprising to see IBM staking out that turf.

No major market player is likely to entirely ignore customer demands. What will distinguish these players is not just how well the pieces of their products work together but how well they scale. "Reliability, scalability, and availability" used to be the mantra for enterprise OLTP DBMSes. Today, users are likely to adapt that mantra to reflect their own needs.

Wall Street is probably right: You are most likely already running major applications on Oracle, DB2, Sybase, or Informix. However, that doesn't mean you won't be purchasing another vendor's products.

Today's economy is data-driven and populated by knowledge workers. That's good for database vendors. In addition to the obvious arenas for databases, IT should consider harnessing database technology to serve knowledge management and avoid data-related lawsuits. **B**

Karen Watterson is a San Diego-based writer and consultant specializing in database design and data warehousing. You can reach her at karen_watterson@msn.com.

WHERE TO FIND

IBM Corp.
Armonk, NY
800-426-3333
914-765-1900
<http://www.ibm.com>

Informix Software, Inc.
Menlo Park, CA
800-331-1763
650-926-6300
<http://www.informix.com>

Microsoft Corp.
Redmond, WA
800-426-9400
425-882-8080
<http://www.microsoft.com>

Oracle Corp.
Redwood Shores, CA
800-633-0596
650-506-7000
<http://www.oracle.com>

Progress Software Corp.
Bedford, MA
800-477-6473
781-280-4000
<http://www.progress.com>

Sybase, Inc.
Emeryville, CA
800-879-2273
510-922-3500
<http://www.sybase.com>

Enterprise Databases: PART II

Relations with Your Data

We wring out four enterprise-level RDBMSes, and the results bear out the marketplace trend.

By Barry Nance

Relational databases—they're powerful, versatile, and reliable, and most automated business applications depend on them. But RDBMSes can also be inconsistent, cranky, demanding, irritating, inscrutable, and downright painful. RDBMSes—you can't live with them, and you can't live without them. If you're happy with yours right now, thank your lucky stars. If not, and you're thinking of making a switch, maybe this Lab Report can help you.

For this review, BYTE asked five major RDBMS vendors to supply their flagship product. Four chose to participate, though some with surprising restrictions. (See the text box "Don't Ask, Don't Tell" on page 104.) We report fully on IBM's DB2 Universal Database 5.0 Enterprise Edition and Sybase's Adaptive Server Enterprise (ASE) 11.5. We also evaluate Microsoft's SQL Server Enterprise 6.5 and Oracle7 Server Database 7.3 (in this case, the company failed to send us the latest release, 8.0), but we're prohibited from publishing a performance evaluation of them. Informix first agreed to participate and then changed its mind.

We tested each of the four RDBMSes on a fast Ethernet LAN consisting of two Windows NT Server 4.0 machines and 25 clients. The servers were a Gateway 2000 NS-8000 with two 333-MHz Pentium II processors, 512 MB of RAM, and three 9-GB RAID level 5 drives; and a Gateway 2000 NS-7000 333-MHz single-processor machine. The clients were a mixture of OS/2 Warp, Windows 95, Macintosh, and Windows NT Workstation PCs. During the tests, we turned off all NT's nonessen-

tial services on each database server.

Our database criteria were simple yet comprehensive. In our tests, we looked for scalability across a range of platforms, support for a variety of clients, reliability, capacity, speed, programmability, ease of administration, and security. We also examined the tools that each vendor ships with its database, including those for replication, schema manipulation, and temporarily off-line remote clients.

Using any of these vendors' supplied

BYTE	BEST
R D B M S E S	
Oracle7 7.3	
This package scores with a robust, quick database engine, good scalability across many platforms, and good management tools.	

query tools to issue SQL statements was a poorly documented, painful experience. Oracle's tool, SQLPlus, offered to let us use a semicolon, slash, or period to delimit commands and statements. However, it demanded one delimiter for a block of SQL statements and a different delimiter for a PL/SQL stored procedure. The parser within SQLPlus also revealed its shortcomings by requiring a blank line between a comment line and a SQL statement. The fundamentally similar query tools from Sybase and Microsoft were easier to work with, but IBM's tool, Script Center, was much more limiting and difficult.

Within the limits of our test-lab capabilities—which provide a good simula-

tion of a departmental installation, but not an enterprise situation—one clear winner emerged: Oracle7 7.3.


Oracle7 Server Database 7.3

Oracle scales well across more server platforms—92—than any other RDBMS. It handles sizable work loads, offers good security, has excellent third-party support, and connects with a variety of clients via ODBC, Java Database Connectivity (JDBC), or Oracle's own SQLNet protocol layer. Oracle wasn't the fastest database we tested, but it performed with alacrity. Oracle's tools proved useful, but they were not quite in the same league as Sybase's.

Oracle's strength is its pervasive platform support, which makes choosing an appropriate amount of database horsepower an easy job. In addition, because many transaction-processing (TP) monitor middleware products (e.g., BEA Systems' Tuxedo, IBM TXSeries, and Sybase Jaguar CTS) work well with Oracle, a growing application can scale up through the simple addition of more database and application servers. Oracle detects, and can take advantage of, multiple-CPU environments.

Like DB2, Oracle locked individual rows of our database rather than whole pages (i.e., collections of rows). The finer degree of concurrency control at the row level is especially helpful in high-volume situations in which page locking would tend to block database access for users merely wanting access to an adjacent entry (see the Tech Focus box "It's My Data; No, It's Mine" on page 102).


In an effort to improve the processing




ASE 11.5's query tool, SQL Advantage, features separate windows for queries and results. Sybase Central provides tree-view administration of ASE databases.

Oracle's query tool, SQLPlus, enables you to perform table alteration via Schema Manager and assign disk space to table spaces with Storage Manager.

SQL Server's query tool, ISQL, features separate tabs for Query, Results, and Statistics I/O. Microsoft's SQL Enterprise Manager, like Sybase's administrative tool, offers a tree view of database devices, databases, and users.



From DB2's Control Center, you launch Command Center, the graphical Explain utility, and other administrative tools.



All four of these enterprise RDBMSes provide extensive support for queries and administration, but each takes a slightly different tack.

of SQL statements, Oracle uses an optimizer to predigest SQL. As long as statistics exist in the database's data dictionary for at least one of the tables referenced by a SQL statement, the optimizer employs cost-based algorithms to consider the available access paths and then determines the most efficient execution plan for that access.

Oracle offers support for dynamic SQL and, for embedded SQL, a form of static SQL. However, unlike with DB2, there's no separate "bind" step for the program-

mer to perform during development.

Oracle supports replication onto other Oracle databases and DB2/MVS mainframe databases. Across multiple Oracle servers, we had several options for data replication. Oracle provided "strict" data replication through two-phase commit (or unsynchronized table snapshots) as well as loose, time-delayed replication from a primary database site. We could also specify optimistic replication, which allowed any one database site to update without waiting for other sites to catch up.

Adaptive Server Enterprise 11.5


ASE 11.5, from Sybase, is a multiplatform database manager that is more versatile and manageable than the other products we reviewed. The company ships three flavors: ASE, for mixed on-line TP/decision-support-system (OLTP/DSS) work-load environments; AS IQ, for data warehousing; and AS Anywhere, for workgroup, mobile, and embedded environments. We focused on ASE for mixed work loads.

LAB RATING RESULTS

BEST OVERALL

Oracle7 7.3

A robust database engine and good management tools show why this package is still the market leader.



	PRICE PER SERVER	PRICE PER FIVE USERS	TECHNOLOGY	IMPLEMENTATION	FEATURES	PERFORMANCE	OVERALL
Oracle7 7.3	Contact vendor	\$1475	★★★	★★★★	★★★	★★★★	★★★★
Adaptive Server 11.5	\$995	\$3595 (eight users)	★★★★	★★★	★★★	★★★	★★★
DB2 Universal DB 5.0	\$999	\$995	★★★	★★★	★★★★	★★★	★★★
SQL Server 6.5	\$849	\$1399	★★★	★★★	★★	★★★★	★★★
★★★★ Outstanding	★★★★ Very Good	★★★ Good	★★ Fair	★ Poor			

In the past, up through Sybase SQL Server 4.9.2, the Microsoft and Sybase database products were nearly identical. But the two companies have long since gone their separate ways, and while their data-

base products still share a similar architecture, only a few cosmetic similarities remain.

While all four database products allowed us to tune their behavior and per-

formance, ASE's Logical Memory Manager (LMM) and Logical Process Manager (LPM) provided the greatest latitude in configuring the database engine. We used the LMM to explicitly name and allocate segments of memory to database objects, and then we adjusted the I/O block sizes for each named cache with values from 2 to 16 KB. Using the LPM, we assigned CPU resources to individual database users and to groups. This detailed control over the granting of database-resource usage let us set higher priorities for OLTP tasks while we allotted fewer resources to reports and long-running queries.

To further prevent low-priority, resource-hogging queries from hindering our OLTP tasks, we used ASE's Resource Governor. It monitored long-running queries and, using resource limits that we specified, throttled the database engine's response rate for those queries. At the same time, ASE's asynchronous prefetch kept those queries from starving by issuing multiple asynchronous concurrent physical reads, each having a memory buffer of 16 KB in which to work. Query performance thus improved because query tasks had to wait less time for read operations to complete.

Not all users have permanent connections to the database. The SQL Remote component of ASE 11.5, intended typically for salespeople on the road, replicates a portion of the database onto a notebook computer at the start of the workday and then reverses direction late in the day to replicate database updates from the notebook back to the central database. During the day, while off-line, people up-

TECH FOCUS

LOCKING

It's My Data; No, It's Mine

When two users try to update the same record in a database at the same time, there's a potential problem. Each user gets a copy of the record and makes his or her changes, and the last person to write the updated record wins—that is, the first update is overwritten and lost. To prevent this, when a user asks to update a record, the RDBMS locks up part of the database, preventing anyone else from having write access until the first user is finished and the update is written. But how much or how little can the RDBMS lock up?

A page-level lock ties up one page of a table, which affects all rows residing on that page. Row locks, in contrast, affect only individual rows. RDBMSes with large page sizes, tables with a few small columns, or a combination of both conditions makes page-level locking especially restrictive.

Oracle7 and DB2 allow row-level locking. SQL Server and Adaptive Server do not, although SQL Server supports row-level locking just for insert operations. One way to reduce the effect of page-level locking is to distribute the database content randomly throughout the tables, a feature that Ingres (not reviewed here) supports but that SQL Server and Adaptive Server lack. Clustering data to avoid contention requires a deep, detailed understanding of the database's contents.

The way in which an application handles transaction isolation with a page-oriented database is important, too. ANSI defines four levels of isolation. "Read uncommitted" allows the reading of rows with pending changes. "Read committed" prevents such reads. "Repeatable reads" supplies the same values for a row to an application no matter how many times the application accesses the row, but it prevents others from updating that row until the first application finishes its transaction. "Serializable" allows database modification by multiple applications only if the result is the same as if the applications executed serially.

If the number of page-level locks increases beyond a certain threshold in SQL Server, the database software escalates the lock to the table level, thus temporarily giving ownership of the entire table to a single user. Designing applications to keep the duration of transactions extremely short and closing any open cursors before displaying the contents of the database for update purposes are two measures that help reduce page-locking problems considerably. An application that opens a cursor, fetches only the first few rows for presentation, and leaves the cursor open for later fetching of other rows can cause considerable problems in the typical page-locked environment.

date their private copy of the database. In contrast to Oracle's Mobile Agents, SQL Remote includes a conflict-resolution feature to help you deal with the situations that can arise when the application of deferred transactions would cause database anomalies.

Sybase also includes sophisticated tools with its database. PowerDynamo enabled us to quickly and easily create dynamic Web page content from the database, while SQL Modeler gave us a graphical database-design workshop. SQL Modeler is an offshoot of the Sybase PowerDesigner product, which was called S-Designor before Sybase acquired it. We used SQL Modeler to reverse-engineer the database, make some changes, generate scripts to implement those changes, and then document the database.

DB2 Universal Database 5.0 Enterprise Edition

We found that IBM's DB2 scales well, runs quickly, is easy to administer, and adapts painlessly to Web-site use. For 24-hour, seven-day uptime, the DB2 database engine is high quality and reliable. While Command Center (DB2's graphical query tool) and other utilities gave us some trouble, the engine itself performed admirably.

Because it runs on AIX, HP-UX, NT, OS/400, OS/2, and Solaris, DB2 scales across quite a range; as with Adaptive Server, you can run DB2 on a variety of computers, from notebooks through clustered environments and massively parallel processors. However, Oracle scales that same

	Adaptive Server 11.5	DB2 Universal DB 5.0	Oracle7 7.3	SQL Server 6.5
Price per user	\$450	\$199	\$295 	\$280
PLATFORMS				
Windows NT	✓	✓	✓	✓
OS/2		✓	✓	
Solaris	✓	✓	✓	
AIX	✓	✓	✓	
DEC Unix	✓		✓	
HP-UX	✓	✓	✓	
NetWare			✓	
CLIENTS				
Windows 95	✓	✓	✓	✓
OS/2	✓	✓	✓	
Windows NT	✓	✓	✓	✓
Macintosh	✓	✓	✓	
Solaris	✓	✓	✓	
AIX	✓	✓	✓	
HP-UX	✓	✓	✓	
GENERAL				
Memory (MB)	16	16	16	16
SMP support	✓	✓	✓	✓
Row locking		✓	✓	
Graphical modeling tool	✓			
Mobile user support	✓			
Java in stored procedures		✓		
Maximum ODBC threads	30	Configurable	30	48
Static SQL		✓	✓	
Transactions per second (untuned)	8	10	*	*

 = BYTE Best ✓ = yes * Microsoft's and Oracle's license agreements prohibit our disclosing these results.

range even more finely.

A central toolbox, called the Control Center, holds DB2's graphical database-management aids for administering, configuring, and tuning DB2. From the Control Center, you can manage and run

scripts, monitor for database alerts, and make database changes, such as resizing a table space. Control Center and the other graphical tools are an order of magnitude better than the old command-line interface (which is still available for those who want to use it), but these new graphical tools too often show their lack of maturity. They failed for us several times by executing illegal instructions or accessing un-owned memory.

Command Center, the graphical query tool for running scripts interactively or from a file you've prepared, choked on the 180-KB SQL script file for constructing our benchmark database. It then informed us that "the maximum number of 30,000 bytes has been reached." In addition, DB2 accepts only up to eight characters for user ID and up to 18 characters for table names and other identifiers. The "administrator" user couldn't log on to DB2, and the foreign key-constraint name "FK_COVER-AGE_REF_CUSTOMER" was illegal.

On the other hand, IBM's wizardlike graphical SmartGuides were a pleasure to use. We used the Performance Configuration SmartGuide, for example, to dis-

The Next Sequel to SQL Server

We looked at the beta 2 version of SQL Server 7.0 to determine whether upgrading from version 6.5 is likely to be worthwhile. Our answer: a qualified yes, although we'll revisit this question in late 1998 or early 1999, when version 7.0 is closer to its production release.

This beta has a number of improvements that look promising. SQL Server won't require manual intervention to resize databases; instead, it will grow the databases automatically in 64-KB chunks. The internal page size is larger, increasing the maximum size of a field or row to 8 KB from its former 2 KB. SQL Enterprise Manager will become

a Microsoft Management Console (MMC) plug-in, usable either directly on the database server or remotely via a Web browser. Version 7.0 also sports much-needed row-level locking.

Unfortunately, you'll pay a price for these big changes—the complete conversion of your databases—because version 7.0 won't work with or administer version 6.5 databases. A Version Update Wizard will help you make the switch. Microsoft estimates that a disk-to-disk conversion of 50 GB of data will take about 12 hours. A tape-based conversion will take considerably longer, and the Update Wizard will be useful only if you can afford to have your database off-line during the conversion. Organizations needing 24-hour, seven-day database availability will have to plan and execute their conversions carefully indeed.

cover the extent to which we could tune and configure DB2's behavior. Through experimentation, we found that DB2 is a chameleon; in one configuration, it performed like a data warehouse, yet in another it responded like a dedicated OLTP environment. The SmartGuide let us review a summary of proposed changes and then either execute the changes or save them to a script for later processing.

DB2's SQL compiler is highly tunable. Administrators and developers can choose from nine levels of optimization, resulting in performance that's specially tailored to the SQL emitted by a query tool or the SQL produced by an application program. This version of DB2 continues to distinguish between static and dynamic SQL, and clients can connect via a native calling interface, ODBC, or JDBC. DB2 even allows the coding of stored procedures in Java, a feature that Oracle7 7.3 needs desperately.

SQL Server Enterprise 6.5

This review comes at an awkward time for Microsoft. A new SQL Server version, 7.0, is in the works (although there's no target date for its release), which means the remaining lifetime of the 6.5 version we reviewed might be as short as a year. (See the text box "The Next Sequel to SQL Server" on page 103 for our evaluation of a beta version of SQL Server 7.0.)

SQL Server runs only on NT, of course. It's quick (although we're not allowed to tell you how quick), and it offers comprehensive administration via graphical tools. Its performance is likely related to its thirst for memory, which it consumes as it deems necessary. In one of our longer-running tests, SQL Server and NT fought over the last dregs of memory. However, neither one emerged the winner, as NT died and required a restart.

SQL Enterprise Manager (SEM), Per-

Don't Ask, Don't Tell

The relationship between the RDBMS vendor and the licensed customer can be rather strange at times. For this report, BYTE contacted five major RDBMS vendors, and their varied responses surprised us: Two of them accepted, two were skittish, and one left us standing by the curbside. For the record, the willing participants were IBM and Sybase.

Upon hearing that we planned to do performance testing (benchmarking), both Oracle and Microsoft suddenly expressed a reluctance to participate. Because we already had licensed copies of SQL Server Enter-

prise 6.5 and Oracle7 Server Database 7.3, we elected to test them rather than simply leave two major players out of this Lab Report entirely. The license agreements for all the tested products except DB2 forbid us from disclosing benchmark results. After listening to a description of our test plan, Sybase gave us permission to publish our benchmark results.

Oracle and Microsoft, however, sternly reminded us of their licenses' prohibitions against any user publishing benchmark results. In BYTE's opinion, this is a truly astonishing restriction, a remarkable example of vendor arrogance and disregard for the user. We're evidently supposed to take their word that theirs is the best product? Right!

formance Manager, and Security Manager are useful administrative tools surpassed in features only by Adaptive Server's utilities. Performance Manager displays a real-time graph showing SQL Server's resource consumption, by resource. Details such as cache-hit ratio, transactions per second, page reads per second, and single page writes per second are available for graphical display. Security Manager allowed us to choose between setting up separate SQL Server log-ons and instructing SQL Server to rely on NT Server's built-in security.

Through SEM, we created tables, users, and views, and we resized database devices. We also used SEM to set up replication between databases. SQL Server replication, via publish-and-subscribe, distributes content by subject onto subscribing remote database servers. A publication database server defines source tables, and a subscription database server subscribes to those published items.

SEM's interface makes configuring replication a particularly easy and painless process. However, changes made on a re-

remote SQL Server by means of a remote procedure cannot be rolled back (i.e., undone), and replication of SQL Server databases is particularly memory-intensive.

SQL Server uses a cost-based optimizer to examine and reformat SQL statements, but its optimizer isn't as advanced as DB2's. As with the other products we tested, NT schedules individual threads on different CPUs if your database server is a symmetric multiprocessing (SMP) machine, but it doesn't execute queries in parallel.

Answering Your Query

Despite some awkward syntax problems with the SQLPlus query tool, the need to download working ODBC drivers from Oracle's Web site, and a counterintuitive installation process, the Oracle package emerged from our testing as the best all-around RDBMS. The core database engine is robust and quick (again, Oracle won't let us tell you *how* quick), the database scales well across a wide variety of platforms, and the package comes with a useful set of administrative tools.

Finishing a close second behind Oracle7 7.3, Sybase's Adaptive Server Enterprise deserves special mention for its tools, ease of administration, and scalability that's nearly as good as Oracle's.

Still, every one of these products gave us a significant amount of trouble. All leave considerable room for improvement. **B**

Barry Nance, a computer analyst and consultant for 25 years, is a BYTE consulting editor and the author of Introduction to Networking, 4th Edition (Que, 1997), and Client/Server LAN Programming (Que, 1994). You can reach him at barryn@erols.com.

PRODUCT INFORMATION

Adaptive Server Enterprise 11.5
\$3595 for eight concurrent users
Sybase, Inc.
Emeryville, CA
510-922-3500
fax: 510-922-3210
dbtalk@sybase.com
<http://www.sybase.com/>
Enter HotBYTES No. 1044.

DB2 Universal Database 5.0 Enterprise Edition
\$999 per server plus \$199 per user

IBM Corp.
Armonk, NY
800-342-6672
914-765-1900
fax: 313-225-4020
<http://www.ibm.com/>

Oracle7 Server Database 7.3
\$1475 for five users
Oracle Corp.
Redwood Shores, CA
415-506-7000
fax: 415-506-7200
<http://www.oracle.com/>
Enter HotBYTES No. 1046.

SQL Server Enterprise 6.5
\$1399 for five users
Microsoft Corp.
Redmond, WA
800-426-9400
425-882-8080
fax: 425-936-7329
<http://www.microsoft.com/>
Enter HotBYTES No. 1047.

Enter HotBYTES No. at
<http://www.byte.com/hotbytes/>

Web Project



Local Web Servers

Java and Perl can create tiny Web servers that, deployed locally, support off-line browsers. Next step: The peer-to-peer Web!

It's a nice idea," said editor in chief Mark Schlack of ByteCal, my servlet-based calendar program, "but I can't use it." Why? Like all Web-based software, ByteCal presumes that its display—a browser—connects through the Internet to an HTTP server. So, until the airlines offer Internet dial tone, our peripatetic editor in chief is out of luck.

How hard could it be, I wondered, to run the servlet locally on a disconnected client? Not hard at all, I found. That discovery prompted me to prototype a contact manager based on a tiny Web server written in Perl. These two very different applications share some interesting properties, which are outlined below.

- Small footprint. Both weigh in at under a megabyte, so they can be delivered on a floppy or by way of a reasonable download. That megabyte includes the local Web server, the application logic, and the data.
- Good performance. Both run acceptably under Windows 95 on my aging 16-MB 486/50 Toshiba notebook.
- Simple configuration. You can install both by just unzipping the contents of a floppy, or an equivalent download, into a single directory. One requires a single environment variable, the other a single registry entry. That's it.
- Simple removal. In both cases, just nuke the directory. Remember when that used to work? It still can.
- Local/remote transparency. Both run identically when connected to the Internet and talking to a remote HTTP server, or when disconnected and talking to the local server.
- Browser orientation. Both exploit the fundamental tenet of Web-based soft-

A Local-Web-Server-Based Contact Manager

- 1 Using 127.0.0.1, or localhost, the application can talk to the local server.
- 2 The URL `sfa2_01` translates directly to a Perl function call. There's no overhead because the server itself is a Perl application.
- 3 As with normal CGI, the server receives URL-encoded name/value pairs.
- 4 Unchecking the box releases the binding between the company and contacts panes.

5 Clicking on the match links regenerates the picklists to include only items that begin with the match text.

BYTE	Jon Udell	Mar 27	followup call
BYTE	Jon Udell	Mar 11	meet at Internet World
BYTE	Jon Udell	Feb 02	Called regarding email project

6 Selecting BYTE in the company pane constrains the contacts pane to just BYTE contacts.

7 Selecting "Jon Udell" in the contacts pane constrains the history pane to just "Jon Udell" entries.

This little demo will hardly displace Ecco or Access, but it should make you stop and think about the power of local Web servers.

ware, which is that the universal HTML/JavaScript client that's already on your machine can act as a front end for a vast number of useful applications, most of which are as yet unwritten.

The principle at work here, which is best articulated in the writings of Bob Orfali, Dan Harkey, and Jeri Edwards, is that the client/server architecture of today's Web will inevitably evolve into a peer-to-peer architecture. Many of the nodes of the intergalactic network they envision will be able to function as both client and server.

I've always bought into this vision, but

until recently I couldn't see a practical way to apply it. The answer, I think, is that servers needn't be the complex beasts we usually make them out to be. They can in fact be much simpler than the behemoth client applications we routinely inflict on ourselves. And in that simplicity lies amazing power.

Off-Line ByteCal

ByteCal, which is a Java servlet, runs inside a Java-based Web server—either JavaSoft's commercial Java Web Server (JWS) or Jef Poskanzer's free Acme.Serve. Because JWS is bigger and more complex than Acme.Serve, I immediately zeroed

in on the latter. Acme.Serve delivers servlet hosting in just 1500 lines of Java. It's perfect for a lightweight deployment.

How much of Java do you need to support Acme.Serve, which in turn supports ByteCal? I started with the current Java Development Kit (JDK), version 1.2 beta 2. It's approximately 15 MB of stuff, mostly Java classes not needed by Acme.Serve or ByteCal. To find out what classes I actually needed, I ran ByteCal like this:

```
java -v Acme.Serve.Serve
```

In this verbose mode, the Java interpreter emits the path name of each class that it loads. First I captured the list. Then I unzipped the JDK's classes.zip file to the root of my machine. Then I fed the `java -v output to JHLZip` (mentioned last month), which built an uncompressed Zip file containing just the classes needed by Acme.Serve/ByteCal.

The resulting streamlined class archive, plus `java.exe`, `jvm.dll`, `java.dll`, and `net.dll`, plus ByteCal's own HTML, config files, and object database, added up to just about a megabyte. I copied this stuff to `c:\bytecal` on a virgin machine, set `PATH` and `CLASSPATH` to `c:\bytecal`, issued the command `java Acme.Serve.Serve`, and pointed a browser at port 9090. It worked.

Unfortunately, you can't create and distribute a customized Java subset. Although Java is free, JavaSoft's license requires developers to ship the complete Java Runtime Environment (JRE). Alternatively, you can ask users to download the Java Activator, which, though primarily intended as a browser-neutral applet engine, also contains everything needed to run a Java console application, such as Acme.Serve. So, although technically you can deliver a full ByteCal installation on a floppy, in practice there's more overhead.

Another option is to distribute a natively compiled application. I built Acme.Serve/ByteCal with SuperCede 2.0 and found that its minimal footprint is under 3 MB (including ByteCal.exe, its config and data files, and SuperCede's run-time DLLs). That's a smaller package than any legally redistributable JRE, and it's way faster, too. Note that the single EXE file, because it contains the servlet engine, can contain a suite of servlets as easily as a single one.

While I was at it, I converted our on-line staff calendar from JDK to SuperCede. Interestingly, the performance benefit of SuperCede is largely masked by Web la-

tenency—except in the case of searches, which are dramatically faster. For local deployment to Win95 targets, however, SuperCede would be a clear performance win across the board.

Partitioning the ByteCal Database

The released version of ByteCal, 1.1, stores each user's calendar in a hash table and stores the collection of these calendars in a master hash table. When you update a calendar, the servlet serializes the entire structure to the file `ByteCal.obj` by passing the master hash table to the following chunk of code:

```
ObjectOutputStream o =
    new ObjectOutputStream(f);
o.writeObject(hash table);
```

Minimal support for off-line calendars required only a modest effort. I wrote a one-time-only export method to enumerate all individual calendars and save these objects to files with names such as `Jon Udell.obj`. Then I altered the servlet's start-up method to read this set of files. I also added a method to update an individual in-memory calendar from disk, which sounds difficult but is just the inverse of the three-line chunk shown above. Final-

ly, I tweaked the update method so that it passes a per-user hash table rather than the whole structure.

The result was a naive implementation of off-line ByteCal. I can copy the file `Jon Udell.obj` from the server to my notebook PC, transact against the data store locally even while off-line, copy the file back to the server, and resynchronize using a ByteCal URL that reads the changed `Jon Udell.obj` and overwrites the live version of my calendar. It's fascinating to see how the simple object-database capabilities that flow from Java serialization can support data partitioning and replication.

Client-Side Java Unleashed

A real solution will have to manage the uploading and downloading of calendars, authenticate users who ask to check out calendars, lock on-line calendars that are checked out, and perhaps lock off-line calendars not owned by off-line users. I have not solved these problems yet. The point of this experiment was to test the feasibility of a client-side Java Web server. But given that substrate, I know I can complete the solution. Why? Because this configuration unleashes the full power of Java.

Contrast two possible implementations of calendar downloading/uploading. Although there are many options, I'll use the HTTP protocol in both cases. In case 1, a user downloads a calendar file using HTTP GET, and uploads using HTTP file upload. On download, the user has to deal with the Save As dialog box, and on upload with File Open. The developer would rather eliminate these inconvenient and error-prone user interactions, but the browser's security model requires them.

In case 2, the local servlet speaks the HTTP download and upload protocols directly to the remote servlet. Java inside the browser can't do these things, but Java outside the browser can.

The local servlet engine needn't be simply a mirror of the remote. It can implement whatever intelligence should appropriately reside in the client. Suppose I run local ByteCal from multiple off-line clients. Each, when connected, would like to receive the minimal refresh needed to synchronize with the public server. Each could do just that if empowered to act autonomously. As the client/server Web turns into a peer-to-peer Web, the door opens to a whole new dimension of application architectures. Crucially, these architectures can still rely on good old HTTP, which brows-

TOOLWATCH

LANdecoder32 2.0

\$1995

Triticom

<http://www.triticom.com/>

The latest version of this Win32-based network monitor and protocol analyzer continues to deliver outstanding utility at an affordable price.

BOOKNOTE

Thinking in Java

\$39.95

by Bruce Eckel

Prentice Hall

<http://www.phptr.com/>

ISBN 0-13-659723-8

This Java tutorial will be especially helpful to C++ programmers trying to sort out the ways in which Java is both similar to and different from C++.



ers and Web servers understand and firewalls will transmit.

A Perl-Based Local Web Server

Could local-Web-server technology help solve the application-development challenges associated with a typical contact manager? On a hunch that it might, I dusted off `tinyhttpd.pl`, Olaf Titz's classic Perl gem that implements a simple Web server in approximately 100 lines of code. I threw away the file-serving and CGI-execution portions, leaving just a simple socket server that can accept calls on port 80 and extract data sent using either the POST or GET method.

In normal Perl CGI, a URL such as `/sfa_01?who=jon&when=today` causes the Web server to launch the Perl interpreter against the script named `sfa_01`, which in turn receives the URL-encoded data `who=jon&when=today` by one of several means. High-performance variants, such as ISAPI Perl and `mod_perl`, keep the Perl interpreter in memory.

The same high performance results when Perl itself implements the Web server. This model doesn't make sense for heavily trafficked public sites. But it makes a great deal of sense for a local Web server (or a lightly loaded intranet server).

Capabilities and Features

What are these Perl functions in a position to do? Here are the key things.

- Dynamically generate HTML pages and forms.
- Interpolate values into those generated pages and forms.
- Communicate with ODBC, by way of Perl's `Win32::ODBC` module.
- Issue HTTP redirections.

These Perl capabilities, combined with some homegrown conventions for using HTML and JavaScript, yielded the application that's shown in the figure "A Local-Web-Server-Based Contact Manager" on page 105 and that is downloadable from <http://www.byte.com/art/download/sfa.zip>. Now, I don't pretend you'll want to dump Ecco or Act to use this prototype. It's just a sketch of a contact manager, but it exhibits some interesting features, including the following.

- *Namespace completion.* Last month I talked about generating HTML SELECT

Parts List for the Contact Manager

The installation footprint is under 0.5 MB. Most of that is Perl itself, plus the module that connects Perl to ODBC data sources. You could add lots of new server capabilities, application logic, and HTML/JavaScript templates with very little size impact.

Name	Size (bytes)
System	
Perl.exe	87,040
Perl300.dll	564,224
Odbc.pll	177,152
Odbc.pm	23,318
carp.pm	2688
config.pm	6393
dynaloader.pm	20,053
exporter.pm	12,457
Data	
mdb.mdb	280,576
Application	
sfa2.pl	11,308
sfa2_02.htm	1895
sfa2_04.htm	2510
sfa2_08.htm	885
sfa2_10.htm	1163
sfa2_12.htm	1270
Installation	
readme.txt	337
sfa.reg	179

widgets (picklists) based on database lookups. This application does that. Type *M* in the "match companies" field, and you'll regenerate that pane with a list containing just the companies whose names begin with *M*.

- *Event propagation.* When you look up a company, the contacts picklist adjusts dynamically to display contacts at the selected company only. Then the contact-info pane adjusts dynamically to display records for the first name in the contacts picklist.
- *Flexible bindings.* By default, the contacts pane binds to what's selected in the company pane, and it displays an appropriately labeled checkbox. But if you uncheck that box and then type a *J* in the "match contacts" field and click on that link, you'll generate a list of all the *J* contacts at all companies.
- *Context-sensitive forms.* When you select a company for the contacts that exist, the contacts pane lists them. If none exist, the contacts pane invites you

to enter a contact. Likewise, when you click on "match companies" and your input selects one or more companies, the company pane lists them. If none match, the company pane invites you to enter a new company. And it prefills the name field with your attempted match.

Toward a Peer-to-Peer Web

We expect these kinds of search, navigation, and data-entry idioms from applications written in FoxPro or Access. We don't expect them from Web-style applications that play to pure Web clients. Should we? Does it make any sense at all to position the combination of an HTML/JavaScript browser, ODBC/JET, and a local-Web-server-cum-script-engine as an application platform?

A number of factors weigh in favor of this approach. Perl is vastly more capable than the FoxPro, Access, or Notes dialects typically used to script this kind of application. The resulting application is small and fast. It relies on an existing and familiar client: the browser. It exhibits complete local/remote transparency.

There are also big drawbacks. Browsers don't support such data-entry idioms as accelerator keys and custom field-tabling. JavaScript is flaky. The methodology, an intricate tapestry of signals, substitutions, and redirections involving Perl, SQL, JavaScript, and HTML is idiosyncratic. Data synchronization remains unsolved.

Although I prefer to write about deployed solutions, in this case I have yet to field a local-Web-server-based application. Nor can I guarantee that I will. But my instincts tell me to continue exploring this approach.

The Web client/server paradigm is stunningly productive because, above all, it radically simplifies the rules for developing distributed software. Web servers began as file servers, but they soon became method dispatchers transacting against structured and semistructured data. Those methods, written in rapid-development scripting languages, accomplish most of the useful work that the Web does.

Locating some of these methods and some of their data on clients just might be simpler and more productive than you would guess. If I'm right, the payoff could be huge. **B**

Jon Udell is BYTE's executive editor for new media. You can reach him by sending e-mail to jon.udell@byte.com.

Cosmo
Code 2.5

*It's a third generation Java tool.
But you've never seen anything like it.*

It's a box. A tightly sealed, shrink-wrapped box of software open to anything a Java™ developer can dream up. A wish list fulfilled. A third generation tool created by Silicon Graphics and unleashed by Cosmo. An integrated set of powerful and highly



visual tools for creating Java applications, applets, and classes. It's our response to your desire to maintain your code and your cool all at the same time. So unwrap it. Dive into it. Create sophisticated, cross-platform media rich applications. Blast through the entire development cycle, designing, debugging and delivering. Imagine everything. Stop at nothing.

But this is not some marketing inspired fantasy. Cosmo™ Code was built by the same engineers who created Silicon Graphics' award-winning ProDev™ Workshop and RapidApp™. This is a mature, robust development environment that utilizes a proven code base. And this development tool includes class libraries from the leader in object oriented components—Rogue Wave® Software.

See for yourself. Call 1-888-91-COSMO ext. 282 or visit <http://cosmo.sgi.com> for more information on Cosmo Code 2.5. It's a product that has just what a Java developer needs. Everything you can imagine.

Now available on Windows® 95 and Windows NT.®

Put yourself in it.™

COSMO 
SOFTWARE
A SILICON GRAPHICS COMPANY

Javataalk



Rapid Java Development


Vision Jade provides enterprise-level database application development.

Although the term *RAD tool* (rapid application development) is overused, Vision Jade deserves it as much as any product I've seen. Vision Jade, for developing complex, enterprise-wide database applications, is technically a Java product, but you will likely find yourself writing little Java code. In Vision Jade's automated visual-programming environment, most of the actual Java code operates behind the scenes.

Vision Jade uses a repository to store all elements of an application. Think of a repository as being a structured collection of objects. Parts of the repository serve as storage for data objects, query objects, and the other "raw components" that a developer knits together to build a Vision Jade application. The repository also stores the data model that defines the structure of the underlying database, as well as the applications themselves.

At its highest level of abstraction, a Vision Jade application is a collection of forms and transitions. A form is a window or a dialog box that displays data from a RecordSource, which is really nothing more than a data object or query object. The former encapsulates—and provides access to—a database table; the latter encapsulates a SQL query. Both can feed data to a form.

When you open Vision Jade, a multi-pane window appears. The leftmost pane is the explorer, which holds a familiar-looking, expanding-outline data structure for browsing the current repository as well as system archetypes. If you click open the repository in the explorer, the outline expands to let you browse the repository's contents, such as the applications, forms, and transitions. A transition is an event triggered by user activity



Building a form with Vision Jade involves a combination of visual and procedural programming.

(e.g., clicking on a button or selecting an item from a picklist) that causes the application to transfer control from one form to another.

When you open an application, the application designer pane at the right of the explorer pane fills with a tree diagram of the application. Forms are shown as rectangles connected by directed lines. The lines represent transitions.

Clicking on a form's rectangle causes the form designer window to open, filled with an editable image of the form itself. For example, to see the Java code that would be executed when a particular button is pushed on the form, simply right-click on the button, select "events" from the pop-up menu, and you are taken to the code editor. From within the code editor, you can select (from a picklist) the

Abstract Window Toolkit (AWT) events that the button can respond to and view (and edit) the source code of the Java method triggered by that event.

I noticed a great deal of similarity between the design environments of Vision Jade and Visual Basic. If you're a Visual Basic programmer who is familiar with form design and Visual Basic's approach of associating executable code with on-form objects, you should be comfortable working in Vision Jade.

In typical database applications, business rules are implemented by triggers or stored procedures. A business rule is an action that must be performed in response to a specific event. A business rule can also be a condition within the database that must be satisfied.

Instead of using triggers or stored procedures, Vision Jade lets you define a business rule at a high level as a business object. The advantage is that once you define a business object, it is "repository-wide": The business rule encapsulated in the object is imposed on all applications within the repository without additional programmer intervention.

A data object is the encapsulation of a database table. This includes not only the data within the table itself, but properties associated with the table. For example, a data object contains information pertaining to relationships between columns in its own table and columns in other tables (e.g., foreign key relationships). Meanwhile, a query object is the encapsulation of a SQL query. Because a query is manifested as an object, it can serve as a Record-Source for a form (as mentioned earlier).

In Vision Jade, you construct visual components (e.g., buttons and menus) from archetypes. You can think of an archetype as a kind of recipe—it consists of both properties and code (written in a macro language)—that the Vision Jade environment consults when creating a visual object at design time. At run time, the behavior of the object is determined by the Vision Foundation Classes (Java bytecode), which define the execution characteristics of all entities in a Vision Jade application. The Vision Foundation Classes are linked

WHERE TO FIND

Vision Software Tools, Inc.
Oakland, CA
510-238-4100
<http://www.vision-soft.com>

A Standard for Portable Database Apps

In some of the product reviews I've done in the past few Javataalk columns, I've mentioned the ODMG object-database standard. Here's a brief explanation of what that standard covers. You'll find a more complete explanation in *The Object Database Standard: ODMG 2.0* (Morgan Kaufmann, 1997).

ODMG stands for Object Database Management Group. The ODMG 2.0 standard is an API standard that specifies the necessary bindings (function or method calls) for a particular language, so that applications written in that language can manipulate persistent objects. (ODMG 2.0 describes bindings for C++, Smalltalk, and Java.)

Note that, because ODMG 2.0 is an API standard, it says nothing regarding the underlying implementation. That is, ODMG 2.0 doesn't specify what the database holding the persistent objects looks like, nor does it specify the mechanics of how the objects are stored and retrieved. Consequently, an ODMG 2.0-compliant implementation can be erected on top of a relational database (which would then likely be called an object/relational database) or on top of a pure object database.

A key ingredient to the ODMG 2.0 standard is "transparency." This characteristic simply means that an application manipulates persistent objects using the same syntax that would be used to manipulate transient (non-persistent) objects. For example, setting a pixel object's color attribute to "blue" would look like this:

```
pixel.color="blue";
```

whether the pixel object was persistent or transient. This eases a programmer's learning burden.

Other portions of the ODMG standard describe the Object Definition Language, Object Interchange Format, and Object Query Language (OQL). The latter is a functional querying language based on SQL 92 that provides access to an ODBMS. A number of object-database organizations have products that are ODMG-compliant (I've mentioned several in past articles). These include Object Design, Poet, and Objectivity. JavaSoft itself has adopted the ODMG standard for its Java Blend object/relational database product.

into the application at compile time.

Vision Jade comes with a collection of a dozen or so archetypes for the most common controls. You can extend the capabilities of the Vision Jade development environment by defining your own archetypes. Once you define an archetype, it becomes available to all applications in the repository.

Vision Jade is accompanied by other tools that aid in application development. The Reengineering Manager lets you update an existing data model. For example, you can import a new table into an existing data model. The Repository Exchange Manager lets you exchange objects between two existing repositories. The Query Object Editor lets you edit (and test) the SQL text that forms the functioning heart of a query object.

If you have already constructed a data model in, say, Microsoft Access, you can import that data model into Vision Jade and begin constructing applications to run against that model. The Data Model Validation Utility reads the data model and verifies its suitability for import into Vision Jade. (For example, even though some databases allow embedded spaces in table column names, Vision Jade does not. The


Data Model Validation Utility identifies such trouble spots.)

Vision Jade includes support for complementary products. For example, you can use Rational Software's Rational Rose or Logic Works' ERWin to manage the data-modeling portion of application development and then feed the resulting models into Vision Jade. Similarly, you can do Java development in Visual J++ and transfer the code into your Vision Jade applications. In fact, Vision Jade uses the J++ compiler as its Java compiler.

Vision Jade was hitting general availability at the time I was writing this article (March). A trial version is available at Vision Software's Web site. The Vision Jade development system requires Windows NT or 95. Documentation states that applet deployment requires a Java virtual machine (JVM) compatible with either Java Development Kit (JDK) 1.0.x or JDK 1.1.x. Pricing for the Vision Jade developer studio starts at \$2995. Costs for the deployment system are higher—contact the company for details. **B**

Rick Grehan (Hancock, NH) works for Metroworks' Discover Products division. You can reach him at rgrehan@austin.metroworks.com.

Future Vision



Quantum Leaps

Someday PCs might be augmented by QCs—quantum coprocessors that do massive calculations instantaneously.

An internal directive for BYTE authors jokingly suggests that *Star Trek* references may be used only once every five years. Finally I've found a link between *Starship Enterprise* (as the series is known here in Europe) and the future of computing, so this is my chance. In December 1997, a team of scientists from the University of Innsbruck in Austria, led by Anton Zeilinger, reported they had achieved "quantum teleportation" in the laboratory. Another group in Rome, led by Francesco De Martini, has completed a similar experiment. Sit tight; you're about to be beamed up into the counterintuitive world of quantum mechanics.

The promise of the quantum computer, first envisioned in the early 1980s by Richard Feynman, is that we can exploit the fact that matter on the scale of electrons and nuclear particles also behaves as a wave function composed of multiple, superposed quantum states. One thing we can be certain of is that we must be clever in manipulating quantum particles, since their wave function collapses, or decoheres, when we attempt to measure them, according to Heisenberg's Uncertainty Principle. Quantum-computing research is largely a giant work-around for the Uncertainty Principle.

The power of a quantum bit—known as a qubit—is that it's not limited to a value of 0 or 1. Rather, it would be in a dynamic superposition of both. Thus, a register of three qubits, for example, would hold eight classical bits of information. Each qubit could do two calculations at once. Two qubits could do four, three could do eight, and so on.

Researchers are generally not trying to produce full-fledged, general-purpose quantum coprocessors (QCs). Rather,

they are seeking to make coprocessors that are targeted at complex calculations, cryptography, or other special purposes. For example, a massively parallel quantum computer would be exponentially faster than a conventional computer at factoring large numbers into their prime-number components.

tributed quantum-computing network, teleportation is the only known way to do it. If you encode information in an atom or some other particle and you want to transfer that information to another QC device, then this technique allows you to make an exact replica that preserves the particle's superposition information

Keying In on Crypto

Quantum computers, which have the ability to break formerly unbreakable codes in a matter of seconds, also offer a nice solution for the new field of quantum cryptography: quantum key distribution (QKD).

Because measuring a quantum system leads to its unavoidable disturbance, eavesdropping on a quantum communication channel alerts its legitimate users. A random secret key can therefore be communicated between two parties, and the communication is secure even against an eavesdropper with unlimited computing power.

Sound like cold fusion? A team at the Los Alamos lab has implemented a QKD system that uses optical fiber and works over a distance of 48 km (see <http://p23.lanl.gov/Quantum/crexper.html> for more information). Because the technology will be important for transmissions involving low-earth-orbit satellites—where the use of fibers is impractical—the team is experimenting with "free-space" communication. Low-error transmissions over about 200 meters were achieved in the lab; transmissions over several kilometers will follow.

A QC could do that almost instantaneously, so it would have a fighting chance at breaking cryptographic codes made up of very large factors. Other examples of operations that QCs would be able to do quickly are the simulation of quantum systems themselves or the weather.

But researchers must overcome three challenges associated with working at the quantum-mechanical level: 1) Reliably inciting and controlling the desired quantum states; 2) Keeping these states stable long enough to do something useful with them until the results are ready to be read out; and 3) Reading out the results through quantum measurements.

Quantum teleportation will play a role in solving the last challenge. According to Zeilinger, if you want to have a dis-

without measuring it. That's precisely the kind of trick needed to work around the Uncertainty Principle, which dictates that certain measurements are possible only to a limited degree of accuracy and will disrupt quantum states.

Spin Doctors

So how does Zeilinger's beamer work? Similar to the transporter on the cult TV series, quantum teleportation transmits information instantaneously. But in this case, it's between a pair of particles that might be a great distance from each other—one could actually be at the other end of the galaxy. The two particles are linked in a state called *entanglement*.

Entanglement is created by a process such as splitting an ultraviolet photon and

Blindly Programming Quantum Computers

Quantum computers might be wacky in some respects, but they're built from logic gates, just as their classical brethren are. These gates can invert a qubit or transform it into a superposition of several states through the application of energy, such as laser or RF beams.

In the model shown in the figure at right, Step I is similar to a classical cold reset. In order for something useful to be done, steps II, III, and IV would be repeated many times and would involve more qubits. Step IV entangles qubits 1 and 2. Step V is the readout. Note that in this example, qubits 1 and 2 could collapse into the other possible state (one down, two up) with the same probability.


A reliable Controlled-NOT gate (step IV), which—similar to a classical XOR—negates the second input only if the first is true, is the next holy grail that experimental researchers hope to attain by year's end. Its appeal lies in its being useful for all kinds of algorithms while requiring only two inputs; quantum-engineering difficulty increases as more I/O channels are added.

The fact that the lid on a quantum calculation, as with that of a pressure cooker, can be opened only after the completion of an operation makes for some interesting programming paradigms. One person who can attest to this is Thomas Beth, who teaches algorithms at the University of Karlsruhe in Germany. His team is currently working on a quantum-logic compiler.

"With no tests or shortcuts, QCs have to use FOR loops instead of WHILE loops," Beth explains. "Representation theory will help us redesign conditional code to the restricted branching scope." Even assignments of the type $X = Y$ are irreversible and are thus verboten.

Quantum operations must be reversible. Otherwise, they dissipate heat, allowing observations, which would collapse the wave function.

Sample Quantum Operations



then passing it through a crystal—a process called *parametric down-conversion*. The Zeilinger experiment creates a split beam of two photons traveling in different directions. The entanglement between them is such that one will always have a spin, or angular momentum, opposite to the other's. Which of them has which spin (up or down) is not known, and the Uncertainty Principle dictates that measuring the spin will break the entanglement.

Instead, Zeilinger hits one of the particles (the sender) with another photon (the message), which has a known downward spin. The collision causes the sender to switch to an upward spin. It also destroys both colliding photons. But before that, the receiver particle, which will always have the opposite spin of the sender's, instantaneously acquires the message's spin down. Information has now been beamed instantaneously.

Spooky stuff? That's what Mr. $E = mc^2$ himself called the whole idea of particles interacting at a distance. However, the experiment shows that the idea of entanglement that Einstein, Podolsky, and Rosen first proposed in 1935 at Princeton is indeed correct.

Coffee-Cup Computers

Other researchers are trying to move the technology out of the requirement to isolate particles at a very low temperature. Recently, Neil Gershenfeld of MIT and Isaac Chuang of Los Alamos National Laboratory suggested that bulk quantum computing would make it possible to do such work at room temperature, actually in something resembling a cup of coffee.

This approach overcomes the limitations of working with a few tiny particles by using billions of them. Radio waves excite spin in the molecules' nuclei, which can then be read using nuclear magnetic resonance (NMR) spectroscopy. The caffeine molecule is a good candidate because of its complexity—it has more nuclei to paly with. Only a subset of the particles in the cup are marshaled to follow the spin order, but sophisticated NMR technology allows all others to be considered background noise.

In a similar approach, researchers at IBM's Almaden Lab hope to use a scanning tunneling microscope (STM; see last month's column) to simultaneously set the spin of atomic nuclei inside small magnetic dots

caught in ion microtraps, hundreds of which could be printed on a silicon wafer.

Nuclear spin, according to Gershenfeld and Chuang, is an ideal property for a QC because, due to the nuclei's natural isolation from the external world, the spin has long coherence times, lasting for thousands of seconds.

The concept of bulk NMR quantum computing is also at the heart of a new project at Stanford University, sponsored by DARPA (the U.S. Defense Advanced Research Projects Agency). The project will cascade quantum gates to experimentally demonstrate superfast quantum algorithms, devise workable quantum error-correction code (ECC) technology, and implement a QC compiler.

According to their mission statement, the team reckons it will be "straightforward to reach about 10 qubits" and says "the required instrumentation even promises to scale down to the desktop, so everyone could have a QC." **B**

Udo Flohr is a BYTE contributing editor who writes about advanced technologies. He is based in Hannover, Germany. You can reach him by sending e-mail to flohr@dfn.de.

Keep Up To Speed

On The Information Superhighway...

GET 5 Books FOR ONLY \$4.95

Values to \$234.75

when you join The Computer Book Club®

Act now to get these great club benefits:

Substantial Savings... you save up to 50% on every book you buy!

Great Selection... every 3-4 weeks you'll receive the Club Bulletin packed with the latest and best books from all publishers.

Club Convenience... when the Bulletin arrives, if you want the Main Selection do nothing at all — it will be shipped automatically. If you want another book, or no book at all, just indicate your choice on the reply form and return it by the date specified.

Dependable Service... you always have a full 10 days to decide whether you want the Main Selection. If you ever receive a book you don't want due to late delivery of the Bulletin, you can return it at our expense.

Generous Bonus Plan... you're automatically enrolled in our Bonus Plan that lets you earn bonus points toward FREE purchases.

Easy Membership Terms... your only obligation is to buy two more books within the next 12 months — at regular Club discounts — after which you may enjoy the benefits of membership with no further obligation. You or the Club may cancel membership at any time thereafter.


A shipping/handling charge and sales tax are added to each shipment. All books are softcover unless otherwise noted. Publishers' prices shown. © 1998 CBC

If card is missing, write to: The Computer Book Club®
A Division of The McGraw-Hill Companies
P.O. Box 549, Blacklick, OH 43004-0549

PHONE: 1-614-759-3666 (8:30 a.m. to 5:00 p.m. EST Monday-Friday)

FAX: 1-614-759-3749 (24 hours a day, 7 days a week)


INTERNET: www.bookclubs.mcgraw-hill.com




882236X \$29.95




8823870 \$34.99




5875764 \$24.95




8823994 \$24.99



0147221 \$24.95



0580340 \$29.95
Hardcover



8823498 \$34.99



9132286 \$49.95



9136672 \$54.95
Hardcover




0345813 \$24.95



0369399 \$26.95



9136575-XX \$54.95
Hardcover/Counts as 2



8822629 \$39.99




5877759 \$19.95



8822807 \$24.99




8823579-XX \$49.99
Counts as 2



044434X \$24.95




034678X \$39.95




5879050-XX \$39.95
Counts as 2



8823803 \$24.99



0579911 \$44.95



8822742 \$34.99



8823560 \$39.99



912979X \$39.95



5879395 \$24.95



882396X-XX \$59.99
Hardcover/Counts as 2



9132707 \$44.95



8824419 \$24.99



8823943 \$39.99




8821819 \$39.99



8824583 \$16.99



8822793 \$24.99



0570639-XX \$45.00
Hardcover/Counts as 2

Eight-Way Servers Race for the NT Prize

SMP servers equipped with six and eight Pentium Pros are ready to go. Here's how they stack up as computing muscle for the power-hungry enterprise.

By Robert L. Hummel

It's not an unfamiliar scenario: Your business is simultaneously drowning in data and starved for information. The task of rendering raw data into productive information requires increasingly more processing power. Finding and applying that power in an environment of growing processing demands is a Herculean task—and you want solutions.

Given the obvious need for more processing power, the market has responded, rapidly advancing the state of the art. Servers using two- and four-way symmetric multiprocessing (SMP) architecture are now so common they are commodities. Windows NT Enterprise, which supports more than four processors, inspired the development of servers with six, eight, and more processors.

Clearly, this much processing power in a single package is a solution searching for an application. IT managers, looking to simplify administration chores and cut costs, might be tempted to consolidate applications from a number of smaller servers. And the headroom provided by larger SMP servers promises a cost-effective way to manage applications that need scalability, such as databases, messaging systems, and Web servers.

We examined six- and eight-way enterprise servers for NT. While doing so, we made a not-too-surprising discovery: The features, configuration, and applications that go into a large SMP server are far more important than raw performance.

Missing Pieces

But there's a dark cloud surrounding SMP's silver lining. Consolidating a num-

ber of smaller applications on a single eight-way server might save administration costs, but it also multiplies the impact of a server failure. For hosting separate smaller applications, industry analysts say that deploying many four-way or smaller commodity servers is preferable to having one larger server.

The effective system scalability of large SMP servers is also nebulous. Common

Until distributed processing and clustering failover solutions for NT become more mature, larger SMP servers will continue to be a weak link.

Another dose of cold water on the SMP fire is the applications themselves. Until the software catches up, scalability and expandability are mostly just promises. For an application to truly leverage an SMP platform, it has to be written for that configuration from the ground up.

In some cases, Unix solutions are more robust, reliable, and scalable. But while Unix variants still dominate high-end server operations, that's no longer true for the entry-level and midrange server markets. The ability to migrate NT up the server food chain—and preserve your expertise and investment—is one that should figure heavily into your decision.

Cost Justification

If you expect your computing needs to grow, it makes sense to invest in a machine that can be expanded—at least that's how IT departments are justifying the purchase of large SMP servers. Specifying the largest box with the fewest installed processors keeps you ahead of the saturation point—and disaster. The bottom line: An eight-way server with four processors and headroom is a better investment than a fully loaded four-way server with no future.

Having empty processor slots is cheap insurance. If you underestimate application growth or overestimate the performance of your hardware and software, you can drop in a few more processors or more memory. On the other hand, if large SMP Deschutes-based servers appear

BYTE BEST
LARGE SMP SERVERS

HP NetServer LXr Pro 8

This was the top eight-way server, posting the highest TPC-C throughput, best price/performance, and top usability and implementation scores.

ALR Revolution 6x6

Delivering proportional performance, a competitive price/performance score, and the lowest price, this system proves that six-way SMP is a viable alternative to eight-way SMP.

sense tells you that simply adding processors to a system is an effective solution only when the system in question is CPU-bound. Unless you take into account other typical bottlenecks—such as disk, memory, and network bandwidth—and balance those resources, you could wind up with a system that's both inadequate and expensive.

At the enterprise level, mission-critical computing also depends on more than just scalability; equally crucial are availability, reliability, and manageability.

RAM

Databases will function adequately with 128 to 256 MB of ECC RAM, but look for a server that can offer up to 8 GB of high-capacity SDRAM. Make sure it's housed in a modular unit that allows easy access to RAM and processors. And opt for a server with a 1-Gbps memory bus.

DRIVE BAYS

You'll need extra drive bays (top) to upgrade a server's mass-storage capacity. The system pictured has room for 24 hard drives (bottom) but typically comes with 12 4.5-GB drives. Choose hard drives with fast controllers and access times at or below 13 milliseconds for database applications that query thousands of times per day.

FRONT



CONTROL PANEL

Look for a touchscreen panel, which monitors system statistics, isolates faults, provides operator control, and allows users to enter a password for electronic locking doors.

BANKS OF HARD DRIVES

FANS

Four large fans provide air flow to memory boards and dual power supplies. The smaller ones work in conjunction with heat sinks to cool the processors.

CPU

Two to eight 200-MHz Pentium Pro processors power large database servers. These are in turn powered by Intel's 450GX chip and can include 512 KB of L2 cache, although you'll get better performance if you opt for 1 MB of integrated L2 cache. Make sure the processor cards can be easily added or swapped out, without any tools, for system upgrades.

PCI SLOTS

66-MHz PCI slots can house such components as SCSI controllers for external mass storage, video cards, and modem cards.

BACK

POWER SUPPLIES

Make sure power supplies are hot-swappable, redundant, and easy to install or swap out. Two will generally suffice, but a third can be used for custom configurations.

POWER

The power connector attaches to a dedicated and properly grounded 190- to 240-VAC 20-amp outlet, which must be a NEMA L6 20R, 20A, 250 VAC, twist-lock female receptacle for mating with the system.

Illustration based on Axil Northbridge NX801

more quickly or less expensively than predicted, you can make a midcourse correction without blowing your budget.

Manufacturers confirm that very few SMP systems are purchased with the maximum number of processors installed and that only a relative handful are ever upgraded. Rather than upgrade, most managers follow a reassign-and-replace strategy. Today's mission-critical Web server is tomorrow's print server.

Defining the Field

We evaluated four systems from manufacturers that have solid reputations in the SMP server market: ALR, Axil Computer, Data General, and Hewlett-Packard. At

their hearts, the three eight-way servers we examined bear more than just a passing similarity. The Axil Northbridge NX801, Data General AViiON AV 8600, and HP NetServer LXr Pro 8 are all based on the Adaptive Memory Crossbar technology developed by Axil Computer, a subsidiary of Hyundai. The ALR Revolution 6x6 was the only six-way server we examined. It has two CPU cards, each with a three-processor SMP bus joined by ALR's Dynamic Orchestration arbitration technology.

Several SMP server manufacturers are notably absent from this Lab Report. Unisys, a customer and codeveloper of ALR's SMP technology, declined to participate. The lack of audited TPC-C benchmark

numbers excluded NCR's OctaScale-based eight-way Pentium Pro server, a system resold by Sequent Computer. Digital Equipment, another OctaScale technology customer, also refused our invitation.

Finally, neither IBM nor Compaq plans to make a server with more than four Pentium Pro processors. Both say they're targeting their new SMP designs exclusively at Intel's Deschutes (Pentium II) chip.

Contributors

Michelle Campanale, BYTE Technical Editor
Al Gallant, BYTE Lab Manager
Robert Pickering, BYTE Lab Assistant
Robert L. Hummel, BYTE Consulting Editor

A small number of demanding server applications have created a small market for large SMP servers. If you're considering one of these high-end NT servers, it's because you need, or anticipate needing, more power than you can wring from the current crop of four-way servers. At the same time, you don't want to overcommit yourself to a technology based on the soon-to-be-obsolete Pentium Pro. Minimizing the trade-offs of what is sure to be a relatively short-term investment means emphasizing value.

In determining our Best Overall score,

we weighted value at 45 percent and performance at 30 percent. This combination brings the systems that have the best balance of price and performance to the front of the pack. We kept our usability weighting to 10 percent to avoid overemphasizing gee-whiz characteristics that might not be appropriate for everyone's application. Similarly, the 10 percent weighting for implementation recognizes the fact that shortcomings specific to a particular user's requirements in a high-value system can often be overcome by working with the vendor or by integrating third-party solutions. The

final 5 percent weighting rates a system's level of technological innovation.

Best Overall

The HP NetServer LXr Pro 8 posted the highest performance of all the systems we examined. With a tpmC throughput score of 16,257, it is, simply put, a screamer. Much to our surprise, the NetServer also provided the most bang for the buck, turning in an aggregate system cost of only \$33.67 per tpmC. The NetServer's high implementation and usability scores cemented its position as our Best Overall winner.

Been There, Done That—The Unix Alternative

You need performance, scalability, dependability, and reliability on your SMP server—now. But it might not be safe to expect technology and performance longevity from one of these large SMP Windows NT servers. If you need another solution, IBM has a suggestion for you: Try an AIX system.

IBM markets its RS/6000 S70, an SMP system running the AIX variant of Unix, as an unabashed enterprise server. The S70 is a modular rack-mount system with as many as 12 RS64 64-bit processors, 16 GB of ECC synchronous DRAM (SDRAM) memory, and up to 56 PCI slots. The S70 supports a terabyte of address space and native 64-bit integer computation. Up to 48 hot-swappable internal drive bays can hold up to 218 GB and a whopping 14 TB of external storage.

An impressive laundry list of capacities and room for growth are important psychological selling points, but IBM admits that very few customers buy a system fully loaded. That's easy to understand when you consider that such a system can cost \$2 million. And IBM says that up to 75 percent of its SMP customers never add processors to their current hardware, opting instead to buy an entirely new system.

"Customers buy these machines at less-than-maximum capacity," says Bill Smith, product marketing manager for the RS/6000 product line. "They want the promise of growth capacity in the box."

Nonetheless, IBM insists that the maximum capacities of a system are an important factor for you to consider when making a purchasing decision. "When you list your capacities, it's a gee-whiz thing," Smith explains. "But some isolated applications are using those capacities, and the number is growing."

Vendors also aren't shy about touting the superiority of Unix to Windows NT. The ability to exploit an SMP system must be designed into an OS from its inception—as these vendors say is the case with Unix. In addition, they claim that the maturity of Unix naturally makes it a better system. "You can't have a system environment that's prone to reboots and crashes," says Smith. "AIX has a strong history of hardening over time."

Granted, the S70 system is different, but does different mean inherently better? Proving that to a potential customer can be problematic. IBM notes that its systems don't always do well on what it calls abstract industry-standard benchmarks, such as those conducted by the

TPC, but it adds that the best configuration for any particular customer's application is unlikely to be represented by a benchmark.

Eventually, Smith says, customers realize that they can't solve their problems with commodity systems that are purchased based on reviews they see in magazine articles. "It's a very complex world," he explains. "Customers are looking for more than just hardware from their vendor. They're looking for a relationship."

RS/6000 Enterprise Server Model S70

Standard configuration (\$125,000)

- Microprocessor: four-way 125-MHz PowerPC RS64
- Level 1 (L1) cache: 64 KB data/64 KB instruction
- Level 2 (L2) cache: 4 MB per processor
- RAM (memory): 512 MB
- Memory-bus width: Dual 512-bit
- Internal disk drive: 4.5-GB SCSI-2 F/W (hot-swappable)
- Expansion slots: 14 PCI (11 available)
- PCI bus width: 32- and 64-bit
- Memory slots: 20

AIX OS

- Version 4.3 (a one- or two-user server license is standard)

System expansion

- Internal PCI slots: Up to 56 per system
- Internal media bays: Up to 12 per system
- Internal disk bays: Up to 48 (hot-swappable)
- Internal disk storage: Up to 218.4 GB
- SMP configurations: Up to two additional four-way processors
- RAM: Up to 16 GB
- External disk storage: Up to 1.3 TB SCSI; up to 14 TB SSA

Warranty

- One year (limited)

LAB RATING RESULTS



HP NetServer LXr Pro 8

BEST OVERALL EIGHT-WAY SERVER


HP NetServer LXr Pro 8

If you're looking for a cost-effective eight-way server that supports powerful OLTP computing with plenty of headroom, the NetServer should suit you nicely. The setup and service policies simplify system administration, and the physical overengineering, typical of HP products, makes maintenance an easy task.

BEST ECONOMY SMP SERVER

ALR Revolution 6x6

If your current four-way servers won't hold you until the new Deschutes systems appear—but you have modest expansion requirements—you can save money without sacrificing much performance by getting ALR's six-way server. With proportional performance and competitive price/performance, this server represents an excellent value.



ALR Revolution 6x6




AViiON AV 8600



Axil Northbridge NX801

WEIGHTING



	TECHNOLOGY	IMPLEMENTATION	PERFORMANCE	VALUE	USABILITY	OVERALL RATING
HP NetServer LXr Pro 8	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
ALR Revolution 6x6	★★★★★	★★★	★★★	★★★★★	★★★★	★★★★
AViiON AV 8600	★★★★★	★★★★	★★★★★	★★★	★★★★	★★★★
Axil Northbridge NX801	★★★★★	★★★	★★★★	★★	★★★★	★★★

★★★★★ Outstanding ★★★★ Very Good ★★★ Good ★★ Fair ★ Poor

The most direct performance threat to the NetServer was the Data General AViiON AV 8600, which trailed just 1 percent behind with a tpmC score of 16,101. Performance, in this case, comes quite dear. The AViiON's \$897,290 price tag (for the TPC configuration)—nearly 64 percent higher than that of the NetServer—drove its dollar-per-tpmC rating to \$55.73.

We were pleasantly surprised by the ALR Revolution 6x6, the only six-way server we evaluated. The Revolution achieved about 81 percent of the eight-way NetServer's throughput using only 75 percent as many processors. The Revolution's system price was similarly proportional, yielding a value score of \$35.11, just a few percent higher than the NetServer's.

The Axil Northbridge NX801 had the dubious honor of being part of the most expensive system configuration in this group, pricing out at an eye-popping \$1,138,717. The NX801 is an object lesson that high cost alone doesn't guarantee performance. With a tpmC score of 14,501, the NX801 ranks just 10 percent higher than the six-way Revolution, which sells for less than half the NX801's cost.

Next Steps

Should you invest in one of these Pentium Pro SMP servers now or hold off until Deschutes-based servers appear in early 1999? If your mission-critical application is going to outgrow your current computing infrastructure before Deschutes is

ready, your decision is already made: The alternative is to stop doing business.

If you can confidently predict that the projected growth of your application over the next 18 months won't exceed the capacity of a six-way server, consider the ALR Revolution. Its lower price will save you money up front, but its minimal expandability and omission of fault-tolerant features may negate your initial savings.

If limited expandability isn't a viable part of your future, you might be better off buying an eight-way system and populating it with processors as your needs grow. The HP NetServer's modular design encourages orderly growth, and its superior manageability and no-tools, high-reliability design make it a cost-effective option.

Benchmarking large SMP servers can be an intimidating prospect. Varying the processor count, installed memory, and peripheral combinations on just a single system results in literally hundreds of possible configurations.

We examined, and subsequently rejected, a number of candidate benchmarks. One test exercised and graded subsystems, such as disk and I/O performance, but it didn't lend itself well to generalization at the system level. Another test simply lacked the depth to stress a system running eight 200-MHz Pentium Pro processors. One promising benchmark was still in development and wasn't available to meet our publication deadline.

Hardware vendors are sometimes loath to submit their systems for benchmarking. Poor performance numbers resulting from a less-than-optimum configuration or a poor benchmark design can be a public-relations nightmare; it's safer to decline to participate. Unfortunately, a vendor can also use this excuse to camouflage poor performance, taking

a "trust me" approach with customers.

It's impossible to construct a test—either real-world or abstract—that can be generalized to every application in every environment. Nonetheless, it's possible to use objective benchmarks to make a subjective decision if you use them wisely. That was one of the tasks taken on by the Transaction Processing Performance Council (TPC).

The TPC is a nonprofit consortium of computer system vendors, software database vendors, market-research firms, system integrators, and end-user organizations. There are currently more than 40 members worldwide. The TPC's mission is to develop and enforce computer system benchmarks. Complete descriptions of the TPC benchmarks and sample programs are available from its Web site (<http://www.tpc.org/>).

The TPC-C Benchmark

The TPC benchmark C (TPC-C) simulates the work load found in complex on-line transaction processing (OLTP) system application environments. A TPC-C ses-

sion includes simultaneous execution of multiple transaction types, on-line and deferred transaction-execution modes, multiple on-line terminal sessions, heavy disk I/O, and contention on data access and update.

To give these basic operations a real-life context, they are combined to represent the business activity of a wholesale supplier. The TPC-C work load centers around the activity of processing orders and provides a logical database design, which can be distributed without structural changes to transactions.

There are, of course, some common-sense limitations on the TPC-C model design. It doesn't attempt to exactly depict any particular business or purport to be a template for an actual application. Instead, it emulates, in a controlled and verifiable way, businesses that must manage, sell, or distribute a product or service, such as a car-rental firm, food distributor, or parts supplier.

The benchmark models a wholesale supplier managing 10 districts that each serve 3000 customers. Customers interface by placing new orders or requesting the status of existing orders. Orders comprise an average of 10 line items. One percent of all order lines are for items not in stock at the regional warehouse and must be supplied by another warehouse. The system must also record payments from customers, process orders for delivery, and examine stock levels to identify potential supply shortages.

Defining Performance

Completion of the TPC-C benchmark produces two measurable results: sustained system performance (i.e., throughput) and price/performance. Throughput is defined as how many new-order transactions per minute (tpmC) a system generates while executing four other transaction types (payment, delivery, order status, and stock level). Time constraints on all five transactions ensure that the system is adequately servicing the entire transaction-mix work load.

The TPC-C price/performance number is derived by dividing the price of the entire system by its tpmC throughput. System cost includes not only the host machine but also terminals, communica-

TECH FOCUS

WINDOWS NT

NT: Victim of Success?

Detractors of Windows NT—and there is no shortage of them—are quick to brand the OS as suffering from poor scalability and poor reliability, pronouncing it unsuitable as an enterprise OS. In many ways, NT has been a victim of its own success.

The abundance of features available in NT has caused some problems, according to Jeff Price, Microsoft's product manager for Windows NT. In the initial port of several major server-based applications from Unix to NT, vendors found these new features and tried to incorporate every one of them—without weighing their effect on performance. This caused a drop in performance compared to the same application on the simpler Unix architecture. "Vendors that bring applications to NT have to go through a few revisions until they get it right," Price explains.

Scalability is one dimension of a mission-critical server. Lack of reliability is another area where NT has taken some deserved crit-

icism. Does NT crash more than Unix does? Perhaps, Price admits, attributing the problems, whether they are real or perceived, to four causes: immature administration, uncertified hardware, application clustering, and bugs in the OS.

More attention is being paid to the perception of reliability and manageability in upcoming versions of NT. Configuration changes that require a system reboot under NT 4.0, for example, can be changed on the fly under NT 5.0, according to Price.

What's ahead for NT? According to Price, better memory management, improvement in I/O, and support for 32 GB of RAM on the Alpha platform. NT's capabilities have to catch up with expectations, but the hardware platforms have to evolve as well.

"We're also working on the 64-bit version of NT for Intel's Merced," adds Price. "That's our opportunity to do a complete kernel rewrite. NT will be an entirely new OS."

tions equipment, software (i.e., transaction monitors and database software), backup storage, and maintenance cost for three years.


It's rare for any benchmark result to come without a warning to the effect that your mileage may vary—and TPC-C is no exception. TPC-C can't possibly represent every OLTP application or specific work load accurately. Unless you have entire teams of vendor technicians devoting themselves solely to tuning your system for optimum throughput, chances are slim that your system will be as tuned as those in the TPC-C test. TPC-C should be viewed as a yardstick for comparing the relative performance of different architectures and system designs rather than a precise tool for capacity-planning for your specific application environment.

System Configurations

The TPC produces test specifications and audits the benchmarking process to ensure its integrity. But specifying the configuration of the system to be tested is up to the discretion of each vendor. One might load a system heavily to produce the highest tpmC score, sacrificing value for bragging rights on performance. Another might submit a more balanced system to acquire the lowest dollar-per-tpmC throughput cost. Each of the four systems we examined has undergone the rigorous TPC-C benchmark and audit processes.

All systems were tested with the maximum supported number of processors installed. The ALR Revolution hosted six Pentium Pro 200-MHz chips, each with a 1-MB L2 cache. The Axil, Data General, and HP machines ran eight 200-MHz Pentium Pro processors, each also with a 1-MB L2 cache. All systems had 4 GB of error correction code (ECC) memory installed—a maximum load for the ALR Revolution and half-full for the other systems. All were running Microsoft NT Server 4.0 Enterprise Edition and hosting Microsoft SQL Server 6.5 Enterprise Edition.

Storage for the ALR Revolution comprised 139 hard drives arrayed across seven three-channel PCI SCSI caching RAID controllers and totaled 813 GB. The system also included an uninterruptible power supply (UPS). The HP NetServer LXr Pro 8 included nine Mylex Fast/Wide three-



The graphs (above) offer two perspectives—price/performance and transactions per minute (tpmC)—of the same results.

TPC-C Test Configurations and Results

	ALR Revolution 6x6	Axil Northbridge NX801	Data General AViiON AV 8600	HP NetServer LXr Pro 8
5-year cost of ownership	\$459,524	\$1,138,717	\$897,290	\$547,374
tpmC	13,089.30	14,501.00	16,101.27	16,257.20
Cost per tpmC	\$35.11	\$78.53	\$55.73	\$33.67
Maximum number of users	10,650	12,000	13,000	13,500
Pentium Pro CPUs	6	8	8	8
Memory (GB)	4	4	4	4
Storage	813.47 GB	1.8 TB	1.47 TB	1.16 TB

channel PCI SCSI caching RAID controllers handling 155 hard drives, providing 1.16 TB of disk storage. Additional equipment included an 8-GB internal digital audio tape (DAT) drive and a UPS.

The Data General AViiON AV 8600 system raised the ante to 1.47 TB of disk storage. Seven integrated SCSI controllers and six Mylex RAID controllers power the 188-disk high-availability disk array. And the Axil Northbridge NX801 tipped the scales with a 200-drive array, totaling a whopping 1.8 TB of storage. The drive system was configured as six RAID storage-array subsystems. A UPS and a 17-inch monitor were also included.

Benchmark Results

Of the systems we examined, the HP NetServer was the performance leader. With a tpmC score of 16,257, it squeaked past the Data General AViiON's second-place 16,101-tpmC score. The Axil NX801's 14,501-tpmC score trailed the HP by about 10 percent—good enough for third place. And, putting in a respectable performance,


the six-processor ALR Revolution turned in a healthy 13,089 tpmC, or 81 percent of the HP NetServer's throughput score.

The highest-cost system doesn't necessarily translate into the best performance or the best value, as the TPC-C price/performance numbers in the table above illustrate. To arrive at these numbers, the total system cost is divided by the tpmC throughput score. A low system cost and a top tpmC score combined to give the NetServer the most cost-effective dollar-per-tpmC rating of \$33.67. At \$35.11, the ALR Revolution wasn't far behind. Despite their higher tpmC scores, the higher prices of the Data General and Axil machines bumped their price/performance scores to \$55.73 and \$78.53, respectively.

Evaluations in this Lab Report represent the judgment of BYTE editors based on tests conducted by the Transaction Processing Performance Council (TPC). For full documentation of the benchmarks, see the TPC Web site at <http://www.tpc.org>.

Phantom Processor

The guts of the ALR Revolution 6x6 are based on two processor cards, each with three processors. These two "clusters" of processors are then plugged into a 64-bit-parity SMP bus. The design keeps the Pentium Pro's 2-bit CPU addressing scheme, which allows for four-CPU IDs. But ALR has implemented two sets of three CPUs; the fourth CPU in each set is actually a stand-in, or "phantom," for the other entire group.





Reach Out and Touchscreen

The Axil Northbridge NX801's control panel includes a touchscreen that monitors system statistics, isolates faults, and provides overall operator control. It's located on the upper front of the system. There are no buttons anywhere on the system, except for those on the CD and floppy drives, which are located to the left of the control panel. The CD/floppy door can be electronically opened through the control panel.

Hot Stuff

Data General's AViON AV 8600 contains two motherboards that house the system's eight Pentium Pros, each with 512 KB to 1 MB of L2 cache. The system buses are tied together with "glue logic" ASICs, sometimes known as interconnects. The Pentium Pro processors run so hot that, in addition to the six fans that cool the processors, each processor needs a large heat sink with an embedded copper heat pipe.



Tool-Less Two-Step

The HP NetServer LXr Pro 8's processors and RAM are housed within the satellite and docking station. These are modular and slide out of the back of the system for easy access. The satellite houses the I/O cards and the processors, and the docking station holds the RAM and other electronics. HP makes it a two-step, completely tool-less process to get at the RAM or the processors. First, you remove the sheet-metal covering. Then you pull out the memory and processor boards. (If the docking station and satellite are locked to each other—a security feature added to prevent the theft of RAM and other components—you must unlock it first.)

LARGE SMP SERVERS

FEATURES

Advanced Logic Research, Inc. ALR Revolution 6x6 

Axil Computer, Inc. Axil Northbridge NX801

Data General Corp. AViON AV 8600

Hewlett-Packard Co. HP NetServer LXr Pro 8 

Typical price*	\$54,793 (list)	\$59,499 (street)	\$66,000 (street)	\$110,285 w/o NOS (list)
EQUIPMENT INFORMATION				
SMP architecture	MPS 1.1- and 1.4-compliant	Adaptive Memory Crossbar	Adaptive Memory Crossbar	Adaptive Memory Crossbar
Graphics card	STB Powergraph 64 (2 MB)	2-D PCI graphics card with 2 MB of video memory	SVGA video card with 2 MB of DRAM	PCI card with 2 MB of standard memory
Tool-less component removal	CPU and memory boards; hot-swappable disks; power supplies	Easy-swap components	Yes (most components)	Yes
PROCESSORS AND MEMORY				
Number of 200-MHz Pentium Pros, minimum/maximum	1/6	2/8	2/8	2/8
L2 cache	512 KB/1 MB	512 KB/1 MB	512 KB/1 MB	1 MB
Standard/maximum RAM	128 MB/4 GB	128 MB/8 GB	256 MB/8 GB	256 MB/8 GB
Speed	60-ns FPM ECC DIMM	66-MHz ECC SDRAM	100-MHz ECC SDRAM	100-MHz ECC SDRAM
EXPANDABILITY				
Number of slots	7 PCI, 4 EISA, 1 shared PCI/EISA	8 PCI	8 PCI	8 PCI
Standard number of hard drives	None	Optional	One included in base model	None
Maximum number of hard drives (internal/external)	12 internal/22 external	28 internal/greater than 45 TB external	4 internal/1440 external (13 TB)	3 internal/up to 2.1 TB external
Capacities offered	4.5, 9.1, 18.2 GB	4, 9 GB	2, 4, 9, 18 GB	4, 9, or 18 GB at 7200 rpm
Interface	UltraWide SCSI	Fast Wide Ultra-SCSI-3	SCSI, Fibre Channel	UltraWide SCSI
Hot-swap capability	Yes (with controller)	Yes	Yes	Yes (on optional HP NetServer Rack Storage/8)
Standard 3½-inch 1.44-MB floppy drive	Yes	Yes	Yes	Yes
Ethernet adapter manufacturer, model	Adaptec/Cogent, Adaptec 6911	Intel, EtherExpress 10/100Base-T PCI	OSICOM multiport 10/100 LAB Controller, 2340 TX	HP, PCI 10/100 TX
Total 3½-inch drive bays	2 external/1 internal	24	1 (expandable to 5)	1 (occupied by floppy drive)
Total 5¼-inch drive bays	5 external	6	4	4 (CD-ROM occupies one)
CD-ROM drive (speed)	13X/32X SCSI (standard)	12X	12X	12X
Remote-administration card	Available	N/A	Yes (standard)	Built-in remote console capability
POWER				
Redundant/hot-swap power supplies	1035 W standard (1400 W optional)	Up to 3 hot-swappable N+1 (900 W)	Yes (standard)	Hot-swappable redundant N+1 200-240 V
Power outlets required	Two 110- or 220-V (international)	200-240 VAC; 20 AMP	180-264 V; 50-60 Hz	200-240 VAC
INSTALLED SOFTWARE				
Monitoring and troubleshooting software or ASICs	ALR InforManager 2.0	AxilVision	NTAlert; Server Management Card (included)	HP Top Tools for Servers
Network-management software included	N/A	AxilVision	Nterprise Manager (single-server version included)	HP OpenView's Network Node Manager; HP NetServer Navigator start-up CD with installation scripts for hardware and NT configuration
WARRANTY				
Length of standard warranty	5 years (major components); 3 years (installed options)	1 year (next business day on-site) limited warranty	1 year on-site hardware	3 years; next day on-site; same-day (6-hour) parts replacement
Extended warranty available	Yes	Yes	Yes	Yes
Free technical support after purchase	Yes	Yes	Yes (included with installation)	Yes
On-site service available, cost for first year	No charge	Free for first year	Hardware included in warranty	Next-day on-site service included in standard 3-year warranty
Phone	714-581-6770	978-371-8100	508-898-5000	650-857-1501
Toll-free phone	800-257-1230	800-284-2945	800-344-3577	800-752-0900
Toll-free support hours	24 hours/seven days per week	24 hours/seven days per week	8-5 local time; 7 x 24 avail.	6-8 MST; 7 x 24 available
On-line address	http://www.alr.com	http://www.axil.com	http://www.dg.com	http://www.hp.com/go/netserver
HotBYTEs No.	1065	1066	1067	1068

✓ = yes; N/A = not applicable.

 = BYTE Best

★★★★ Outstanding

★★★★ Very Good
★★ Fair

★★★ Good
★ Poor

*Typical price is based on six to eight processors using Intel's 450GX chip set; 2 GB of system SDRAM; and 12 SCSI drives, a CD-ROM drive, a floppy drive, a graphics card, and Fast Ethernet PCI 10/100Base-T. Configuration also includes a rack and Windows NT 4.0.

Powered by the latest Intel CPU and chip set, the HiNote runs at 266 MHz but doesn't pay a penalty in battery life. By Michelle Campanale

A Pentium II Notebook That Talks to You


Digital's HiNote VP 765 is one of the first notebooks powered by Intel's new 266-MHz mobile Pentium II processor and 440MBX chip set. It's a fast multimedia machine with 512 KB of L2 cache and a 66-MHz system bus.

Still, I was surprised when NSTL's Power Monitor battery life tests ran the system for an average of 3 hours and 13 minutes before the battery went dead. This exceeded my expectations for a notebook running Windows NT 4.0 with 64 MB of SDRAM. (Intel says PII laptops are expected to have a maximum battery life of 2 hours.) Compare this to the results from when we ran the same tests on 166-MHz mobile Pentium and 200- and 233-MHz mobile Pentium MMX-powered laptops (see "26 No-Compromise Power Portables," November 1997 BYTE). Their average battery life was 3 hours, 2 hours, and 2.5 hours, respectively. This proves there's no battery-life trade-off for a higher clock rate.

TECH FOCUS

What's Ahead for Pentium II Notebooks

According to Intel's road map for mobile chips, a 300-MHz version of the mobile Pentium II is due by year's end. Intel plans to produce the chip on a 0.18-micron process. The company will also address the mininotebook segment with new packaging options and lower-voltage processors in the second half of this year. With a high-performance platform, code-named Colfax, Intel expects to make breakthroughs in power consumption and battery life. The chipmaker hopes to deliver new packaging and processors for mininotebooks and integrated processors for low-cost basic mobile PCs, an initiative code-named Geyserville, in the first quarter of 1999. —Stella Kao



Digital HiNote VP 765 \$4,299

(266-MHz mobile PII with 440MBX chip set, 4-GB hard disk, 2-MB Neomagic PCI graphics accelerator, 20X CD-ROM, 13.3-inch XGA TFT screen, 64 MB of SDRAM, Windows NT 4.0)

Digital Equipment Corporation
Maynard, MA

800-344-4825
978-493-5111

<http://www.windows.digital.com>

Enter HotBYTES
No. 1056.

Digital's HiNote VP 765 has a 13.2-inch XGA display, fast internal battery charger, and lithium ion battery with indicator lights.

While running battery-life tests, I was surprised to hear a human voice alert me, "Your battery is low." Digital says WAV files are tied to the power management part of the Phoenix BIOS. Another shocker was the battery recharging time. I drained and charged the HiNote three times; the built-in recharger took an impressive 30 to 40 minutes to refuel the battery.

This is not a svelte notebook. With a large 13.3-inch XGA TFT screen, 20X CD-ROM, and 4-GB hard disk, the HiNote weighs in at 7 pounds, 10.1 ounces and measures 2.1 inches tall, 11.9 inches wide, and 9.3 inches deep. But it's powerful. The BYTEmark test clocks the HiNote at a 3.67 integer and a 4.22 floating-point index. A Compaq Armada 7792DMT with a 266-MHz Tillamook CPU turned in a 2.97 BYTEmark integer score and a 3.10 floating-point index. Intel expects a 30 to 35 percent

performance gain. Our tests reflect a 29.84 percent performance increase over the 266-MHz system.

Digital's HiNote has almost everything you'd want in a laptop except a network

RATINGS

TECHNOLOGY	★ ★ ★ ★
IMPLEMENTATION	★ ★ ★
PERFORMANCE	★ ★ ★ ★

interface card, less left, and a graphics subsystem with more than 2 MB of RAM. And the impending buyout by Compaq might also make you pause. However, Digital says its standard warranty covers parts and labor for three years. **B**

Michelle Campanale is a BYTE technical editor. You can reach her by e-mail at michelle.campanale@byte.com.

New biometric recognition software can help authenticate the identity of a speaker's voice over a phone line. By Judith Markowitz


Is That Really You?

Speaking is a universal human behavior, and each person's voice is unique. This makes the voice an ideal vehicle for security and authentication—as courts of law have recognized for years by accepting voiceprint-analysis testimony.

Automated speaker-verification systems now secure access to phone and proprietary data networks, authenticate individuals making financial transactions, prevent the cloning of cellular phones, and help track convicted felons.

Nuance Verifier, a new speaker-verification system, will be released this summer with version 6.2 of the Nuance toolkit for telephony applications. I tested a current beta on a 233-MHz Pentium II (256 MB of RAM), Solaris 2.5.1, a Sound Blaster 64 AWE card, and Dialogic Antares and D41/ESC analog telephony boards.

The Nuance Verifier is a part of the recognition server (RecServer) that houses speech-recognition and speaker-verification algorithms (see the figure). One or



With speaker verification, a server authenticates identity to a recognition client and the applications it services.

more recognition clients (RecClients) support applications, manage audio I/O and phone functions, and communicate with the application and the RecServer.

The RecServer supports three speaker-verification methods (see the Tech Focus box). The Nuance Verifier uses speech recognition to verify content and avoid a false rejection of valid users who utter the wrong words. When I defined a spoken password that wasn't in the recognition dictionary (or wasn't a real word), the system was able to teach the recognition component the new word as well as enroll my voice.

To enhance accuracy, the Verifier employs six "impostor" models. Each one is a group voiceprint for male or female speakers using a specific type of phone (e.g., cellular). The system compares spoken input with the claimed identity's stored voiceprint and the composite models. The idea is that, even for poor-quality audio, the real user's input will match his or her own voiceprint better than voiceprints for other people.

Effective use of Verifier requires training plus C programming knowledge. For

RATINGS	
TECHNOLOGY	★ ★ ★ ★
IMPLEMENTATION	★ ★ ★

a system integrator, interactive-voice-response provider, or telephony programmer, Nuance Verifier is a flexible tool for developing more-secure telephony applications using both speech recognition and speaker verification. **B**

Judith Markowitz (Evanston, IL) is a speaker-verification and speech-recognition consultant. You can contact her by sending e-mail to jmarkowitz@pobox.com.

PRODUCT INFORMATION	
Nuance Verifier	and Peripherals)
\$1300 per telephony port (average cost) (requires a 100-MHz Pentium with 64 MB of RAM [128 MB recommended] running Solaris; supported telephony platforms include Dialogic, IBM DirectTalk RS6000,	Nuance Communications Menlo Park, CA 650-847-0000 fax: 650-847-7979 http://www.nuance.com/ Enter HotBYTES No. 1055 at http://www.byte.com/hotbytes/ .

TECH FOCUS

Talking to a Speaker-Verification System

You can communicate with a speaker-verification system in three different ways. The most common, "text-dependent" verification, has you say a predefined password, phrase, or personal ID number. With "text-prompted" or "challenge-response" verification, you repeat what the system tells you to say. But users don't always give the expected response; they might transpose digits or say, "I forgot my password." This won't match well to the stored voiceprint and usually results in rejection. Finally, "text-independent" verification lets you say anything you want, but it's extremely difficult to achieve because of unpredictable noise and phone-line quality.

Borland's C++ Builder 3.0 helps keep C++ relevant as a language for writing distributed, browser-based applications. By Peter Wayner

C++ Forever!

Java has stolen the focus away from C++, but that doesn't mean C++ is fading, as Pascal did. C++ remains one of the best tools for writing high-quality code to control all parts of a computer, from low-level drivers to high-level GUIs.

Borland's C++ Builder 3.0 is a solid upgrade that will help keep C++ relevant in the near term. Most of its new features are Web-centric and aimed at helping C++ programmers grab some of the distributed client/server glory from Java. New debugging options make it easier to track down the bugs that can flourish when programs interact.

Internet classes wrap all the basic protocols into objects that handle most of the interaction with the TCP/IP socket layer. They also make it easier to grab a file from an FTP or HTTP server than it would be from scratch.


This version more strongly embraces Microsoft standards and techniques than previous versions did. The Microsoft

TECH FOCUS

C++ vs. Java

The new C++ Builder makes it much easier to distribute a program to a distant Web browser—formerly unique to Java. But it remains an open question whether C++ can compete with Java as an enabling language for thin clients. C++'s biggest limitation: The x86 code generated for ActiveX controls is not cross-platform—a plus if you're writing code only for a smaller x86 environment such as the typical office.

Security and the availability of libraries are other C++ liabilities. ActiveX controls give programmers access to everything, and they are more likely to link with DLLs and other libraries that may not be present on the local system. Both are pitfalls in distributing C++ code everywhere.



C++ Builder 3.0
Client/Server
\$24.99
(also available in Enterprise, Standard, Professional, and AS/400 versions)

Borland International, Inc.
Scotts Valley, CA

408-431-1000
fax: 408-431-1320

<http://www.borland.com>

Enter HotBYTEs No. 1036.

C++ Builder 3.0, like Delphi, lets you create forms containing a variety of objects, including several for connecting to the Internet.

Foundation Classes (MFC) are included, and there is strong support for building and deploying ActiveX components. In fact, the whole process of turning a Borland form into an ActiveX control on a Web site is nicely automated.

Debugging features are also improved. Now you can keep multiple projects open and debuggable at one time, meaning you can follow calls between your main application and a DLL without using another debugger. This will make life easier for programmers chasing bugs throughout a multipart project. Advanced corporate developers will also be interested in the ever-widening array of tools for supporting database access and maintenance.

C++ Builder feels like a "traditional" Borland product. Its ASCII-code-centered approach makes it easier to incorporate your own code or tweak the results produced by the visual editor. It also provides the lowest-level access necessary for handling small details. Still, I don't like the

RATINGS

TECHNOLOGY	★	★	★	★
IMPLEMENTATION	★	★	★	★

way C++ Builder puts metaphorical icons on the form to represent objects that won't be visible in the application's GUI. There ought to be a third level between the ASCII source code and the form.

C++ Builder resembles Borland's J++ Builder in offering fast compilation, a straightforward interface, and a large collection of sophisticated tools. Both products help programmers access distant databases and distribute their code throughout a client/server world built around IP. C++ programmers who want a place in this world should give serious consideration to C++ Builder 3.0. **B**

Peter Wayner (pcw@access.digex.net) is a Baltimore-based freelance writer and a BYTE consulting editor.


Can Intel's speedy new 100-MHz system bus really turbocharge today's computers? By Michelle Campanale and Dan Tanner

100-MHz: A System Bus for Tomorrow

Every PC generation sports hardware features that outstrip current software capabilities. The latest innovation, the fast 100-MHz system bus made possible by Intel's new 440BX chip set, is no exception. While on paper it's as much as 50 percent faster than today's 66-MHz bus, the applications—and the components—needed to utilize the extra speed simply aren't there yet.

BYTE Lab tested four new 350- and 400-MHz machines that have the 100-MHz bus. Our conclusion: The performance gains we saw come mostly from the faster processor and more powerful components, not from the speedier system bus.

We've yet to find applications that truly exercise a 100-MHz bus. Of course, that doesn't mean these new machines aren't worth considering. The PCs we tested here offer exceptional performance and the promise of upgradability when the 100-MHz system bus finally comes into its own.



Compaq Deskpro EN Series

This heavy, sturdy-feeling 400-MHz system is well-engineered and comes with easy-to-follow, well-illustrated documentation. Disk expansion is a major

From left: Compaq Deskpro EN, IBM Intellistation, NEC PowerMate Enterprise 8100, Tangent Medallion B.

drawback, however: Our test system had just one free 3½-inch bay left, which would force an upgrader to choose between, say, tape backup or a new DVD drive.

The Deskpro EN sports a 10/100 Ethernet card and a 200-watt power supply, adequate but definitely on the puny side. The EN includes two PCI and two shared PCI/ISA slots and an EIDE drive controller on a two-sided riser card. Memory modules fit under the drive bay structure—not the easiest location to access.

IBM Intellistation

The 350-MHz Intellistation proved the most expandable, and most expensive, of our test systems. It came with one shared PCI/ISA slot and four PCI expansion slots and can accept a second processor. The machine had Ultra Wide SCSI on board, and came loaded with a whopping 256 MB of synchronous DRAM (SDRAM), which partly accounts for its whopping \$4899 price.

continued

TECH FOCUS


MEMORY

100-MHz System Bus: The Faster Way to Travel

The 100-MHz system bus offers 50 percent more bandwidth from CPU to memory in a Pentium II PC than the older 66-MHz bus. And the 440BX chip set boasts queues and buffers about twice as deep as today's 440LX. The 440BX can hold 32 memory pages open at once; 440LX keeps only two. The 440LX limits memory page size to 2 KB; 440BX pages vary according to synchronous DRAM (SDRAM) organization. The 440BX also supports 1 GB of main memory (double that of the 440LX), the Wired for Management baseline spec, better power management, improved data integrity with PCI parity, and ECC hardware scrubbing.

There's a minor downside to all this bounty: higher prices for 100-MHz-compatible memory. The SDRAM chips used in our test machines offer higher performance than older fast page mode or extended data out (EDO) RAM. But the tests required to certify these chips for 100-MHz use (a spec known as PC100) are far more rigorous than old 66-MHz standards. Manufacturers have been ramping up production of the new chips for several months, in densities from 16 MB to 128 MB—the maximum currently supported under the standard—but relative scarcity is liable to boost the price of memory for the near future. While that's not much of an issue for the high-end PCs and servers most likely to use the 100-MHz system bus, it's something to be aware of.

Pentium II Performance Comparison



The Intellistation offers six bays for storage: two 5¼-inch externals, two 3½-inch externals, and two 3½-inch internals, although the SCSI hard disk that came with our evaluation unit consumed three-quarters of the entire 3½-inch internal bay space. The system's 330-watt power supply is ample for most purposes.

It's a snap to get at components inside the roomy chassis. Reaching the CPU is a three-step, tool-less process.

PowerMate Enterprise 8100

Unlike the other machines in this review, NEC's 400-MHz PowerMate Enterprise 8100 arrived with its L2 cache's error-correction code (ECC) turned off, which resulted in slightly better performance scores for this machine. (For more on the ECC tactic, see "Trick of the Trade?" in our May

issue's Hardware Lab Report.) The NEC boasts a huge 14.1-GB, 7200-rpm EIDE hard drive that uses giant magnetoresistive (GMR) heads.

The PowerMate's "Intellicase" chassis houses an NLX motherboard that slides out easily. Internal layout is wide open. NEC puts expansion slots on a riser card. The PowerMate has four PCI slots, two ISA slots (despite Microsoft's PC98 initiative to phase out ISA), and one Accelerated Graphics Port (AGP) slot.

NEC has chosen to include DMI, Magic Eye (an ASIC on the system board that watches things like temperature), and Smart Drive compliance. The company also bundles LANDesk Client Manager 3.1 and, like the other PCs in this review, its 3Com network card supports Wake On LAN (WOL).

Tangent Medallion B

Tangent's 350-MHz machine, a beefy configuration for a lean price tag, is aimed at high-end enthusiasts. Besides the standard 10/100 Ethernet card and WOL, it comes with a 4-GB, 10,000-rpm Ultra Wide SCSI hard drive and five 32-bit PCI slots, one ISA and one shared PCI/ISA slot, as well as an AGP slot.

Tangent's STB Glyder Maxx-2 128-bit AGP 3-D accelerator, powered by the Permedia II chip, supports both OpenGL and Direct 3D. Although you can open the chassis without tools, ribbon cables obscure quick access for DIMM replacement.

The Bottom Line

The 100-MHz system bus is definitely a technology for the future; if you're the type who needs the faster bus, you'll probably want as much expandability as possible. IBM's loaded Intellistation fills that bill nicely, although at \$4899 for a 350-MHz model without a monitor, it's by far the most expensive system tested.

The Compaq Deskpro and Tangent Medallion B offer good value, but at the cost of some serviceability. If you simply want hot performance and a good upgrade path at an excellent price, we think NEC's \$2999 PowerMate will more than satisfy. **B**

PRODUCT INFORMATION

Compaq Deskpro EN series
\$2800 (ESP without monitor)
400 MHz PII, 64 MB of SDRAM,
6.4 GB Ultra ATA hard drive,
ATI 2x AGP graphics card with
4 MB of SGRAM
Compaq
Houston, TX
281-370-0670
<http://www.compaq.com>
Enter HotBYTES No. 1058.

IBM Intellistation
\$4899 (ESP without monitor)
350-MHz PII, 256 MB of SDRAM,
9.1-GB EIDE hard drive,
Matrox Millennium II 2x AGP
graphics card with 8 MB of
SGRAM

IBM
Research Triangle Park, NC
919-543-5221
<http://www.ibm.com>

**NEC PowerMate Enterprise
8100 Series**
\$2999 (ESP without monitor)
400-MHz PII, 64 MB of SDRAM,
14.1-GB IDE hard drive,
ATI Xpert@Work AGP graphics
card with 8 MB of SGRAM
NEC Computer Systems Division
Boxborough, MA
888-475-8952
<http://www.necnow.com>
Enter HotBYTES No. 1060.






Tangent Medallion B
\$2495 (ESP without monitor)
350-MHz PII, 64 MB of SDRAM,
4-GB Ultra Wide SCSI hard drive,
STB Glyder MAX-2 AGP graphics
card with 8 MB of SGRAM
Tangent
Burlingame, CA
800-800-5550
650-342-9388
fax: 650-342-5937
<http://www.tangent.com>
Enter HotBYTES No. 1061.

Enter HotBYTES No. at
<http://www.byte.com/hotbytes>

Michelle Campanale and Dan Tanner are BYTE technical editors. Additional testing by Al Gallant and Robert Pickering.

The Path to Real-World ENTERPRISE NETWORK SOLUTIONS

G E O R G I A W O R L D C O N G R E S S C E N T E R



JUNE 7-11, 1998

SUPERCOMM '98

ATLANTA, GEORGIA

Explore the Whole World of Communications

Enterprise Network solutions are *everywhere* at SUPERCOMM! From the 340,000+ square foot exhibit floor to the ICA End User Zone, you'll see the hottest new products and applications up close. More than 140 major players covering 150,000+ square feet will turn the exhibit floor into your playground for hands-on experimentation with these breakthrough technologies and products:

- Application Development
- ATM/Frame Relay
- Bridges/Routers/Gateways/Hubs
- Broadband Equipment and Services
- Computer Telephony
- Customer Premises Equipment
- Data Communications
- Integrated Voice/Data/Video
- International Carrier Services
- Internet Solutions
- Intranets/Extranets
- ISDN/SMDS
- LANs/MANS/WANs
- Multimedia Applications
- Network Management Systems
- Wireless Communications

Only at SUPERCOMM can you visit such industry giants as *Sun Microsystems, Unisys, Hewlett-Packard, NCR, DEC, Tandem, Bay Networks, Cabletron, Cisco, 3Com, Ascend, EDS, Microsoft, Ericsson, Lucent, NORTEL (Northern Telecom), NEC and Newbridge*, plus the leading international carriers; attend 63 informative enterprise network sessions*; and "Explore the Whole World of Communications" under one roof.

Put Yourself on the Path to Real-World Enterprise Network Solutions Today.

To attend: 1-800-2-SUPERC or 1-312-559-3327; fax 1-312-559-4111

To exhibit: 1-800-COMM-NOW or 1-703-907-7480; fax 1-703-907-7746

*SUPERCOMM Educational Programs Presented by: International Communications Association - Annual SuperConference • International Engineering Consortium - Communications Forum - SUPERCOMM IEC Executive Program • IEEE Communications Society - International Conference on Communications (ICC '98) • SUPERCOMM Global Telecom Market (GTM) Forum.

For registration information, fill out and mail today!

SUPERCOMM '98, 549 W. Randolph, Suite 600, Chicago, IL 60661-2208 USA

Name _____

Title _____

Organization _____

Address _____

City _____ State _____ ZIP/Postal Code _____

Country _____ E-Mail _____

Phone _____ Fax _____

Interest: Registering Exhibit Space

Conference Interest: ICA IEC IEEE

GTM Forum

No one under 18 years of age will be admitted.

BYT



For fastest response and to receive a FREE SUPERCOMM CD-ROM, FAX to 1-312-559-4111 or visit www.supercomm98.com

Accessible components and a standard configuration build distinguish Toshiba's Equium 7000 series. By Dan Tanner

A "Box" Designed for Manageability

For its Equium 7000S desktop PCs aimed at the corporate market, Toshiba used a mechanical design aimed at simplifying the information technology (IT) manager's job and cutting costs in configuring, deploying, managing, and upgrading these PCs across an enterprise.

Toshiba says the key is the pop-out NLX form-factor motherboard, with its integrated audio/video in/out, universal serial bus (USB), serial and parallel ports, and Accelerated Graphics Port (AGP) slot. The company can build to order a full range of computers using different CPUs with a single small box. Then, administrators can learn, preinstall, and qualify one machine and know how the rest of the product line behaves. Everyone can stock fewer service parts, and the NLX board helps avoid cable mix-ups.


The Equium 7000S (slimline) chassis sports a quick-access door for popping out the motherboard and upgrading or repairing it without tools. I found the pop-out motherboard to be a good idea poorly executed, at least in the sample I tested. I couldn't reinsert it successfully

RATINGS				
TECHNOLOGY	★	★	★	★
IMPLEMENTATION	★	★	★	★
PERFORMANCE	★	★	★	

in any one try. It got stuck both inbound and outbound, and two editors cut their hands trying to free it.

The board has no grip area or push points, which could lead to broken components. Toshiba is adding a thumbtab to fix this. The company says it will also lengthen the motherboard guides to make them visible and improve the eject lever's retainer and pivot.

The door also lets a user or technician upgrade RAM or video memory in place, without removing the case. The mother-



Equium 7000S
\$1884

(as tested, without a monitor)

Toshiba America
Information Systems, Inc.
Computer Systems
Division
Irvine, CA

888-588-7802
949-583-3000

<http://computers.toshiba.com>

Enter HotBYTEs
No. 1064.

The Equium 7000S side-access door simplifies memory upgrading and provides motherboard access for system upgrading.

board mates with a riser card containing an integrated 10/100-Mbps Ethernet adapter and providing two external slots, one a shared PCI/ISA. I needed no tools to slide the case off for disk drive access.

The default file system is file allocation table (FAT), providing speed and DOS/Windows 3.1/95 compatibility. However, a Windows "double-click on me first" icon brings up a dialog box for converting to NT File System (NTFS) for network-oriented file security features and greater than 2-GB disk addressing.

Complementing the package and making life easier for users and managers, an optional InTouch keyboard incorporates extra dedicated function keys. One key launches an extensive Web browser-like help facility from the hard drive.

You can lay the box flat, stand it as a mini-tower, or hang it on a wall or partition. For vertical orientation, I'd prefer a CD-ROM drive with a media slot to the

pop-out-tray unit that Toshiba says it chose for reliability.


The system boots up quickly and wakes up instantly at the touch of a key or on command from the LAN.

The 7000S is available with 233-, 266-, 300-, and 333-MHz CPUs. On our 266-MHz system, we got an integer BYTEmark of 3.74 and a floating-point BYTEmark of 4.34. For comparison, a 266-MHz Pentium II Intergraph TD-225 scored 3.8 and 4.5, respectively. The estimated street price for a 233-MHz system with 16 MB of RAM and a 2-GB hard drive is \$1229.

With its feature integration and network orientation, the Equium 7000S is a nice workstation for corporate use. But its design may be a two-edged sword. Systems managers might prefer to keep that access door padlocked! **B**

Dan Tanner (dan.tanner@byte.com) is a BYTE technical editor for hardware reviews.

Chaos Manor



A Smarter Windows 95

Cyrus gets a CPU transplant, and Jerry gets to experiment with the other Windows 95.

Well, Cyrus the Cyrix 6x86 P-166 system no longer has a Cyrix chip. Admittedly, this was more experiment than necessity: the Cyrix 6x86 P-166 was certainly fast enough for almost anything you'd want to do.

On the other hand, the BIOS for that system has a couple of Plug and Play glitches—I can say that calmly now, but there was a time when I was going mad—and cannot be upgraded because Cyrix never released it to Phoenix. My Plug and Play problems got so bad that it was simpler to scrub the system down to bare wood and reinstall Windows 95.

I figured that if I were going to that much trouble, I might as well do a bunch of experiments at once. First, I installed Windows 95b, aka OEM Service Release 2 (OSR2). That's the main story in this column; stand by. Second, once I proved that OSR2 worked with the Cyrix chip, I installed an Evergreen MxPro 200-MHz chip, not so much for the increased speed as for the MMX capability. That, too, went without a hitch.

I now have Evergreen upgrades in three machines. In every case, the installations were simple, and everything has worked without problems. If you have lots of time and you know what you are doing, a motherboard replacement is cost-effective. Otherwise, if you want more speed, drop in the appropriate Evergreen chip; they have one for nearly any system you'd want to upgrade. The Evergreen upgrades are well designed, the instructions on which systems to use them with are clear, and they work.

It began with a game, Seven Kingdoms, from Interactive Magic. It wasn't really the game's fault. Cyrus has been my main Windows 95 machine for about a year,

and over time accumulated an astonishing patina of old DLLs, remnants of incompletely uninstalled programs, and the electronic equivalent of barnacles. Attacking it with CleanSweep helped—but not much. Those uninstall programs can do wonders if they've been allowed to watch while programs are installed, but going in cold is another matter.

Eventually Cyrus got so confused that the Copy Disk command vanished from the File pull-down menu. Apparently, one of the programs that like to add to that menu had done it improperly. I looked in

thing over the network, booted up in DOS, and used FDISK before I could change my mind. Then I installed OSR2 by copying the Windows 95 subdirectory (including setup.exe and all the CAB files) of the installation CD to C:\windows\options\cabs and invoking setup.

Fifteen minutes later I was done. The installation went smoothly, Plug and Play worked just fine to find all the internal and external devices, and the network appeared like magic.

OSR2 is smoother and smarter than the earlier Windows 95. It has more up-to-

My problems got so bad that it was simpler to scrub the system down to bare wood.

all my books and talked to a bunch of people, but no one could tell me how to restore the Copy Disk command without reinstalling Windows.

Then I installed Seven Kingdoms, and after a few minutes' play, the system locked up entirely. It wouldn't shut down, Ctrl-Alt-Del did nothing, and I had to power down—after which Windows wouldn't boot at all. Reinstalling Windows helped a little. Now I could get to Windows, but Plug and Play was all fouled up. I could have either a network or my external Zip and Fujitsu DynaMO drives, but not both.

This sounded like a virus, but the latest version of Dr. Solomon's didn't detect one. It was clearly a Plug and Play problem. A call to Phoenix about BIOS updates got me the information that there wasn't one for Cyrus; and, of course, Cyrix no longer makes the machine.

Since I did have a network and lots of empty disk space on Fireball, the new dual Pentium Pro server, I copied every-

date device drivers and an updated list of devices. It offers the choice to "browse" in more places. It knows about FAT32 (file allocation table) and universal serial bus (USB), although I'm not using either of those just now. Best of all, Plug and Play works well.

THROUGH A SERIES OF MISTAKES I'm ashamed to detail, I had to reinstall OSR2 on Royal Armadillo, a new 266-MHz Compaq Armada 4220T laptop. (It's new enough that it came with OSR2, and I mucked it up something awful playing around with odd devices.) After the reinstallation, I had problems getting it to recognize the docking station that connects it to Ethernet.

Eventually we looked at each device in Systems Device Manager and found a few nonworking devices in an "unknown devices" category. We could not see them until we opened each category manually. We removed those and all other devices that weren't working exactly right, put

c-tree Plus[®]

COMMERCIAL

Database Engine

Speed is essential in all database projects, but not at the expense of stability. You wouldn't try to go 100 miles per hour with your bicycle! The same is true in database technology. FairCom has been delivering fast, safe, full-featured database engines to the commercial marketplace for 19 years. Proven on large Unix servers and workstations, c-tree Plus's small footprint and exceptional performance has also made it the engine of choice for serious commercial developers on Windows and Mac. Check out www.faircom.com for detailed information. You'll be glad you did.



c-tree Plus[®] key features for \$895:

- Royalty Free
- Portable Multi-Threaded API
- Complete C Source
- Thread Safe Libraries
- Standalone or Client/Server
- Complete Transaction Processing, including automatic recovery
- Save-points
- Abort/Commit
- Roll-forwards /Roll-backwards
- Easy make system
- Advanced Variable Length Records
- BLOBS
- Space Management
- File Level Security
- Conditional Index
- ODBC/Java Interfaces
- Over 25 Developer Servers included

Platforms:

MIPS ABI	DEC Alpha	Sun SPARC	Windows 95	SCO	Banyan VINES
88OPEN	OSF/1	DOS	Windows NT	Linux (Alpha/Sparc/Intel)	GNX
AIX	HP9000	OS/2	Windows 3.1	AT&T System V	Chorus
RS/6000	Sun OS	Mac	Interactive Unix	Netware NLM	Lynx

FairCom[®] Server

DEVELOPMENT SYSTEM

Half of your Client/Server project is the Server! You control 100% of your Client Side. Why settle for less on your Server side? Move your functions to the server-side to decrease network traffic and increase performance!

Today's database demands may often be too complex for traditional Relational Model Database Servers. Server needs come in many different sizes and shapes. What better way to accommodate these requirements than by allowing the developer to take full control of the Server side? FairCom's Server Development System was created to meet this need. It provides the developer the means to create an industrial strength Server. Complete make-files are included for all FairCom commercial platforms. With our proven kernel add or override existing database functionality or create your own special multi-threaded server:

Application Server	Network Gateway Server	Data Warehouse
Special Web Server	Departmental Database Server	Embedded Servers

FairCom Server Development System key features:

Provides complete source code for all the interface subsystems to the FairCom Server. Server mainline, Communication, Threading, Remote function interfaces and procedure calls are all supplied in complete C source code together with the FairCom Server sophisticated thread-safe kernel libraries.

Customizable	Rollback-Forward	Data History	Conditional Index
Transaction Processing	Anti-Deadlock Resolution	Multiple Protocols	Small Memory Footprint
Online Backup	Client Side Source	Heterogeneous Networking	OEM pricing
Disaster Recovery	Multi-threading	File Mirroring	ODBC/Java interface
			Key level locking

the machine in the docking station, shut down, and turned it back on. Plug and Play went through and installed everything perfectly: sound, infrared (IR) port, proper screen drivers, Ethernet, modem card, and all automatically.

More: there's a gizmo that lets you replace the floppy drive with a battery and then install the floppy drive in a carrier that connects to the computer by cable. When you attach the now-external floppy drive to the system, Poof!, the A device appears on your desktop. Disconnect, and the icon goes away. I've never had that smooth an experience with Windows 95a.

The bottom line is, if you can get OSR2, do so; it's a significant update to Windows 95. Fair warning: OSR2 *really* wants to install the Internet Explorer browser. You can still use Communicator as the primary browser, but you will not easily kill off Explorer, nor should you.

It's also hard to get OSR2. I don't know why Microsoft doesn't sell it as an upgrade, although I have heard rumors that the company is sulking after enduring so many accusations of dinging users for upgrades. In any event, OSR2 is in theory distributed only with new hardware. There may be older systems it won't work with, but we've had no problems with anything, and it's fine with the Cyrix chip as well as the Evergreen upgrade chip. If you can get OSR2 (legally, of course), you'll probably be glad you did.

Sometime in the near future, you'll be able to get Windows 98, which incorporates all the advances of OSR2 as well as some new features. That supposes, of course, that Ralph Nader and company haven't been able to suppress Windows 98. Apparently they're trying. Also, Nader recently sent letters to most of the major hardware companies urging them to bring out systems with "alternative" OSes such as Linux and BeOS.

This is silly. BeOS is a useful development environment aimed at multimedia applications, and Linux is a useful form of Unix; but how many people are there who can make use of those OSes and don't already know about them? Linux can be tricky to install, but that's hardly beyond anyone who's capable of using it. The reason we don't use it here at Chaos Manor despite considerable enthusiasm for it is the lack of application software relevant to what I do. There are certainly times when Windows drives me crazy, but not so crazy that I'll give up my applications—



www.faircom.com

FairCom[®]

corporation

Commercial Database Technology. Since 1979.

USA. 800.234.8180

and games—that I've become fond of.

I'd also have to install NetWare or another network. It seems to me that the result would be a great deal more maddening than Windows.

Once I got Cyrus running properly again, I installed CleanSweep, and I've been letting it watch as I install other programs. Mostly that works, although once in a while CleanSweep gets confused. With Seven Kingdoms, for instance, CleanSweep seems to have interfered with the final stage of installation.

My remedy was to install again, this time with CleanSweep turned off. When I start to play Total Annihilation, CleanSweep believes I've started an installation, and I have to tell it to go back to sleep. I've had minor problems with other installations as well, but nothing that persistence and common sense didn't handle. Of course, I haven't had much reason to use CleanSweep since I installed it. We'll see. At least it seems to do no harm.

I F YOU HAVE AN OLDER LAPTOP with no CD-ROM drive, get a backpack

bantam parallel-port CD-ROM drive with sound, from MicroSolutions. It works with Windows 3.1 and 95, and you can use it to install a new OS. It's slim and trim, about the size of a paperback book; it adds decent Sound Blaster-compatible sound (in Windows) to laptops that don't have it; and the only thing we can object to is that it needs

The Libretto and backpack combination have earned the "Cold Dead Fingers Award."

a power supply. They're said to be doing a battery pack, but that doesn't exist yet.

Otherwise, it's hard to improve. We've tried it on several systems, including the Toshiba Libretto 50CT, and it works with all of them. It's a stone natural for the Libretto, adding both CD-ROM capability and improved sound to what is, after all, full Windows 95 (not just Windows CE) on a palmtop. Highly recommended. (If they get the threatened battery pack ready for the backpack bantam, this might be the smallest full-featured combo on the market—certainly among the coolest.)


The Libretto and backpack combination have earned the "Cold Dead Fingers Award": the only way I'm going to get them away from Eric Pobirs, our sometime intern. He's taking them to CeBIT, where he's assisting my son Alex in producing the BYTE Best of CeBIT awards show; maybe I can get Customs to waylay him on the

way home. If you want full-function computer capability in a small package, this is the combination to have.

We also used the backpack bantam to install OSR2 when I decided to test it on SpaceCalf, my ancient Gateway Liberty, an obsolete but wonderful full-service laptop that previously had only Windows 3.1. That installation went well, with no problems getting SpaceCalf to recognize the CD-ROM drive. OSR2 then found everything: PC Card ports, the IR port, power management features, 3Com and Megahertz Ethernet cards, the full Monty.

continued

Software Protection



All the Extras You Need

WIBU-SYSTEMS offers the most effective copy protection system with innovative features such as PayPerUse, Software Metering and License Management. Profit from new ways of software distribution with WIBU-KEY!

Call now for your Test Kit
(800) 986 6578



North and South America:
Griffin Technologies, LLC
1617 St. Andrews Drive, Lawrence, KS 66047
Tel. (785) 832-2070 · Fax. (785) 832-8787
Email: sales@griftech.com · www.griftech.com

Enter HotBYTES No. 123 at <http://www.byte.com/hotbytes/>

Argentina: Grupo Consultor S.A. · info@grupocsa.com.ar
Benelux.: COMPUSEC · info@compusec.be
Brasil: CASATK · casatk@netville.com.br
Croatia: ARIES d.o.o. · aries@zg.tel.hr
Denmark: DANBIT A/S · cahe@danbit.dk
Estonia: LanSoft Ltd. · lansoft@online.ee
France: NEOL S.A. · NEOL@compuserve.co
Spain: WICOM · wicom@sinix.net
Portugal: DUBIT · dubit@dubit.pt
Japan: SUNCARLA Corp. · info5@suncarla.co.jp

Germany and International
WIBU-SYSTEMS AG
Rueppurrer Strasse 54
D-76137 Karlsruhe
Tel.: +49-721-93172-0
Fax.: +49-721-93172-22
Email: info@wibu.com
<http://www.wibu.com>



New USB Technology

WIBU-KEY hardware for LPT, COM, USB, ADB, ISA and PCMCIA interfaces are functionally identical and interchangeable.

The new WIBU-BOX/U for USB won a Must See decoration at CeBIT'98. www.wibu.com



WIBU
SYSTEMS
Quality the World Trusts

New Version Released

PKZIP[®] for Windows

PKZIP[®] for Windows, the industry standard compression utility, has just gotten better.

PKZIP 2.60 for Windows includes these new features:

- ▶ Support for TAR, GZIP, MIME, BinHex, UUencoded & XXencoded file formats.
- ▶ Helpful Wizards to assist novice PKZIP users.
- ▶ Select a "List File" for adding a specified group of files at once to a .ZIP archive.
- ▶ Run an executable file from within an archive without the need to extract first.
- ▶ Create shortcuts for a .ZIP file on the desktop.
- ▶ Copy, move, delete & rename a .ZIP file from within PKZIP for Windows.
- ▶ Easily create new directories when unzipping files.
- ▶ Delete .ZIP files to the Windows 95 Recycle Bin.

PKZIP 2.60 for Windows is compatible with Windows 95, Windows NT and Windows 3.1x. PKZIP is also available for DOS, OS/2, SPARC Solaris and Open VMS.

<http://www.pkware.com>
info@pkware.com
414-354-8699



PKWARE INC.
The Data Compression Experts

BY-698

We had one disastrous loss: we inadvertently erased the only copy I had of the Cow on the Moon background screen that came with SpaceCalf. If anyone has a copy of that .bmp file, I'd much appreciate it. About the only thing we couldn't get working was the internal Crystal Semiconductor sound chip, but the backpack bantam adds Sound Blaster capability.

Another portable device we can rec-

omend is the SyQuest SparQ drive. It comes in two flavors, an internal Enhanced IDE (EIDE) connection and external parallel. You will need an Enhanced Parallel Port (EPP) or preferably an Extended Capabilities Port (ECP), but most systems (including the Liberty and Libretto) have one or the other; you may need to go into the BIOS to activate it properly. Given that, it installs easily, and it's very fast, even in the parallel version.

If you want to get back to where you were an hour ago, the SparQ is a way to do it.

The internal EIDE version is indistinguishable in speed from a normal hard drive. The SparQ 1-GB cartridges are relatively cheap. Your system sees this as just another hard drive. You will have to run the guest software to let DOS see the parallel version, but you can run that from a floppy disk.

In a word, this is the right system to do a full disk backup. The right software to do it with is PowerQuest's Drive Image. Drive Image makes an exact image of a drive partition. Since it's a sector-by-sector image, if you get in trouble, you can boot up in DOS and restore the drive partition complete with whatever OS it used. Drive Image understands removable media and will restore to multiple disks, although given its compression capability, you may be astonished to see how large a partition you can back up to a 1-GB SparQ cartridge. Many test labs use this combination.

If you've ever wished you could get back to where you were an hour ago, this is a way to do it. Drive Image and a supply of SyQuest SparQ cartridges may not end all your adventures, but it will certainly make them more tolerable. Recommended.

Regarding SyQuest versus Iomega: there is no substitute for an Iomega Zip drive, and everyone ought to have at least one parallel-port Zip drive. I have two, Larry Niven has one, and we routinely use them to sneakernet files. They aren't ter-

ribly fast, and they hold "only" 100 MB, but they are marvelously convenient, and nearly everybody has one. I couldn't live without at least one Zip drive. For a full gigabyte, I prefer SyQuest. I have not had a bad experience with Iomega's Jaz drive, but I have heard many stories from people who have. I do have personal experience with SyQuest drives, and it has all been good. The media are a

bit harder to obtain than Jaz cartridges—Fry's has SyQuest cartridges, but my local Staples does not—but if you buy SparQ cartridges in three-packs, the medium cost is around \$33 a gigabyte, a bit less than a hard drive. The SparQ is fast and convenient, and the cartridges are rugged.

There are also lots of intermediate-size removable-medium drives. Of those, I like the Fujitsu DynaMO and Olympus Sys.230 magneto-optical (MO) drives best. The DynaMO comes in a 640-MB configuration, but in fact I have never seen a 640-MB MO cartridge for sale. I do see 230-MB MO discs at Fry's, and MO has the lowest cost per megabyte of any rewritable mass storage other than tape. The Olympus and Fujitsu drives read each other's files just dandy, and I use MO discs to store photographs peeled off my Olympus and Agfa digital cameras.

There are also CD Recordable (CD-R) and CD Rewritable (CD-RW), both of which I have discussed before. I'd certainly rather have either of those than one of the intermediate-size removable-medium hard drives.

Finally, SyQuest makes a 1.5-GB SyJet removable drive. Mine is an external SCSI device—it comes in other flavors, too—and works without fuss. I have one on Princess, the dual Pentium Pro Compaq Workstation 5000, where it serves as the backup and overflow storage medium. I suppose it's slower than the internal hard drives on Princess, but I have to say I don't notice; fast enough is fast enough. Unfortunately, the SyJet and SparQ drives can't read each other's cartridges, which is a pity.

Given the 1-GB SparQ, the 1.5-GB SyJet, and the 1-GB Jaz, I would take the SparQ first and the SyJet next, largely on considerations of reliability and speed. On the other hand, you are more likely to find someone or some place that has a Jaz drive

before you'll find either SyQuest drive.

With all these great removable storage devices available, there's no excuse for being caught without a backup. And with their speed, there's no reason not to do so early and often.

GO TO THE ANNUAL AMERICAN Association for the Advancement of Science (AAAS) meetings to recharge my intellectual batteries. I also test road-warrior equipment. This year, I carried Armadillo, my earlier Compaq Armada laptop. I also carried the Olympus D-320L and Agfa ePhoto 1280 digital cameras, choosing from about a dozen that come and go here at Chaos Manor.

I've previously written about the Olympus camera, and you can see some of the pictures I've taken with Olympus equipment on my Web site. This is a wonderful no-zoom camera. It fits in a pocket, it has lots of neat features that all work, the resolution is good enough for 3- by 5-inch printed photos and just about anything you'd care to do for a Web-site photo, and Olympus is continually improving their

software. You won't find a better general-purpose electronic camera.

The Agfa ePhoto 1280 is new to me. I didn't like it at first. Let's get the bad features out in the open. Do keep in mind that I grew to like the camera despite them.

There's no lens cap. I like to carry cameras in my pocket, without a case, or dangling from a strap around my neck. The ePhoto 1280 has only a single-point strap anchor and comes with only a wrist strap. The little plastic port cover over the output sockets pops open or off with a touch. I secured it with black duct tape, which in fact is nearly invisible and did the job.

The activation switch is so easy to turn on that more times than not, you'll find the camera has been on a long time; fortunately for battery life, there's a timer that eventually turns it off if you haven't done anything with it. Finally, there's no viewfinder. You use the view screen to compose and sight your image, which has the advantage that what you see is what you get, but on a bright day, seeing it is not so easy.

That's the bad part.

The good part is there are many choices

of resolution, easily controlled with a rather ingenious on-screen system. The "1280" resolution is high enough to produce decent printed photographs. The control system in general is easier to understand than that in the D-320L: there's only one button, which is also a choice dial. It's easier to use than to explain. There are more controls than the D-320L has, including several focal distances, all easily controlled from on-screen menus.

The best part is the zoom. The camera has a swivel feature so that you can carry it in a pocket, yet it has a full zoom from 38 to 114 mm, mild wide angle to not-bad telephoto, all easily controlled by buttons under your right thumb. Battery life is fairly good, about comparable to the D-320L, and the ePhoto 1280 comes with a battery charger and rechargeable batteries. (If you use an electronic camera, I guarantee you'll soon change to rechargeables.)

The Agfa software is not as easy to use as the new stuff from Olympus. If you're getting a digital camera for Aunt Minnie, Olympus is good enough, and Agfa is marginal. If you're getting one for yourself,

MICROSOFT OFFICE INTEGRATION


What a great idea! Century Software, a leader in file transfer technology, has added this same functionality to MSOffice.™ Now you can seamlessly **send your documents** to a remote host via file transfer **from within Word or Excel.**

Simply choose "Send To" under the "File" menu in MSWord™ and select the "Century Recipient" option to begin a file transfer.



All configuration and emulation settings are stored in the Century Address Book. It's elementary. Only Century allows you to **transfer files**, point-to-point, using any one of your favorite file transfer protocols **from within MSOffice.**

We know comm. Ask us how. Visit the URL below for a **free evaluation CD** of TERM and TinyTERM v4.0 and a chance at



some **shades** that will make any geek look good.



www.censoft.com/byte698

tel. 801-268-3088 • fax. 801-268-2772

MS OFFICE ACCESS TO UNIX, ASK US HOW

either will do. We have also taught Photoshop to download images from either camera, so we don't need two camera software packages on the laptop we carry with the digital camera.

President Clinton spoke at AAAS, and I was able to get quite a good picture of him with the ePhoto 1280 zoom lens despite bad lighting conditions. I could also use it to get pictures of briefing charts. All told, the Agfa camera was very useful.

Both Agfa and Olympus have new models coming out shortly. If you've been looking for a good digital camera, either of these is more than good enough.

I GOT THIS MONTHS AGO. IT ISN'T a computer; it's a neat electronic gadget: the Outback ES Digital Compass. This bills itself as the most sophisticated handheld compass on the market, and I believe it. It's a bit heavier than the little orientation compasses I used to carry when I led Boy Scout forays into the High Sierra, but it does a lot more.

Not only can you program in deviation, so that it will show you either true or mag-

netic north as you choose, but it's your clock, night navigator, and a bunch of other stuff. It's tilt-compensated (up to a point) and pretty rugged. Battery life is good. There are bearing sights.

It remains a little heavy compared to what I'm used to, and I suppose in a year or so they'll have a model with a Global Positioning System (GPS) receiver built in, but it's one heck of a compass. Precision Navigation also makes an auto/marine compass (Co-Pilot) with fewer features but easy magnetic compensation—it works better in my Bronco than any other compass I ever tried—and a programmable night light that goes out in 20 seconds. Get one of these, and you won't go back to those things you buy in the auto parts store.

They also have Palm Navigator. It attaches to your PalmPilot and does compass overlays on downloaded maps. I won't wait so long to tell you about that one. This is seriously good stuff.

ROBERTA POURNELLE HAS MANAGED to get a commercial Web site, <http://readingtlc.com/> (her product is

Reading: The Literacy Connection). I am told that the average cost of activating a commercial Web site is about \$300,000. After watching her struggle for two months plus, I believe it, although aside from her time, the cost of setting it up was right around a thousand dollars.

A full story next month, but the point is, Roberta managed all this on her own with help from the technical-support people at Earthlink. If you want a commercial Web site, you can have one. Be persistent, and be prepared to insist on clear explanations from the technical-support people, and you'll get there.

THE GAME OF THE MONTH IS Mych: The Fallen Lords, from Bungie Software. Fair warning: this is a difficult game, and you'll spend a lot of time getting things right before you start winning. The clue book helps a lot. Billed as a real-time strategy game, it's really closer to a multiviewpoint shooter, and survival can take a lot of clicking. The graphics are realistic, meaning that some will find them distressing, as bodies are blown apart

**Visual Internet Toolkit™
Version 3.0:**

**Over 30 protocols:
FTP, SMTP, POP,
MIME, RAS,
HTTP, etc.** All the protocols that you need to network your application...

Network Monitor with the tools to debug it...

License Manager demo and deploy it!

Scheduler Available separately.

distinct

Free evaluation at
www.distinct.com
408-366-8933

Licensing fees required for redistribution. Distinct is registered trademarks of Distinct Corporation. © Copyright Distinct Corporation, 1997.

A Message to Our Subscribers

From time to time we make the BYTE subscriber list available to other companies whose products or services would be of interest to our readers. We take great care to screen these companies, choosing only those who are reputable. Furthermore, subscriber names are made available for direct mail purposes only; telemarketing calls are strictly prohibited.

Many BYTE subscribers appreciate this carefully managed program, and look forward to receiving information of interest to them via the mail. While we believe this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive promotional literature. Should you wish to restrict the use of your name, please send your request (including your magazine mailing label, name, address, and subscription account number) to:

BYTE Magazine Subscriber Services
PO Box 555, Hightstown, NJ 08520



BYTE Magazine.
It's not for everyone.

Enter HotBYTEs No. 124 at <http://www.byte.com/hotbytes/>

400MHz WORKSTATION

The Xi[®] MTower[™] is the winner of several magazine awards, as best performing and best value workstation. Now it is available with the newest 400MHz Pentium[®] II processor, Intel[®] 440BX chipset Mother Board @ 100MHz BUS speed & 8ns SDRAM. The wait is over! You can get workstation performance level, like nothing else ever seen on the market, at an incredible price!



The Xi NetRAIDER[™] has been defined by LANTimes magazine the "hands down winner" of Windows NT[®] Servers, receiving the prestigious award of THE BEST OF LANTIMES (Dec. 1997). It surpasses in performance, even the 4 and 6 processor servers costing thousands of dollars more. Our newest model, with BX chipset, 400MHz dual processor Pentium[®] II, 1960 cached RAID multichannel UltraWideSCSI controller, delivers the most powerful and reliable Windows NT server performance and value, money can buy. With a tool-free secure-locked case, hot-pluggable redundant power supply, up to 14 hot-swappable drive bays and up to 3 years on-site service with 24hours 7 days/week tech support, the Xi NetRAIDER is the server of choice for your network and website applications.

BEST PRICE-PERFORMANCE WORKSTATION AND NETWORK SERVER? HERE IS THE WINNER:

Xi[®] MTower[™] DP: winner of the 1998 BYTE BEST Award.

Xi MTower DP: winner of the 1998 CADALYST Highly Recommended.

Xi MTower SP: winner of the 1997 CADENCE Editor's Choice.

Xi NetRAIDER[™]: winner of the 1997 Best of LANTimes Award.

BYTE BEST
300-MHz NT WORKSTATIONS

THE BEST OF LANTIMES

1997
Editors' Choice Awards
CADENCE

CADALYST LABS
HIGHLY RECOMMENDED
1997

MMX
intel inside
pentium
PROCESSOR

ViewSonic

Xi MTower SP Xi MTower DP Xi NetRAIDER DP

- Intel[®] Pentium[®] II Processor, SP
- Intel 440BX/LX., 512KB Cache
- 64MB SDRAM, 3B Logitech
- Matrox Productiva 3D 4MB AGP
- 2.5GB HD 9ms. Ultra ATA 33MB
- 17"(16vs) Optiquest.26dp1280NI
- Xi 6Bays Mid-Tower 230W UL
- MS Windows 95, 32xCD-ROM

- Intel Pentium II Proc. Dual cap.
- Intel 440BX/LX, 512KB Cache
- 64MB SDRAM, 3B Logitech
- AccelStar II Open GL 8MB AGP
- 4.3GB 9ms Ultra ATA 33MB
- 17"(16vs) Optiquest.26dp 1280NI
- Xi 7Bays Mid-Tower 250W UL
- MS Win. NT 4.0, 32xCD-ROM

- Intel Pentium II Proc. Dual cap.
- Intel 440BX/LX, 512KB Cache
- 128MB ECC SDRAM exp.512MB
- i960 RAID Ctrl. w/64MB Cache
- 25.8 GB UWSCSI RAID Mod.0/5
- 14"(13vs) Mon. Dual300W HotSwap
- Xi 14Bays Tower w/Secure Lock
- MS NT 4.0 Server, 32xCD-ROM

233MHz Pentium II \$ 1,499 333MHz Pentium II \$ 2,149 233MHz Pentium II \$ 6,299
350MHz Pentium II \$ 2,199 400MHz Pentium II \$ 2,849 2 x 400MHz Pent. II \$ 8,299

Bestseller Upgrades & Options: Vibrant Soft Engine for R14, MS Office PRO 97. 19"(18vs) Optiquest .26dp1600NI \$ 339. 21"(20vs) Viewsonic G810.25dp 1600NI \$ 729., 3D Video from: Accel Graphics, Dynamic Oxygen, STB, #9. 32Bit PCI Wave TableSound & Altec Speakers \$ 99

Xi Certified for AutoCAD[®] 14, 3D Studio[®] MAX/VIZ, LightWave[®] 3D, Softimage[®] 3D & Pro/E[®]. We custom configure each Xi system from 100+options to match your application and your budget. Business Lease from \$ 78/month.

30 Days Money-Back Guarantee - 3 years HW System Warranty available - 1 year & 3 Years On Site Service available - 1 year Overnight Parts Replacement Service - 24H/7Days Toll-Free HWTech Support - Next Day Shipping on selected configurations

Intl:(714)498-0858 Fax:(714)492-6571

Xi[®]

www.xicomputer.com

Enter HotBYTES No. 145 at <http://www.byte.com/hotbytes/>

CALL TOLL FREE: 1-800-432-0486

Intel, Pentium and the Intel Inside logo are registered trade marks and MMX are trade marks of Intel Corporation. MS, Windows and Windows NT, are registered trade mark of Microsoft Corporation. Xi and the Xi logo are registered trade marks & MTower, NTower, NetRAIDER, NetClient are trade marks of Xi Computer Corp. Prices do not include shipping and are subject to change without notice. 30 days money back does not include software and shipping both ways. On-Site Service is optional and cannot be available in some remote areas. For more details about Xi warranty and service call or write to Xi Computer Corp. 980 Negocio, San Clemente, CA 92673, USA. 19&21 Mon. upg. price. Not responsible for typos. Copyright (c) 1997 Xi Computer Corporation.

and gory limbs scattered about the battlefield. If you become addicted to this, you will spend a lot of time with it.

The book of the month is *On Infantry* (revised edition) by John A. English and Bruce I. Gudmundsson (Praeger, ISBN

0275949729), an analytical military history of infantry in this century. Technical but surprisingly readable if you're interested in the subject. It's apparently out of print, but I was able to get a copy through Amazon (<http://www.amazon.com>). If that's

not your cup of tea, there are a couple of new Terry Pratchett *Discworld* books available. Get one and laugh your head off.

The computer book of the month is by Edward and Jennifer Yourdon, *Time Bomb 2000* (Prentice-Hall, ISBN 0130952842). I tend to think of the great Year 2000 Scare as hysteria. The Yourdons have another opinion, which they calmly and soberly present, along with precautions you can take in case they're right. They frankly scared the hell out of me.

Next month, the full epic story of Roberta's Web site, more on communications, and with luck, I'll make a dent in this pile of software that has accumulated. **B**

Jerry Pournelle is a science fiction writer and BYTE's senior contributing editor. You can write to Jerry c/o BYTE, 29 Hartwell Ave., Lexington, MA 02173. Please include a self-addressed, stamped envelope and put your address on the letter as well as on the envelope. Due to the volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on the Internet or BIX at jerry@bix.com. Visit Chaos Manor at <http://home.earthlink.net/~jerry/>.

PRODUCT INFORMATION

backpack bantam \$299
MicroSolutions
DeKalb, IL
800-890-7227
815-756-3411
fax: 815-756-2928
<http://www.micro-solutions.com/>
Enter HotBYTES No. 1048.

Drive Image 1.0 \$69.95
PowerQuest
Orem, UT
800-379-2566
801-437-8900
fax: 801-221-0149
<http://www.powerquest.com/>
Enter HotBYTES No. 1049.

ePhoto 1280 \$899
Agfa
Wilmington, MA
888-281-2302
978-658-5600
<http://www.agfahome.com/>

ePhoto/
Enter HotBYTES No. 1050.

Evergreen MxPro 200 MHz
about \$200
Evergreen Technologies
Corvallis, OR
800-733-0934
541-757-0934
fax: 541-757-7350
<http://www.everttech.com/>
Enter HotBYTES No. 1051.

Myth: The Fallen Lords
about \$49.95
Bungie Software
Chicago, IL
800-295-0060
312-563-6200
fax: 312-563-0545
<http://www.bungie.com/>
Enter HotBYTES No. 1052.

Outback ES
DigitalCompass \$99.95

Co-Pilot \$99.95
Palm Navigator \$29.95
Precision Navigation
Mountain View, CA
888-422-6672
650-962-8777
fax: 650-962-8776
<http://www.precisionnav.com/>
Enter HotBYTES No. 1053.

SparQ 1-GB drive \$199.99
SyJet 1.5-GB drive \$299
SyQuest
Fremont, CA
800-245-2278
510-226-4000
fax: 510-226-4108
<http://www.syquest.com/>
Enter HotBYTES No. 1054.

Enter HotBYTES No.
at <http://www.byte.com/hotbytes/>

Something Missing?

Complete your BYTE collection by ordering Back Issues today!

	1993	1994	1995	1996	1997	1998
January	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
February	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
March	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
April	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
May	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
June	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
July	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
August	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
September	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
October	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
November	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
December	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Special Issues	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Windows Portability	Windows '93 B Guide Summer '93 B Guide Fall '93				

Check enclosed Charge:

VISA MasterCard American Express

Card #

Exp. Date

Name

Signature

First Name

Last Name


Address

Address

City

State Zip

Special Issues U.S. Delivery \$3.00, Foreign Delivery \$4.00 - 1990 thru 1998 U.S. Delivery \$6.50, Foreign Delivery \$8.50, Canada & Mexico \$7.00 - All issues prior to 1990 U.S. Delivery \$3.00, Foreign Delivery \$4.00. (Call for availability) These prices include postage (US), surface mail (foreign). - All checks must be in U.S. funds and drawn on a U.S. bank. Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to: Back Issues, One Phoenix Mill Lane, Peterborough, N.H. 03458, (603) 924-9281

A Division of The McGraw-Hill Companies 

BYTE

BUYER'S GUIDE

Essential Products
and Services for
Technology Experts

Mail Order

Top mail-order vendors offer the latest hardware and software products at the best prices. **Page 138**

Hardware/Software Showcase

Your full-color guide to in-demand hardware and software products, categorized for quick access. **Page 147**

Buyer's Mart

The BYTE classified directory of computer products and services, by subject so you can easily locate the right product. **Page 151**






PHOTO ILLUSTRATION: JOHN WEBER © 1997

GOT FORMS?



NEED DATA?



GET TELEform.

AUTOMATED DATA ENTRY FROM CARDIFF SOFTWARE.

If you've got forms and need fast access to information, there is only one answer—TELEform™ the total data collection solution.

Award-winning TELEform is a powerful family of programs that read data from faxed, scanned, or even Internet-based forms. Time cards, sales orders, surveys, patient billings—any form in every format. With its sophisticated, Tri-CR™ multi-engine recognition technology, TELEform interprets handprint, typed characters, check marks, bubbles, bar codes—any data—and automatically sends that information into databases, spreadsheets and many other business applications.



Enter HotBYTEs No. 131 at <http://www.byte.com/hotbytes/>

Whether you have 100 or 100,000 forms, you can have the information you need to make smart business decisions—without waiting for someone to manually key in data.

Thousands of organizations rely on TELEform to streamline data entry operations. Contact Cardiff Software today to find out how you too can reduce data processing costs, improve data entry accuracy and accelerate your access to vital information.

For more information or to arrange a live demo in your office, call today.

1-888-254-8919


www.cardiffsw.com

Cardiff  Software




1782 La Costa Meadows Drive • San Marcos, CA 92069
Tel: 760.752.5244 • Fax: 760.752.5222 • 800.659.8755 • <http://www.cardiffsw.com>

THE ULTIMATE VIEW!



THE ULTRAVIEW!



ULTRAVIEW
the keyboard-monitor-mouse
switch allowing you to control
multiple platform systems on-
screen from one console!

Create space in your computer room by eliminating extra equipment. UltraView allows one keyboard, monitor, and mouse to control all of your computers, any mix of PC, MAC, SUN, HP, SGI, and more.

UltraView accesses each CPU from menus that pop up over your existing video. Switch from the keyboard, on-screen menus, front panel, or RS 232 port of the UltraView.


Customize your UltraView on-screen menu with personalized port names, colors, fonts, and display window placement so that the entire system makes sense to you.

Enter HotBYTEs No. 129 at <http://www.byte.com/hotbytes/>

Upgrades are easy, too! Add up to 16 CPUs on one switch and daisy-chain to access up to 256 computers! Plus, Flash memory upgrades keep you on the leading edge of future improvements ensuring that the switch never becomes obsolete. The excellence you have come to expect from Rose is apparent in UltraView's simple setup. You'll easily define the automatic Scan, Screen Saver, and other parameters-so you can quickly get down to the real business at hand.

UltraView is the most flexible KVM switch on the market. You can choose between 3 different chassis sizes and 4 different platforms: PC Only, SUN Only, APPLE Only, and Multi-Platform.

With UltraView you'll see how simple it is to switch from CPU to CPU-making your work a lot easier and faster. Call our sales staff today for detailed information on any computer system application.



On-screen display menu-This screen shows the overlay menu with the selection for the color scheme popped up.

Call For A Free Catalog:

- ◆ Keyboard/Video Control
- ◆ Print Servers
- ◆ Data Switches



800-333-9343

VISIT OUR WEB SITE AT WWW.ROSEL.COM



10707 Stancliff Road Houston, Texas 77099
Phone 281-933-7673 Fax 281-933-0044

Let BYTE Reprints Put You in the Spotlight! Maximize Your Marketing Dollars

BYTE Reprints serve as high-quality, inexpensive promotional tools for:

- Trade show handouts
- Direct mail campaigns
- Dealer/distributor promotions
- Training and educating key personnel
- Presentations at conferences/seminars

And there's more!

- BYTE article reprints are NOW AVAILABLE in hard-copy and electronic formats
- BYTE reprints can be customized with your company name, logo, product picture, etc.

Call today for information and quantity prices.

Hard copy:

Mike Guyer

Reprint Services

Phone: 612-582-3856

Fax: 612-633-1862

E-mail: maguyer@reprintservices.com


Electronic:

Faith Ellington

Phone: 603-924-2525

Fax: 603-924-2602

E-mail: faith_ellington@mcgraw-hill.com



BYTE

A Division of The McGraw-Hill Companies



Custom ULTRA 2 SCSI Cables - Terminators - Cases

If you want Ultra SCSI Performance use our Teflon Cables & Active Terminators.

Our knowledgeable SCSI Technicians will solve all your SCSI problems... guaranteed!

SCSIVue™ Active Terminator



Four models available with optional Remote LED Pak. These are the finest terminators available, they fix SCSI problems and improve reliability.

- Benefits:**
- Improves SCSI Bus Performance
 - Less Errors; More Reliable Data Transfer
 - Diagnoses Problems • Analyzes Signal Quality
- Features:**
- Active Regulation • Fast 50 & Fast Wide 68
 - Status Indicators • Gold Contacts

Active 2-1 SCSI Switch / Repeater


- Benefits:**
- Up to 14 Devices to 1 Computer
 - Share Devices Between 2 Computers
- Features:**
- 2-1 Active Digital Switch/Repeater
 - Regenerates SCSI Signal for Long Runs

Gold Diagnostic Adapters

- Styles:** Gender Changers • Both 50 pin and 68 pin (all combinations)



- Styles:** 68 Pin Adapter Wide to 50 Pin Narrow • 68 Pin External Adapter to 50 Pin (converts Host Adapter)
- Styles:** For Adaptec Ultra Wide Cards • Adapters with partial termination built in for 68 to 50 converters (converts Host Adapter)



- Gender Changer** \$9
- Styles:** 25 Pin Male to Male or 25 Pin Female to Female

- Styles:** Custom Adapters and Connectors that match most needs. If we don't have it we can make it.

- Styles:** Converts the 80 pin SCA type drives to be used with either 50 or 68 pin SCSI Buses. Three models available.

Drive Bracket Kits - 3.5" to 5.25"

- From: \$10**
- We carry a variety of Brackets that allow you to mount a 3.5" drive into a 5.25" bay. They include all screw and hardware necessary. Face panels are also available. Also see our Bay Cooler Fan and Bracket Kits.

Hot Swap Powered Terminator

- \$69**
- Now you can safely remove any SCSI device from a SCSI chain by simply clicking a switch. The Hot Swap Powered Terminator also has an optional Power Supply so that it can supply termination power to portable setups or when termination power is not being supplied.

Ultra 2 LVD Wide Terminator

- This is the ultimate terminator on the market. It offers both Ultra 2 (LVD) operation and standard Ultra Wide or Fast Wide operation, all in one unit. Automatically senses which type of bus you are using and configures itself to that bus. Add our unique diagnostic capabilities and you have the ultimate terminator. Optional remote LED pak is also available. Just plug it into the front of the terminator and then mounted it on the front of your computer or monitor. Allows for easy monitoring of the SCSI bus.

Online Catalog at... www.scsiopro.com

SCSIVue™ Gold Diagnostic Cables



- Benefits:**
- No Loss Of Important Data
 - Faster Performance
 - Test Cable Integrity
- Features:**
- Diagnostic Indicators
 - Large Ferrite Filters
 - Triple Shielding (Unique Design)
 - Double Gold 20u" Plated Connectors
 - Extra Heavy 26 Gauge Wire • 100 Styles in Stock

Teflon® 90 Ohm External Cables

- From: \$159**
- Benefits:**
- Ultra SCSI 40 MB/s operation
 - Fixes Ultra SCSI Cable Problems
- Features:**
- Perfect 90 Ohm Impedance Match
 - Triple Pronged Connector With Gold contacts

Gold .8mm Ultra SCSI Cables

- From: \$109**
- Benefits:**
- Faster Performance
 - Test Cable Integrity
 - No Loss Of Important Data
- Features:**
- New .8mm Ultra SCSI Connector
 - Triple Shielding (Unique Design)
 - Double Gold 20u" Plated Connectors
 - Diagnostic Indicators • Large Ferrite Filters

14 & 29 Bay Ultra SCSI Towers



- From: \$999**
- 14 & 29 Bay - The Ultimate Large SCSI Storage Solutions**
- Shown with optional Bay Coolers and Dual Redundant Power Supply. Multiple SCSI Channel Support and Modular Designed Expansion.

Temperature Alarm Systems

- Temperature is the number one cause for drive failure. Keeping the drives monitored can now easily be done. Systems include outputs for emergency additional fans and computer notification.

Gold External Ultra SCSI Cases

- Ultra SCSI Custom Teflon Cable Available
- Custom Enclosures in 1 Day for Raid & Arrays



- From: \$99**
- Temperature ALARM! Automatic Monitor & Control**
- The Vertical 3.5" Case Kit offers a small transportable package. Ideally suited for moving around, this durable case can take a beating. Universal 35 Watt power supply.
- The Horizontal 3.5" or 5.25" Case Kit Offers a stackable solution for any desktop need. Shown with Optional Bay Cooler installed.

- From: \$59**
- Open Face and Closed Face Models Available. Optional 50 or 68 Teflon® Cables Available.**
- Bay Cooler Kit keeps those HOT Ultra SCSI Drives COLD as ICE!**
- Hot Swap Pull Out Bays** Compatible with all 50 pin & 68 pin SCSI Buses up to Fast SCSI 2. **From: \$79.00**



- Hot Swap Pull Out Bays** Compatible with all 50 pin & 68 pin SCSI Buses up to Fast SCSI 2. **From: \$79.00**

SHOCK MOUNT 8-Bay Commercial Grade Quality


- Shown with optional Bay Coolers and Dual Redundant Power Supply.
- From: \$399**
- OPTIONS:**
- Ultra SCSI Cable Kit
 - Dual Redundant Power Supply
 - Bay Coolers w / Brackets
 - Temperature Alarm System
 - Slide Out (400lbs rated) Rails



Cool Dual Fan SCSI Cases

- Fast SCSI Drives get HOT...but don't worry we have the perfect solution. Our new Dual Fan SCSI Cases keep any drive cool. Temperature is a drives worse enemy.
- \$69**

Granite Cables Are The Best Because They're Engineered Right.



NEW! ULTRA 2 SCSI 2X SPEED - 80 MB/s!!!

This is the fastest SCSI available! Twice as fast as Ultra 1 SCSI and without any of its limitations. If you want true horsepower this is the Ultra SCSI system to buy. Completely backwards compatible with Ultra 1 SCSI, Fast SCSI, and SCSI 1 & 2!

The key to this new SCSI Standard is the use of Low Voltage Differential Technology. Also known as (LVD) and Ultra 2 SCSI, we can now achieve speeds that far exceed even the fastest computers data thrupt capabilities.

Ultra 2 (LVD) - SCSI Repeater / Converter

- Now you can take all your SCSI devices and run them any distance you want, (up to 75 feet) while sharing the Ultra 2 SCSI bus. This revolutionary Repeater / Converter will give you, not only long cable distance, but also complete compatibility with the new Ultra 2 standard. There is no need to have



\$299 **Granite Data** **\$399**

Custom Teflon® Internal Cables

Teflon® is a registered trademark of DuPont

- Benefits:**
- Less Errors, Ultimate Performance
 - Silver Wire Improves Signal Quality
- Features:**
- Perfect 90 Ohm Impedance • Custom in 1 Day
 - Triple Pronged Connector - Gold contacts Silver Wire



- From: \$39**
- 50 Pin Replacement Cable for External Drive Cases**
- 68 Pin Replacement Cable for Internal Drive Cases**

Active Digital SCSI Repeater

- From: \$139**
- Benefits:**
- Models for all SCSI types
 - Fixes SCSI Cable Problems
 - Doubles Cable Length (up to 18')
- Features:**
- Active Termination and Signal Purification
 - Ultra Fast Performance for Added Capabilities
 - Diagnostic Capabilities • 30u" Gold Contacts

OEM SCSI Repeater

- If you integrate SCSI Raids or Arrays and are having problems making it work, the Granite SCSI Repeater will make it work. Designed to fit inside any computer or external case. These repeaters will double the cable length of any scsi bus allowing you to achieve the needed distance to make your system operate. Up to 3 repeater can be used.

SCSI Cable Tester - LED Readout

- This Digital SCSI Cable Tester can test all the popular cable styles for opens, shorts, and unreliable operation. Battery powered for easy use anywhere you need it. Three models to choose from:
- 50 pin IDC
 - 50 pin Centronics
 - 68 pin MicroD
- From: \$49**

The Book of SCSI - An Adventure

- Considered "The Bible" of SCSI Books, it includes chapters on SCSI basics thru Advanced SCSI. Written so that all of us can understand it, this is a reference guide that can be used by anyone. Its the best SCSI we have seen.
- \$34**

SCSI PRO Utilities - SCSI Repair

- A combination of SCSI Utilities that helps you manage and diagnose SCSI problems. Allows you to set the drive for AV or Data optimization. Does custom block by block copies. Allows you to monitor SCSI operations. For Windows 3xx, 95 and NT
- \$99**

Ultra 2 (LVD) - SCSI Host Adapter

- This is the fastest SCSI Host Adapter on the market. Two Times as fast as Ultra SCSI. Ultra 2 SCSI can run up to 80MB/s!
- From: \$299**

This blistering fast speed is accomplished using (LVD) technology. This new technology also allows you to use all the existing peripherals that you currently own and share them with this Ultra Fast Bus.

Cable length has also been a limitation with Ultra SCSI, but with Ultra 2 the cable length is no longer an issue. You can easily connect up to 15 devices on this bus and have room to spare. Also with the use of our Ultra 1 to Ultra 2 repeater/converter you can use all of your existing peripherals and your new LVD peripherals and get up to 4 times the original cable length.

- two SCSI Adapters taking up precious PCI slots. Two models are available, the internal model that mounts into your enclosure, Raid/Array case, and the external model that can be used anywhere.

All the RAID you can handle...

FlexArray-T

SCSI RAID/JBOD ENCLOSURE

FlexArray-TFX

FAST/WIDE SCSI SUBSYSTEM

FlexArray-UltraRAID

UltraSCSI SUBSYSTEM

FibreArray

FIBRE CHANNEL RAID/JBOD SUBSYSTEM



Do it right. Do it with Raidtec. The industry leading RAID manufacturer.

- State-of-the-art Fibre Channel, Fast & Ultra SCSI RAID Systems - Up to 200MB/sec
- Tower or 19" Rackmount Configurations - 12 GB to TeraByte Capacities
- Programmable RAID Levels (0,1,3&5)
- PCI & Host Independent RAID controllers
- Hot Swap Drive Bays, Fans & Power Supplies
- RAIDman™ GUI Software for Remote Alarms, Configuration & Monitoring
- LCD Status Display
- Environment Array Manager
- Auto Sensing, Universal N+1 Power Supplies

Raidtec Corporation (USA)

Tel. 770-664-6066

Fax. 770-664-6166

eMail: raidtec@raidtec.com

www.raidtec.com

Raidtec Corporation (Europe)

Tel. 353-21-353440

Fax. 353-21-353799

eMail: raidtec@raidtec.ie



Raidtec
CORPORATION



Every 6 minutes, someone votes Hiway the world's best web hosting company by trusting their site to us. Many are moving from elsewhere to take advantage of Hiway's world class infrastructure, 24x7 technical support and 99.9% uptime guarantee. Some find that going with the world leader is just more reassuring. Everyone likes the fact that they don't have to pay more for these advantages.

When it's time to host your site, think about the 80,000 sites we're already hosting. That's 80,000 votes of confidence. One every 6 minutes. **Host with us today at www.hway.net**



(800) 339-HWAY www.hway.net (561) 989-8574

The world leader in FrontPage™ hosting



Plans start at just **\$24.95**

The Rack Mount Computer Company



POWER SUPPLIES


RAID CHASSIS



**RACK MOUNT
PC SYSTEMS**




**INDUSTRIAL
CPU CARDS**



**INDUSTRIAL
TOWERS FOR
TELECOM
APPLICATIONS**

**PASSIVE
BACK PLANES**



**WALL MOUNT/
BULKHEAD
MOUNT PCs**



**20 SLOT
REDUNDANT
SERVER**



Global solutions



BS EN ISO 9002 Registered (UK)



Designed and manufactured in house by Tri-MAP International.



Full design, customisation and production service in the UK and USA.



Chassis, industrial CPU cards, passive back planes and power supplies.

UK Manufacturing Headquarters

Units 2 & 3, Kingscroft Court, Ridgway, Havant, Hampshire, UK

Tel: 01705 424800 Int: +44 1705 424800

Fax: 01705 424801 Int: +44 1705 424801

email: sales@map.co.uk Web: www.tri-map.com

31,000 sq ft production facility

USA Manufacturing Headquarters

4569A Las Positas Road, Livermore, California, CA94550, USA

Tel: 510 447 2030 Int: +1 510 447 2030

Fax: 510 447 4559 Int: +1 510 447 4559

email: trimapintl@earthlink.net Web: www.rackco.com

30,000 sq ft production facility

Get the product information you need, when you need it, now!



HotBYTES, our product information server, gives you fast access to the product information you need from one convenient source, 24 hours a day. Simply click on the **HotBYTES** link from the BYTE Site home page to request the latest product information from BYTE advertisers and companies mentioned in the pages of BYTE. Product information will be rocketed to you via e-mail, the web or traditional mail. Powerful search capabilities allow you to find products by company, reader service number or category.

Quit waiting for product information to arrive by snail mail, carrier pigeon or the pony express. Try **HotBYTES** today! No hassles, no stamps or long waits—just free product information—**FAST** at www.byte.com/hotbytes/

BYTE




Get Trained. Get Certified. **GET PAID!**




ForeFront offers the fastest and easiest way to prepare you for a career in the Information Technology (IT) industry. From introductory self-study courses to industry certifications like MCSE, ForeFront has the training to meet your needs. Our courses are 100% Computer Based Training (CBT) to give you flexibility unmatched by traditional training methods. Study at your own pace using our step-by-step format, when and where it's convenient for you!

- Boost Your Income
- Enhance Your Credentials
- Increase Your Skills and Competence
- Study at Your Own Pace
- Hands-on Interactive Simulations
- No Books, Videos or Classrooms
- All on One CD-ROM!




Become MCSE Certified ...FAST!

The ForeFront MCSE Self-Study Course™ ensures the highest rate of information retention so that when you complete your training you'll be fully prepared to pass your MCSE exams. You'll be ready and confident to go into the workplace to effectively plan, implement, maintain and support information systems in a wide range of computing environments, using Windows NT and other Microsoft® Server products. **Call now to get more details!**




Become CNE Certified ...FAST!

The ForeFront CNE Self-Study Course™ provides fast, effective and convenient training to anyone wishing to become a Certified Novell Engineer, even when hampered by a busy schedule. Our CNE CBT allows you to learn and practice *everything* you'll need for full Novell certification. **Call now for more information!**



Become A+ Certified ...FAST!

Getting A+ Certified will help open the way to further advancement in the corporate world. **The ForeFront A+ Certification Self-Study Course™** is a hands-on self-study course that will give you all the technical material, knowledge and interactive exercises you'll need to pass your exams and excel in today's competitive PC repair marketplace! **Call now to learn more!**



New! Introduction to PCs Self-Study Course™

Provides the easiest and most effective way to learn the technical fundamentals necessary for a productive and successful career as a PC Repair Technician. Ideal for individuals new to the IT profession! **Call now for more information!**

Call for Special Discount Pricing Today!

1-800-475-5831

Local U.S.: (813) 724-8994 • FAX (813) 726-6922

Ireland: 1800 66 00 11 UK: 0800 279 2009
Europe: (353) 1 670 3177 Fax: (353) 1 670 3211

FOREFRONT DIRECT

25400 U.S. Hwy. 19 N., #285
Clearwater, FL 34623

GSA# GS-35F-4628G



- Free Technical Support
- Next Day Shipping
- Performance Guaranteed



ADVANCED *Internet* TECHNOLOGIES, INC.

WEB HOSTING CO-LOCATION E COMMERCE

Standard features:

- Domain Name Registration
www.yourcompany.com
- Dedicated IP address
- 5 x OC 12 Fiber Optic Connectivity
- T3 x 3 redundant Backbones
- Cisco 7000 series routers
- On-site UPS and clean power
- Full generator back-up
- 30 day money back guarantee
- 24 hour 7 day Tech Support
- Your own cgi-bin
- PGP™ Secure Email available
- Database capable (UNIX compatible)
- Unlimited POP email accounts
- Unlimited email forwarding
- Email autoresponders
- Password protected directories
- Live audio capabilities
- Web statistics and log files
- Free SSL Secure server access
- Free cgi and Java libraries
- Free AIT Mall listing
- Easy to use control panel
- Telnet access available
(server #2,#3,#4 only)
- CyberCash™ capable

Pre-sales questions
1-910-485-2383
sales@aitcom.net

<http://www.aitcom.net>

Faster **PERFORMANCE** *Greater* **RELIABILITY** *Best* **VALUE**

\$14⁹⁵

* **Frontpage Server**

- FrontPage .98 Extensions
- 25 MB disk space
- 2000 MB data transfer/mo
- Price: \$39.00 setup, \$14.95/month
- Set-up and first month: \$53.95



\$19⁹⁵

Server #1 (Standard)

- 25 MB disk space
- 2000 MB data transfer/mo
- Price: \$39.00 setup, \$19.95/month
- Set-up and first month: \$58.95

\$59⁹⁵

Server #2 (Reseller)

- FTP partitioning for your customers
- 100 MB disk space
- Multiple domain name partitioning
Give customers www.theirdomain.com
25 add'l domains per server #2 account
\$20.00 setup/\$2.00/month
- 4 GB Data Transfer
- Price: \$49.00 setup, \$59.95/month
- Set-up and first month fee: \$108.95

\$149⁹⁵

Server #3 (Reseller Plus)

- 400 MB disk space
- 256 MB RAM
- FTP partitioning for your customers
- Multiple domain name partitioning
 - Give customers www.their-domain.com
 - 75 domains per server #3 account
 - \$20.00 setup/\$2.00/month (additional domain name)
- 10 GB of data transfer
- Price: \$95.00 setup, \$149.95/month
- Set-up and first month fee: \$254.95

Order Today
1-800-878-4084

Dedicate 1 Server

- \$495.00 setup/\$495.00 month
- Scalable bandwidth available

Bandwidth

- 56K thru T1 thru T3
- <http://aitcom.net/bwidth.htm>

Co-location

- <http://aitcom.net/aitwork/colocate.htm>
- Server of your choice

Subscription Problems?

If you have a problem with your BYTE subscription, let us know! For best service, provide a brief description of the problem and a copy of a recent magazine mailing label (if available). If your label is unavailable, just give us your subscription account number along with your name, address, and zip code where your BYTE subscription is currently being sent. If you have a change of address, be sure to provide both your old and new addresses. If the problem involves a payment, be sure to include copies of your cancelled check (both sides) or your credit card statement. Please include a "business hours" phone number if possible. Send to:



BYTE Magazine Subscriber Service
PO Box 555, Hightstown, NJ 08520

Fax: 609-426-7087
Phone: (9 a.m. to 8 p.m. Eastern Time,
Mon. - Fri.) 800-232-2983 (U.S.), or 609-426-7676

A Division of The McGraw-Hill Companies 



A LOW-POWER CONTROLLER, THAT'S A SLEEPING GIANT!

Z-World introduces the LP3100 C-programmable controller with an innovative sleep mode function that cuts current consumption to microamps! This multitasking controller is ideal for portable, remote, mobile or handheld applications. "Awaken" the LP3100 upon command or via its real-time clock for data logging applications.

- Compact and lightweight — only 1.4 ounces.
- Low power — 56 milliwatts, or 0.7 milliwatts in sleep mode (200 microamps @ 3.5 VDC).
- Operates over a range of 3.5 - 24 volts DC.
- 4 digital inputs, 8 digital outputs, and 8 digital I/O configurable as 8 inputs or 8 outputs.
- 4 analog inputs — 12-bit resolution.
- RS-232 and RS-485 serial channels.

The LP3100 is programmable using Z-World's Dynamic C® software development system. Dynamic C® includes an editor, compiler, and debugger, simplifying and speeding your software development effort.

NEW!
LP3100
2.5" x 3.5" x 0.5"
Configurations from
\$98
quantity 100

Order a development kit or receive a **FREE** catalog by calling

1.888.362.3387
(USA and Canada)


Visit our web site at <http://www.zworld.com>



2900 Spafford Street
Davis, CA 95616
Tel: 530.757.3737
Fax: 530.753.5141
Email: zworld@zworld.com

INNOVATION IN CONTROL TECHNOLOGY
See us at Nepcon East booth #2335.

HotBytes No. 85



PC-in-a-Box

Run DOS from ROM. Portable System has 386 CPU, graphics LCD, PCMCIA **\$499+q1**

Complete with 25MHz Elan 386, CGA controller, LCD and keypad. Up to 6MB DRAM, FLASH, PCMCIA, 3 Serial, 2 Parallel, battery operated.

KILA
DOS-IN-ROM
www.kila.com

303-444-7737 Fax 303-786-9983
sales@kila.com

Low Cost A/D and Scope Card



CompuScope LITE

Only \$595


- 40 MS/s A/D Card
- 2 Input Channels
- Free GageScope Software
- Extensive Software Drivers

Gage
Gage Applied Sciences Inc.
1233 Shelburne Road, Suite 400
South Burlington, VT 05403
Fax: 800-780-8411

1-800-567-GAGE
www.gage-applied.com

From outside the U.S contact: Tel: (514) 633-7447 Fax: (514) 633-0770

HotBytes No. 91



HiQ Signal Processing Toolkit



The HiQ Signal Processing Toolkit is an add-on package with frequency and time domain design and analysis functions for HiQ. Scientists and engineers can use the new toolkit to analyze complex signals, then use the visualization and documentation features in HiQ to create reports.

National Instruments

6504 Bridge Point Parkway, Austin, Texas 78730
(512) 794-0100 (800) 433-3488 (U.S. and Canada)
Fax: (512) 794-8411
E-mail: Info@natinst.com www.natinst.com

HotBytes No. 92

Why have the new **LaserLite™**, **DuraTrax™**, and **LaserLite Pro** received such outstanding reviews?

Because **metal cases** provide impressive strength and durability! You get **over 100,000 scans** from one set of batteries! And, you get **easy-to-use Windows™ software** to build your application!

Best of all—LaserLite, DuraTrax, and LaserLite Pro are uniquely affordable!

Videx Call for your free information packet today. **CE**

1105 N.E. Circle Blvd., Corvallis, OR 97330
541-758-0521 • Fax 541-752-5285 • <http://www.videx.com>

HotBytes No. 93

Industrial Rackmount Computers



INDUSTRIAL PC SYSTEMS SOLUTION:

- Single Board Computers 486 - Pentium Pro
- Passive Backplane 3-slot - 20-slot
- Wall Mount/19" Rackmount Chassis
- 4/8/16 Ports Switch Box (PC/KB/Mouse)
- AC PS 90 - 260V, DC PS +12V/+24V/-48V



ACI SYSTEMS

Western Region: 1-800-983-1177
Eastern Region: 1-800-886-2243

Fax: 1-650-428-0866
Fax: 1-617-938-8037

HotBytes No. 86

Pentium® II & Sound SBC



Full Line CPU Cards:
386SX-
Pentium® Pro

For Intel Pentium® II 233-333MHz CPU.
Creative Sound Blaster. Ultra DMA/33 IDE.
DiskOnChip® Flash Disk. E²Key™ Function.
PICMG Standard Complied.

ICP ACQUIRE INC.

453 Ravendale Drive, #H Mountain View, CA 94043
TEL: 650-967-7168 FAX: 650-967-5492 www.icpacquire.com.tw

HotBytes No. 87

RACK MOUNT PC PRODUCTS



ENCLOSURES

- Integrated monitors
- 8 and 14 slot models



MONITORS

- 9" to 17" CRTs
- Monitor enclosures



KEYBOARDS

- Keyboard drawers
- 1 Unit high, 101 keys



SINGLE BOARD COMPUTERS

- Pentium and Pentium Pro SBCs
- MMX Processor Support
- Onboard video and SCSI models
- 8 and 14 slot ISA/PCI backplanes



PRINTERS

- Rack Mount color inkjet printer
- Easy paper & controls access
- HP 600 series inkjet printer enclosure available



RACK MOUNT TFT LCD DISPLAYS

- 12.1" Active Matrix color TFT display
- Drawer, Panel, & 1 rack unit models
- Equivalent viewing of a 14" CRT
- 800x600 resolution, 262K colors

RECORTEC, INC.

1290 Lawrence Station Road
Sunnyvale, California 94089-2220
Ph: 408-734-1290 Fax: 408-734-2140
email: info@recortec.com

Call for our Rack Mount PC

Product catalog

1-888-RECORTEC

http://www.recortec.com

Pentium is a registered trademark of Intel Corp.

HotBytes No. 96

Don't get boxed in!

Sliger

DESIGNS



Vertical Integration

is the answer!

Call us and find out why!

Engineering • Design • Fabrication

- Industrial PC Enclosures
- Tower PC Enclosures
- Rackmount PC Enclosures
- Rack Systems
- Rackmount Accessories
- Rackmount Drive Enclosures
- Redundant N+1 Load Sharing Power Systems
- Industrial PS2/ATX Power Supplies

Phone: 1 800 255 0267 FAX: 1 702 356 6361
Email: info@sliger.com Internet: http://www.sliger.com
Postal: 150 E. Greg Street #105 Sparks, Nevada 89431

HotBytes No. 97

NOW THAT YOU'RE MAKING YOUR OWN CD's... HOW DO YOU LABEL THE DAMN THINGS?

- DESIGN • PRINT
- APPLY • PACKAGE

PRODUCE PROFESSIONAL-LOOKING CD LABELS & JEWEL CASE INSERTS FOR \$79.95 PRO-PAK

MasterCard • AMEX • VISA www.neato.com



NEATO LLC


USA: 250 Dodge Ave • East Haven, CT 06512
203-466-5170 • Fax 203-466-5178

800-984-9800

Europe: +44 (0)990 561571
Fax +44 (0)181 932 0480

HotBytes No. 88

Control Two to Eight PCs From One Keyboard, Monitor and Mouse



CompuSwitch™

- All PC brands and operating systems
- Flawless PC booting and operation
- Mix PCs with PS/2 and serial mouse ports
- High-resolution video
- Tangle-proof PC cables

2-Channel \$385

4-Channel \$595

8-Channel \$895

Call Today! 800-724-8090 x17

PC
WHOLESALE
800-225-4727

GLOBAL
800-642-8816

GLOBAL
800-440-4832

Innos
800-547-5444

WHEELS & SPINNERS
800-328-2261

See us at Networks Expo, Booth #2011, June 3-4 1998, Boston MA

Raritan

Rock-solid reliability for computer access and control

Raritan Computer, Inc.
400 Cottontail Lane
Somerset, New Jersey
08873

E-mail: sales@raritan.com
http://www.raritan.com
Fax: 732-764-8887
Tel: 732-764-8886

RESELLER INQUIRIES INVITED

FULL YEAR WARRANTY

HotBytes No. 94

WHO SAYS??

"..LANWatch is just for DOS???"



Introducing LANWatch32™

For Windows 95 and NT 4.0



PRECISION *Guesswork, Inc.*

Five Central Street, Topsfield, MA 01983
 (978) 887-6570 (phone) <http://www.guesswork.com>
 (978) 887-6552 (fax) Email: info@guesswork.com

HotBytes No. 95

A-CORE™ High Performance, Compact, Reliable, Easy to program in C/C++.



40MHz!

Prices for 20MHz Start at!

\$79 Qty 1 • \$29 OEM

- 2.3x2.2 inches, 40MHz, Am188ES
- 32+ I/Os, 2 RS-232s, timers, PWM, RTC, battery

C/C++ Development kits for 20+ Low Cost 16-bit Controllers with ADC, DAC, solenoid drivers, relays, PC-104, PCMCIA, LCD, DSP motion control, 10 UARTs, 100 I/Os, custom board design. Save time and money!



1724 Picasso Ave. Ste A
 Davis, CA 95616, USA
 Tel: 530-758-0180
 Fax: 530-758-0181
tern@netcom.com
<http://www.tern.com>

HotBytes No. 89

BUY

your STATE OF THE ART CD-Recorders

from **CONSAN**—the best high-end integrator for all your mass storage needs.

CDR • DISK • TAPE • OPTICAL • RAID

NOW AVAILABLE from Yamaha

4X2X6—first ever IDE INTERFACE in a CDRW.
4X RECORD 2X WRITE 6X READ

This is the multi-function drive you've been waiting for. Call TODAY for aggressive pricing!

1-800-221-6732

CONSAN
 A GATES/ARROW Company

18750 LAKE DRIVE EAST
 CHANHASSEN, MN 55317
 TEL: 813-949-0653
 FAX: 813-949-0463

HotBytes No. 90

Straight Talk, Straight From Your Peers.

- ▶ Increase IT productivity
- ▶ Lower costs
- ▶ Easily deploy technologies



TechNet is packed with 300,000 pages of technical data, case studies, and resource kits for all Microsoft products. Plus, 3,000 new pages a month of updates, reviewer's and evaluation guides, and a knowledge base of answers to over 60,000 questions.

"TechNet reduces the number of calls we make to Microsoft® Support by at least 50%. Without it, we'd need to increase our staff to continue providing high quality support."

"TechNet is simply the best, most cost-effective solution for our IT configuration. It's like having an expensive technical consultant on site."

Rick Clark,
 Senior Technical Analysis
 City of Tacoma &
 Tacoma Public Utilities,
 Tacoma, WA

Mark Farzan, Manager,
 Network Administration
 UNOVA, Inc.,
 Beverly Hills, CA

GET A FREE TechNet trial CD-ROM



Visit Our Web Site At
www.microsoft.com/ithome
 To Get Your FREE Trial CD



©1998 Microsoft Corporation.

stuck in a webjam?

take 9Net Avenue and fly!

web hosting from \$14.95.

unix or nt!

9Net Standard Features

- Multiple OC-3's to UUnet, MCI & GTE Int'l
- Powered by SGI origin 2000 server
- Your own FTP site • Your own CGI directory
- 7500 Serious Sysco Router • POP 3 accounts
- Account "Control Panel" access via WWW
- Daily Tape Backup of your data
- Expert technical support • On-site UPS
- 24-hour on-site monitoring
- Same day set-up
- No minimum contract • Excite Search Engine
- 99% uptime & 90 day money-back guarantee • Toll free multilingual tech-support.

9NET ONE PLAN \$14.95/MO.

- 25MB • 10 mailboxes

9Net PRO plan \$39.95/mo.

- 100 MB of disc space • 25 POP3 mailboxes
- ALL features of 9 Net One Plan Plus:
- Dedicated secure server (SSL) • Cybercash and VeriSign support • Full ODBC support • MS SQL, MS Access, mSQL • Shopping Cart
- 5000 MB of monthly data transfer, \$08 over
- Unlimited Domains with unique IP addresses (www.yourcustomer.com) • That's a reseller program with 100% discount

a one stop e-commerce solution
 by iCat includes software, development, hosting, and a free listing in giantmall.com

1-888-9NETAVE 1-888-963-8283 1-201-933-0765 www.9netave.net 9NETAVENUE

HotBytes No. 101

Internet Services

From as little as \$19.95 a month, dual DS-3 connections give you speed to burn. Eighty megabytes of disc space give you mega-capacity. Guaranteed 99.9% uptime gives you superior reliability. And our 24 hour, toll-free line gives you the best support in the business. Clearly, all web hosting companies are not the same. Let InterLand® bring you the world.



1-800-656-7581
(404) 586-9999

HE'S GOT
A WEBSITE.
DO YOU?

The Only Web Hosting Company With 24 Hour Toll-Free Support

HotBytes No. 100

NT Hosting

FrontPage 98 • SQL • Access • Index Server • ASP

Plans from **\$19.95** per month

Worldwide Internet, the global leader in NT hosting, has the speed (dual T-3's) and reliability (99.70% uptime) necessary to accommodate the most dynamic sites on the Internet. Whether you are interested in conducting E-commerce or working with database applications, our high speed servers can meet your needs. Furthermore, our status as a Microsoft Certified Solutions Provider™ and an Internic Premier Partner ensures that you will receive the highest level of support in the industry.

*Dedicated server and Co-Location plans available.
*Reseller opportunities available.

1 (800) 785-6170
www.nthosting.net

Worldwide Internet
Publishing Corp.

On-Line Services

We'll trade your name and address for a
FREE VIDEO

and get all the technical facts on
Web Hosting and Commercial Services.

- UP TO 400 MB OF DISK SPACE
- UP TO 4GB OF DATA TRANSFER (BANDWIDTH)
- FRONTPAGE 98® COMPATIBILITY
- SHOPPING CART SERVICES
- CYBER MALL PLACEMENT
- SEARCH ENGINE SUBMISSION
- SECURE CREDIT CARD PROCESSING
- 99% UP-TIME GUARANTEE
- TECHNICAL SUPPORT
- PRICES STARTING AT **\$19.95** PER MONTH

You want a web site so you can make money, right? We have all the technical stuff you need for web hosting. But that is not what will make you money. At ICANECT we provide the services you need to work magic for your business.

icanect

INTERNET COMMUNICATIONS OF AMERICA

Work magic for your business @ www.workmagic.com
Call for your free magic kit and video.

1-800-422-9213

HotBytes No. 98

Let your true colors
shine through

Advertise your product
in the BYTE
HARDWARE/SOFTWARE
SHOWCASE ...
the popular, affordable,
4-color advertising section!

For more information call
your BYTE sales representative
(see listing, page 153) or
fax 603-924-2683



BYTE magazine.
The Future of Information Technology Today

BAR CODE

Bar Code Headquarters

- Complete Bar Code Readers from \$299
- Portable Bar Code Readers from \$759
- Laser Gun Readers from \$549
- Cordless Scanners from \$595
- Two way RF Terminal - \$1095
- Bar Code Labeling Software for Windows - \$295 DOS Version - \$279
- Bar Code Fonts for Windows/Mac - \$199
- Direct from Manufacturer

Worthington Data Solutions

800-345-4220

Phone: 408-458-9938 • Fax: 408-458-9964

In UK call 0800 393 213

In France call 0800 90 65 47

In Germany call 0130 8150 84

Rest of Europe call 353 1 6614 566

Website: www.barcodehq.com

Bar Code Products

- Bar Code Reader Packages
- Laser Scanner Packages
- Portable Bar Code Readers
- Bar Code Printing Software
- Bar Code Labeling Software
- Lasers, CCDs, Wands & Printers
- Complete Line of Accessories

30-Day Money Back Guarantee

Lifetime Toll-Free Support

15 Years In Business

Most Items Shipped Same Day

American Microsystems, Ltd.

2190 Regal Parkway • Euless, Texas 76040

800-648-4452

www.AMLTD.com

Phone 817-571-9015 • Fax 817-685-6232

2190 Regal Parkway • Euless, Texas 76040

HotBYTES No. 382

CAD/CAM

CONTOURING MOTION CONTROL FROM A PRINTER PORT!

Indexer LPT™ software

VERSION 3

\$249

VISA/MC

- Controls up to six step motors simultaneously.
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

<http://www.abilitysystems.com>

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX: (215) 657-7815

HotBYTES No. 381

DATA RECOVERY

We Can Save It!

All Platforms - All Storage Devices

Proprietary techniques so advanced we rescue data others simply abandon.

DRIVE SAVERS

Restoring data since 1985

1-800-440-1904

415-883-4232

HotBYTES No. 391

DATA RECOVERY

Don't pay thousands of Dollars! Download our

DO-IT-YOURSELF

Data Recovery Software

TIRAMISU.

We support DOS, WINDOWS, NOVELL and NTFS file systems

<http://www.recovery.de>

Email: data_recovery@compuserve.com

The Virtual Data Recovery Company

HotBYTES No. 393

EDUCATION

AMERICAN INSTITUTE FOR COMPUTER SCIENCES

- Earn B.S. and M.S. in Computer Science
- DISTANCE EDUCATION
- Object oriented B.S. program
- New courses in Java, Networking, HTML, MIS and more
- Approved by more than 275 companies
- Follows ACM/IEEE guidelines
- Thousands of students throughout U.S.

For a free catalog 1-800-767-AICS or

<http://www.aics.edu>

Accredited Member: World Association of Universities and Colleges

GEOGRAPHICAL SYSTEMS

A R E A ? C I R C U M F E R E N C E ? L E N G T H ?

Measuring any object in plan photo, graphic - made easy.

SuperPlanimeter™

www.Aristo.de

HotBYTES No. 387

HARDWARE

"THE STORAGE DEPOT"

• AT/ATX File Server Chassis •

• Rackmount Chassis •

• SCSI/RAID Enclosure •

• CD-ROM Tower •

• DataCarrier (Removable HDD Rack) •

1-888-33COMIX

<http://www.33COMIX.com>

Comix Computers Inc.

Chino, CA 91710

HotBYTES No. 395

HEWLETT-PACKARD

Buy — Sell — Trade

LaserJet Colorpro DeskJet
Draftpro Ruggedwriter Draft/Master
Electrostatic Plotters DesignJet

We specialize in Demo & Refurbished Equipment
HP 9000 Workstations and Vectras also Available

Ted Dasher & Associates

PO Box 131269 Birmingham, AL 35213-6269

Phone: (205) 263-4747 Fax: (205) 263-1108

(800) 638-4833

E-mail: sales@dasher.com

HotBYTES No. 385

INPUT DEVICES

WORLD'S MIGHTIEST MOUSE

GeoMouse®

www.Aristo.de

HotBYTES No. 388

INTERNET PRESENCE

Virtual Web Hosting • 3-T3 Connections!

www>YourName.com

\$9.95/mo.

(800) 808-9241 / FREE "web" Page

<http://PICK.NET> RESELLERS Welcome

HotBYTES No. 392

SECURITY

THE ULTIMATE SOFTWARE SECURITY

- STOPCOPY family - UNCOPIABLE copy protection
- STOPVIEW software encryption
- NETLIMIT network license metering
- DOS, Windows (3.X, 95, NT), Mac, OS/2, support
- Machine Tie, Internet Protection, CD-ROM Protection, Serialization, Date & Execution Limitation, Registration, Remote Authentication, Concurrent User Limitation
- Our products destroy ALL of our competition

BBI Computer Systems, Inc.

14105 Heritage Lane, Silver Spring, MD 20906
800/TRY-ABBI • 800/879-2224 • 301/871-1094 • FAX: 301/460-7545
E-mail: bbi@bbics.com • Web: <http://www.bbics.com>

HotBYTES No. 383

CRYPTKEY SOFTWARE LICENSING SYSTEM

"Software Protection with NO hardware lock and NO disk key"

CrypKey is software copy protection that is:

- completely secure from any disk copy program
- perfect for CD-ROM or INTERNET distribution!
- cost effective, user friendly, and 100% guaranteed to satisfy!

CrypKey can increase your software sales:

- upsell options and levels of your software
- lease or demo your software by runs or time
- enable or upgrade your customers instantly by phone, fax or E-mail!

New! unique Ready-To-Try feature upon install allows 1 trial period only per customer. New! unique Add-On feature - add more options, levels, runs or time to existing licenses.

New! CrypKey Instant - protects in just 5 minutes with no source code changes.

CrypKey is completely compatible with MS-DOS, MS-Windows 3.x, Win32s, Win95, Win95B/FAT-32, Win NT, and manages network licenses on all Novell and Microsoft operating system based networks.

CrypKey Instant is Ready-To-Try.

FREE for 30 days on our web site:

<http://www.kenonic.com/crypkey.htm>

Kenonic Controls Ltd. Calgary, Canada

(403) 258-6200 • fax: (403) 258-6201

INTERNET: crypkey@kenonic.com

HotBYTES No. 389

SIMULATION SOFTWARE

Analog/Digital Simulation!!

- Windows, NT, DOS
- Model Libraries, RF, Power
- Power Mac, Macintosh
- More Than 5000 parts
- IsSpice4 Real Time SPICE
- Waveform Analysis
- Mixed Mode Simulation
- Full SPICE programs
- Schematic Entry
- starting at \$95. Complete systems, \$595-\$2595
- New AHDL Modeling Kit!!!


P.O. Box 710 San Pedro, CA 90733-0710

(310)833-0710, FAX (310)833-9658

Call for your Free Demo and information kit.

intusoft

HotBYTES No. 384



NORTH PACIFIC

AK, Northern CA, HI, ID, MT, OR,
Silicon Valley, WA, WY,

Western Canada

Lisa Farrell 650-513-6862

lfarrell@mcgraw-hill.com

Matt Knuth 650-513-6951

matt_knuth@mcgraw-hill.com

Sarah McGregor 650-513-6952

sarah_mcgregor@mcgraw-hill.com

Chris Litchfield 650-513-6939

chris_litchfield@mcgraw-hill.com

The McGraw-Hill Companies

1900 O'Farrell Street, Suite 200

San Mateo, CA 94403

FAX: 650-513-6808

SOUTH PACIFIC

AZ, Southern CA, CO, NM, NV, UT

Neal Wilder 714-443-9314

neal_wilder@mcgraw-hill.com

Geanette Perez 714-443-9314

gperez@mcgraw-hill.com

The McGraw-Hill Companies

635 Camino de los Mares, Suite 212

San Clemente, CA 92673

FAX: 714-443-9602

MIDWEST-SOUTHEAST

FL, GA, IL, KY, MI, MN, NC, SC, SD, WI

Neil Helms 404-843-4777

nhelms@mcgraw-hill.com

Lee Jaffe 404-843-4766

lee_jaffe@mcgraw-hill.com

The McGraw-Hill Companies

4170 Ashford-Dunwoody Road

Suite 520

Atlanta, GA 30319-1465

FAX: 404-256-5962

NEW ENGLAND

CT, MA, ME, NH, NY, RI, VT,

Eastern Canada

Edward Marecki 401-351-0274

ed_marecki@mcgraw-hill.com

Phil Marshall 978-499-0900

phil_marshall@mcgraw-hill.com

BYTE

One Richmond Square

Providence, RI 02906

FAX: 401-351-0276

PETERBOROUGH, NH OFFICE

One Phoenix Mill Lane

Peterborough, NH 03458

Advertising Production FAX: 603-924-7507

Advertising Production FAX: 603-924-2683

MID ATLANTIC

DC, DE, IN, MD, Metro NY, NJ, OH, PA,

VA, WV

Don Calamaro 212-512-4811

don_calamaro@mcgraw-hill.com

John Ferraro 212-512-2555

jferraro@mcgraw-hill.com

Jill Pollak 212-512-3585

jpollak@mcgraw-hill.com

The McGraw-Hill Companies

1221 Avenue of Americas, 28th Floor

New York, NY 10020

FAX: 212-512-2075

SOUTHWEST-MIDWEST

AL, AR, IA, KS, LA, MO, MS, ND, NE,

OK, TN, TX

Chrissy Copple 214-688-5171

ccopple@mcgraw-hill.com

The McGraw-Hill Companies

Mockingbird Towers, Suite 1104E

1341 W. Mockingbird Lane

Dallas, TX 75247-6913

FAX: 214-688-5167

BYTE ADVERTISING SALES STAFF

Michael P. Walsh, Associate Publisher

29 Hartwell Avenue, Lexington, MA 02173

Tel: 781-860-6714, Fax: 781-860-6179, mike_walsh@mcgraw-hill.com

Lori Silverstein, Eastern Regional Sales Director

921 Eastwind Drive, Suite 118, Westerville, OH 43081

Tel: 614-899-4908, Fax: 614-899-4999, lorisf@mcgraw-hill.com

Jim Hussey, Western Regional Sales Director

1900 O'Farrell Street, Suite 200, San Mateo, CA 94403

Tel: 650-513-6861, Fax: 650-513-6808, jim_hussey@mcgraw-hill.com

RESELLER ADVERTISING

Jim Hussey 650-513-6861

jim_hussey@mcgraw-hill.com

BYTE EURODECK - East Coast & Europe

Phil Marshall 978-499-0900

phil_marshall@mcgraw-hill.com

FAX: 978-499-0901

BYTE EURODECK - West Coast & Asia

Chris Litchfield 650-513-6939

chris_litchfield@mcgraw-hill.com

FAX: 650-513-6808

ADVERTISING PRODUCTION

Advertising/Production

FAX: 603-924-7507

Advertising Production Manager:

Linda Fluhr 603-924-2551

lfluhr@mcgraw-hill.com

Senior Advertising Production

Coordinator:

Lyda Clark 603-924-2545

lclark@mcgraw-hill.com

Advertising Production

Coordinator:

Karen Cilley 603-924-2557

kcilley@mcgraw-hill.com

Senior Operations Coordinator:

Lisa Jo Steiner 603-924-2540

lisajo@mcgraw-hill.com

Advertising Graphics Manager:

Susan Kingsbury 603-924-2507

suekings@mcgraw-hill.com

MARKETING AND PLANNING

Marketing Director:

Mary Doyle 781-860-6283

FAX: 781-860-6307

mary_doyle@mcgraw-hill.com

Market Information Manager:

Edward Fielding 781-860-6344

FAX: 781-860-6822

fielding@mcgraw-hill.com

Market Information Coordinator:

Dylan DiGregorio 781-860-6267

FAX: 781-860-6822

digregor@mcgraw-hill.com

Assistant Manager, Trade Shows

and Special Events:

Arja Neukam 781-860-6378

FAX: 781-860-6307

aneukam@mcgraw-hill.com

Marketing/Sales Information

Associate:

Susan Monkton 603-924-2618

smonkton@mcgraw-hill.com

FAX: 603-924-2602

Marketing Services Associate:

Kate Woodhouse 781-860-6361

FAX: 781-860-6307

woodhus@mcgraw-hill.com

SUBSCRIPTIONS

Customer Service

U.S. 1-800-232-2983

Outside U.S. +1-609-426-7676

For a New Subscription

U.S. 1-800-257-9402

Outside U.S. +1-609-426-5526

INTERNATIONAL ADVERTISING SALES STAFF

Lori Silverstein, International Sales Director, 921 Eastwind Drive, Suite 118, Westerville, OH 43081 U.S.A.

Tel: +614-899-4908, Fax: +614-899-4999, lorisf@mcgraw-hill.com

BYTE ASIA-PACIFIC

AUSTRALIA, HONG KONG, INDIA,

INDONESIA, KOREA, MALAYSIA,

PAKISTAN, PHILIPPINES, OTHER

ASIA AND PACIFIC COUNTRIES,

SINGAPORE, TAIWAN

Weiyee In

wei@byte.com

Jennifer Chen

jennchen@mcgraw-hill.com

#305 Nanking East Road,

Section 3, 10th floor

Taipei, Taiwan, R.O.C.

Tel: +886-22-715-2205

FAX: +886-22-715-2342

KOREA

Young-Seoh Chinn

JES Media International

6th Fl., Donghye Bldg.

47-16, Myungil-Dong

Kangdong-Gu

Seoul 134-070, Korea

Tel: +82-2-4813411

FAX: +82-2-4813414

GERMANY, SWITZERLAND,

AUSTRIA

Jürgen Heise

jheise@mcgraw-hill.com

The McGraw-Hill Companies

Adam-Berg-Str. 115a

D-81735 Munich, Germany

Tel: +49-89-680701-16

FAX: +49-89-680701-18

ISRAEL

Dan Aronovic

rhodanny@actcom.co.il

DARA International

11 Hasheldag Street

P.O. Box 2335

Kadima 60920, Israel

Tel: +972-9-8995813

FAX: +972-9-8995815

JAPAN

Akiyoshi Kojima

Japan Advertising

Communications, Inc.

Three Star Building

3-10-3 Kanda Jimbocho

Chiyoda-ku, Tokyo 101 Japan

Tel: +81 3 3261 4591

FAX: +81 3 3261 6126

ITALY, FRANCE, SPAIN,

PORTUGAL, SCANDINAVIA

Zena Coupé, Amanda Blaskett

A-Z International Sales Ltd.

70 Chalk Farm Road

London NW1 8AN, England

Tel: +44 171 2843171

FAX: +44 171 2843174

Emanuela Castagnetti

emanuela.a-z@wanadoo.fr

A-Z International Sales Ltd.

BP18 Les Bossons

31 rue du Lyret

74400 Chamonix, France

Tel: +33 (0)4 50 531339

FAX: +33 (0)4 50 531368

UNITED KINGDOM, BENELUX

Darren Sharp

Tel: +44 171 495 6780

The McGraw-Hill Companies

34 Dover St.

London W1X 4BR

England

FAX: +44 171 4956734

EDITORIAL INDEX

For more information on companies covered in articles in this issue, enter the HotBYTES number in the HotBYTES form on the BYTE Web site at <http://www.byte.com/hotbytes/>. Page numbers refer to the first page of the article in which the company appears.



FREE Product Information Service:
www.byte.com/hotbytes/

HOTBYTES NO.	PAGE NO.	HOTBYTES NO.	PAGE NO.	HOTBYTES NO.	PAGE NO.	HOTBYTES NO.	PAGE NO.			
A		1051	Evergreen Technologies Excalibur	129 97	977	MapInfo Matrox Maxon	97 155 24			
Accent Software International	40IS 5	F		976	MCK Communications MD-Co MetaCard	48 24 89	1007	Registry Magic RightFax	24 155	
Accton	CTX 3	FairCom	112C	996	MetaCreations	155	S			
1026	Acer Computer	F5 Labs	155	995	Microsoft	14, 24, 41, 66, 89,	Saehan	24		
1033		FIC	CTX 3	1047		97, 100, 155,	Samsung	40IS 11		
1041	Adobe Systems	The Fillmore Group	97	1063		CTX 3, 112K	The Santa Cruz Operation	66		
1023	Advanced Computer Research	First Access	24, 40IS 3	1048	MicroSolutions	129	SAP	97		
	Advanced Information	Formida Software	97	987	Microtek	CTX 3	SCD	24		
1065	Advanced Logic Research	France Telecom	40IS 3		Microtest	155	Scriptics	89		
	Advanced RISC Machines	Fujitsu	40IS 11		MilkyWay Networks	96NA 3	SDX	40IS 3		
1015	AFP Technology	G			MIT	111	1006	Seagate Software	155	
	Agave Software Design	Gainward	CTX 3		Mitac	CTX 3	1043	Seattle Lab	155	
1050	Agta	Galea Network Security	96NA 3		Mitsubishi	40IS 11	Siemens	24, 40IS 3		
	Allaire	Gerdes AG	40IS 16	1035	Motion Media Technology	40IS 16	Siemens Nixdorf	1120		
	Alps	Giga-Byte	CTX 3	989	Motorola	24	Silicon Graphics/Mips	81		
1002	Altrasoft	Globalink	40IS 5		Mustek	155, CTX 3	Silicon Image	CTX 3		
	AMD	Greystone Software	112C	N			Silltek	CTX 3		
	Apple Computer	GTE Internetworking	96NA 3	NCR	63, 97		Silverstream Software	89		
979	Arescom	GVC	CTX 3	NEC	24, 40IS 11, CTX 3		Simple Software Solutions	112C		
1008	Attachmate	H		1060	NEC Computer Systems Division, Packard-Bell NEC	125	Simware	112K		
	Award	Haht Software	112K		NeocorTech	40IS 5	Software AG	24		
1066	Axil Computer	Halcyon Software	155		NeoLogic Systems	112C	Stanford University	111		
		Harris	40IS 3	1020	NetPlus Internet	40IS 16	Star Division	24		
		Hewlett-Packard	81, 114, 155		NetDynamics	112K	Sun Microsystems	89, 111, CTX 3, 112K		
		988, 1009, 1068			Netguard	96NA 3	SuperNova	24		
		Hightech Computer	CTX 3		Netiva Software	112K	Swatch	24		
		Hitachi	CTX 3		Netscape Communications	89, 12K	1044	Sybase	97, 100, 112C, 112K	
		HREF Tools	112K	1011	NetSupport	40IS 16	1025	Symbol Technologies International	40IS 16	
		HydraWeb	155	985	Newer Technologies	155	1054	SyQuest	129	
		HyperAct	112K	1055	Nuance Communications	123	Systran	40IS 5		
		I			nVidia	CTX 3				
		IBM	66, 89, 97, 100, 111, 123, 125, 155, 40IS 11, 112K	O			T			
		1031	ICP Vortex	40IS 16	OANDA	97	1061	Tangent Computer	125	
			Illustra	97	Object Design	112C	Tatung	CTX 3		
		1019	Imagine IT	40IS 16	Objectivity	112C	1012	TechLog GbR	40IS 16	
			IMPACT	81	OG Software	97	Texas Instruments	81		
			Informix Software	97, 112C	Optical Data Systems	96NA 3	980	3Com	155	
			Infoscape	112K	1046	Oracle	97, 100, 112C	1018	Tobit Software	40IS 16
			Innovus	97	P			Toshiba	24, 40IS 11	
			Intel	24, 81, CTX 3	Parlance	24	1057	Toshiba America Information Systems	128	
		1005	Intergraph	155	PeopleSoft	97	999	Transparent Language	155, 40IS 5	
		1003	Internet Devices	155	Pervasive Software	112C		Trident Data Systems	1120	
			Internet Security Systems	1120	Philips	24, 40IS 11	U			
			Intershop Communications	24	Philips Semiconductor	57, 81	Ultima	CTX 3		
			Intrusion Detection	1120	Philips Speech	24	986	Umax	155	
		993	IsoQuest	97	Phoenix	CTX 3	University of Innsbruck	111		
			IST Development	155	1028	Portable Add-ons	40IS 16	V		
		J			1049	PowerQuest	129	Verity	97	
		JavaSoft	61	1053	PP-Corn	24	Videologic	24		
		K			Precision Navigation	129	VisionSoft	112C		
		KYE	CTX 3	1040	preEmptive	155	Vision Software Tools	109		
		L			Primax	CTX 3	Vitec	24		
		Langner	24		Prime Factors	97	Voice Control Systems	24		
		Language Force	40IS 5		Progress Software	97, 112K	W			
		Leadtek	CTX 3	1014	Protegrity	97	Wall Data	66		
		Lernout & Hauspie	24, 40IS 5		Psion	40IS 16	WatchGuard Technologies	96NA 3		
		Los Alamos National Laboratory	111	R			Webgear	155		
		Lotus Development	42	RAD	24		WebLogic	112K		
		Lucent Technologies	96NA 3	Radguard	24	1000	Whole Tomato Software	155		
		M		983	RadLAN	155	X			
		Macromedia	89		Raima	112C	Xacct Technologies	24		
		Mag Innovision	CTX 3				Xerox Research Centre Europe	40IS 5		
							Z			
							Zoner Software	24		

IS and CTX pages appear only in the International edition. C and K pages appear only in the Reseller edition. NA pages appear only in the North America edition.

What's New

Hardware

Check out some beefed-up graphics accelerators, build-your-own G3 Mac clones, Web server clusters, and new Java tools.

PREVIEW



LaserJet 3100
\$699

Enter HotBYTES
No. 1009.

Hewlett-Packard
Palo Alto, CA
800-527-3753
650-857-1501
<http://www.hp.com>

New LaserJet Does It All

Hewlett-Packard's LaserJet 3100 is the company's first multi-function device to be built around a laser printer engine rather than an ink-jet engine. It delivers a wide array of features, along with fast, crisp output. The 3100 uses a 600 x 600-dpi print engine (like the LaserJet 6 series) that can turn out sharp copy at 6 pages per minute. Results are excellent; the 3100 doesn't take a back seat to most small-business or SOHO printers in terms of print quality or gray-scale photo reproduction. Copy, scan, and fax functions are built in. You can use the device for PC-based faxing or as a stand-alone fax machine without a PC connection.

HP didn't skimp on the feature set for any of these capabilities, with niceties such as memory to hold 150 pages of received faxes, up to 175 speed-dial positions, and even a certain degree of multitasking. You can print while faxes are coming in or going out, and receive faxes while scanning or copying. The 3100 also has a 30-sheet automatic document feeder, and it comes with software for OCR, fax management, and more. At \$699, the 3100 is very well priced, and it's much less expensive to operate on a per-page basis than the typical ink-jet-based fax or all-in-one unit. We've been disappointed with many all-in-ones to date; the ink-jet units produced only middling print quality, and the laser-based systems were often too big and bulky. The LaserJet 3100 addresses both of these issues in a winning product.

-Jon Pepper

Graphics Accelerators

The New Millennium

MATROX HAS INTRODUCED GRAPHICS BOARD families based on two new engines, the MGA-G100 and the MGA-G200. The new high-end board based on this technology, the \$229 Millennium G200, offers OpenGL acceleration and a hard-wired geometry/triangle setup engine. The board's Installable Client Driver supports both Windows 95 and NT. The Millennium G200 is a PCI card with 8 MB of RAM, expandable to 16 MB. The 16-MB model supports 1900 x 1280 true color resolution. The new board is based on AGP 2x and offers various options for DVD, TV-out, and video capture.



Contact: Matrox, Dorval, Quebec, Canada,
800-837-3611 or
514-969-0680;
networks.info@matrox.com;
<http://www.matrox.com>.
Enter HotBYTES No. 977.

Muscular 3-D Accelerator

THE GLORIAT-XXL (\$2399) IS ELSA'S new high-end 3-D graphics accelerator designed for CAD, modeling, animation, and visualization applications. ELSA claims the accelerator is capable of up to 3.3 million polygons per second, with full geometry transformation, lighting

calculations, texture coordinate generation, and high-quality fog calculation. The GLoriaT-XXL is configured with a 16-MB VRAM frame buffer and a 24-MB DRAM (expandable to 40-MB) local buffer for Z-buffering and texture mapping. The card supports a high-resolution true color display of up to 1920 x 1080 (1600 x 1280 on a 24-inch monitor).

Contact: ELSA, Santa Clara, CA,
800-272-3572
or 408-919-9100;
sales-us@elsa.com;
<http://www.elsa.com>.
Enter HotBYTES No. 978.

Communications

ISDN Simplified

THE ARESKOM FLASH300 PLUS (\$379) external ISDN modems are built to overcome difficulties that make installing ISDN a hassle. They have parallel and serial interfaces with data speeds of up to 128 Kbps and will automatically configure themselves, including setup of SPID numbers. The Apex 1100 ISDN BRI access router (\$679) is a terminal adapter, router, bridge, and Internet gateway for managing all aspects of remote access.

Contact: Arescom, Fremont, CA,
510-445-3638;
sales@arescom.com;
<http://www.arescom.com>.
Enter HotBYTES No. 979.

Networking

Get on the Web from Anywhere

3COM'S 56K GLOBAL MODEM PC CARD comes with software that configures the modem for use in more

than 250 countries at 56 or 33.6 Kbps. The unit comes with a cable connector with adapters for the United States. Adapters for other countries are sold separately.
Contact: 3Com, Santa Clara, CA, 408-764-5000;
<http://www.3com.com>.
Enter HotBYTES No. 980.

Bringing LANs into the Home

FOR \$299, THE AVIATOR WIRELESS NETWORK offers a complete peer-to-peer Windows 95-based LAN for sharing resources between multiple PCs in a home or small office. Using wireless RF technology, systems on this LAN can transmit and receive data at 500 Kbps.
Contact: WebGear, San Jose, CA, 408-271-9888;
webgear@webgear.com;
<http://www.webgear.com>.
Enter HotBYTES No. 981.

Deploy Fibre Channel and SCSI

BOTH SCSI AND FIBRE CHANNEL HAVE THEIR place on a network. To support both interfaces, the CrossPoint 4400 Fibre Channel-to-SCSI router provides up to two Fibre Channel ports (100-Mbps each) and four Fast, Fast and Wide, or Wide and Ultra SCSI connectors. The system has a throughput of 65 MBps and transaction rates of 10,000 I/O per second, with support for fiber-optic media and up to 60 connected SCSI devices. The suggested retail price is \$24,999.
Contact: Crossroads Systems, Austin, TX, 512-349-0300;
<http://www.crossroads.com>.
Enter HotBYTES No. 982.

Wireless Backbones

RADIOLAN'S WIRELESS BACKBONELINK connects the company's 10-Mbps wire-free LAN to a standard 10-Mbps Ethernet LAN. It supports active wireless connections of up to 128 desktop and mobile PCs. The Wireless ISA CardLink for desktop systems is \$349; the portable version runs \$449; and the backbone



link itself is priced at \$999.
Contact: RadioLAN, Sunnyvale, CA, 408-524-2600;
<http://www.radiolan.com>.
Enter HotBYTES No. 983.

Servers

More Pentium Power

IBM'S NETFINITY 5500 WILL SUPPORT TWO Pentium II Deschutes processors at speeds of up to 400 MHz and bus speeds of 100 MHz using the new Intel BX chip set. For upgrades, the system offers considerable flexibility: seven slots (six PCI, one ISA), 10 drive bays, and Ultra Wide SCSI RAID and EIDE connections. Prices start at \$4500.
Contact: IBM, Somers, NY, 800-772-2227 or 416-383-5152; <http://www.ibm.com>.

A Bigger, Smarter Server

F5 LABS' BIG/IP3 (\$44,900) IS A 333-MHz Pentium II machine that can intelligently allocate Internet and intranet service requests across an array of network servers, ensuring content availability for end users. The system resides between your Internet routers and the local server array and continually monitors each local server for application availability and performance. It will automatically route queries to the most available server. The BIG/ip3 controller will function with all TCP/IP-based OSes, including Windows NT, all Unix platforms, and Mac OS.
Contact: F5 Labs, Seattle, WA, 206-505-0800;
<http://www.f5.com>.
Enter HotBYTES No. 1038.

Upgrades

New Life for Your Mac

NEWER TECHNOLOGIES' G3 UPGRADE CARDS take full advantage of the capabilities of the G3 processor to add power to your old Mac, Umax, or PowerPC system. The high-end MAXpowr 300 (\$1999) is a 300-MHz upgrade card with 1 MB of cache. It manages to run the L2 cache bus at the same speed as the processor. The NUpowr 1400 (\$999) will upgrade a PowerBook 1400 to 250 MHz.
Contact: Newer Technologies, Wichita, KS, 316-943-0222;
info@newertech.com;
<http://www.newertech.com>.
Enter HotBYTES No. 985.

Systems

Build Your Own G3 Mac

UNTIL AT LEAST DECEMBER 1998, UMAX can sell Mac clones, but the company is legally prohibited from installing G3 chips in the systems. Umax neatly circumvents this legal restriction by putting a G3 card in the shipping crate; the buyer is free to install the upgrade. The SuperMac S900BASE is priced at \$2995. The system ships with a 604e CPU installed and a 250-MHz G3 upgrade card in the box. The card has a 1-MB backside L2 cache running at 166 MHz. The S900BASE with G3 includes more upgrade features than current Apple systems, with eight DIMM slots for up to 1 GB of memory, seven drive bays,



and six PCI slots (minus one slot occupied by the 10/100Base-T Ethernet card).

Contact: Umax Computer, Fremont, CA, 510-226-6886;
products@supermac.com;
<http://www.umax.com>.
Enter HotBYTES No. 986.

CD Servers

CD-ROM Central

MICROTEST'S DISCPORT TOWER MANAGES access for shared CD-ROM or DVD-ROM titles in an enterprise environment. The price of the tower starts at \$1675 without drives (users choose what types of drives to deploy). With the DiscPort Executive software (\$4995) for Windows NT or NetWare, the system will automatically update new titles as they are added to the CD library and create virtual CD-ROMs on high-density hard drives for faster access speeds.
Contact: Microtest, Phoenix, AZ, 602-952-6400;
<http://www.microtest.com>.
Enter HotBYTES No. 987.

Printers

Laser-Quick Ink-Jet Printing

INK CARTRIDGES ARE INTEGRAL TO PRINTER performance, as evidenced by the speed of the new Hewlett-Packard 2000C (\$799). The printer's redesigned ink cartridges have embedded microchips to keep track of ink levels, ensure that cartridges are lined up, and allow for bidirectional communication between printer and host. HP has squeezed 1800 nozzles on each cartridge. The 2000C can print three pages of color images and text in 43 seconds (at default settings), the company says. (According to HP, the color LaserJet 5M prints the same pages in 2:39.) A networkable version with external print server and 2500-page paper tray is \$1199.
Contact: Hewlett-Packard,

Palo Alto, CA, 800-527-3753
or 650-857-1501;
<http://www.hp.com>.
Enter HotBYTES No. 988.

Telephony

Internet Telephony for Call Centers

THE INTERNET AND TELEPHONY COMBINE IN the 10-port eBridge, letting call-center workers talk to customers and exchange data in real time over a single phone line. eBridge is installed as a front end to a PBX or an automatic call distributor. With H.232-compliant Internet phones, eBridge users can talk to on-line customers as they conduct data transactions.

Contact: eFusion, Beaverton, OR, 503-207-6300; info@efusion.com; <http://www.efusion.com>.

Enter HotBYTES No. 992.

Digital Cameras

Epson's New Megapixel Camera

THE EPSON PHOTO PC 700 EMPLOYS A 1.3 million-pixel CCD sensor to achieve resolutions of 640 x 480 up to 1280 x 960 pixels. Priced under \$800, the camera sports an autofocus lens; it comes with an adapter for a 37mm wide-angle, telephoto, or close-up lens. The camera has 4 MB of internal memory, but you can also buy an optional 32 MB of removable storage.

Contact: Epson, Torrance, CA, 310-782-0770;
<http://www.epson.com>.

Enter HotBYTES No. 991.

Digital Photography for Professionals

THE POWERSHOT PRO 70'S HALF-INCH 1.68 million-pixel CCD sensor and 28-70mm power zoom lens make this camera suitable for professional photographers, Canon says. The camera is capable of 1536 x 1024-pixel resolution and 8 x 10-



inch output. The PowerShot has autofocus technology, a focal range from 4.7 inches to infinity, and a burst mode for shooting at 4 fps for 20 consecutive frames (at 768 x 512). Expected price: under \$1500. Contact: Canon, Costa Mesa, CA, 800-848-4123 or 757-413-2848; <http://www.ccsi.canon.com>.
Enter HotBYTES No. 990.

Scanners

36-Bit Scanning for Amateurs or Pros

MUSTEK'S NEW MODELS OFFER 36-BIT scanning for designers who need single-pass, wide-format color scanning. The Paragon 1200 A3 Pro (\$999) can scan 11.7 x 17-inch images in a single pass, capturing 68.7 billion colors with 600 x 1200 optical resolution or 9600 x 9600 interpolated. The Paragon Power-Pro (\$999) has optical resolution of 1200 x 4800. The scanner is capable of 36-bit color but can optimize



images for display on Windows machines limited to 24-bit color. Entry-level users can deploy the \$249 Paragon 1200 SP to capture 600 x 900-dpi images (or 9600 dpi with software enhancement). These new models work with Macs or Windows PCs.

Contact: Mustek, Irvine, CA, 800-468-7835 or 714-250-8855;

<http://www.mustek.com>.

Enter HotBYTES No. 989.

SOFTWARE


Translation

Interpret the Web

EASYTRANSLATOR 2.0 PERFORMS MACHINE translation, meaning it doesn't just dumbly translate a document word for word but tries to obey syntactical rules. The program works on text and Web pages in Spanish,

French, German, English, and Portuguese. When dealing with a Web page, it will translate the text and keep the original HTML tags so as to preserve the page's formatting. Price is \$49.

Contact: Transparent Language, Hollis, NH, 603-465-2230; admin@transparent.com; <http://www.transparent.com>.
Enter HotBYTES No. 999.



Adobe Photoshop 5.0
\$995 (list price)
(street price: \$695;
upgrade: \$249)

Enter HotBYTES
No. 1041.

Adobe
San Jose, CA
800-492-3623
408-536-6000
fax: 408-537-6000
<http://www.adobe.com>

New Photoshop Adds Power, Flexibility

Photoshop, the de facto standard for professional-level image editing, is about to become even more powerful and flexible. Photoshop 5.0's new features include multiple redo and undo, better support for editable text, more precise color management, and the ability to specify spot-color channels for images.

The redo/undo feature appears in the form of a History palette that tracks and shows all editing steps. This lets you review your work, go back to a prior editing stage, and restore the image as it was. Plus, you can compare different stages of an image, or even "paint" a previous set of edits onto a current image with the History Brush tool.

You can now edit text on a separate type layer and apply edits, formatting, and character-level controls such as tracking, kerning, leading, and baseline shifts. All these enhancements make working with text far easier than with earlier versions of Photoshop.


Other key refinements include a measure tool (for point-to-point distance), a magnetic lasso (for easier edge detection in sections or shapes), and a host of production and automatic features. While Adobe Photoshop 5.0 is much improved, there is little here that is revolutionary. But that isn't a major drawback in a product that was already a champ.

— Jon Pepper

Graphics

Bring Graphics to Life

LIQUID MOTION 1.0 IS MICROSOFT'S SOLUTION for doing simple graphics animation. The software allows the



user to bring 2-D or 3-D graphics to life with one-button animation. It works with any GIF or JPEG image, and it requires no plug-ins. Price is \$49 for Microsoft Frontpage and Office users; \$149 for everyone else. *Contact: Microsoft, Redmond, WA, 206-882-8080; <http://www.microsoft.com>. Enter HotBYTES No. 995.*

Programming

Visual Studio Gets Assistance

VISUAL ASSIST (\$149) IS A DEVELOPMENT tool that integrates with the Windows Visual Studio environment to enhance productivity for C++ and Java programmers. Visual Assist lets development teams share code that is easier to read and understand by giving programmers new tools that use color codes, symbol expansions, self-correcting case, context-sensitive find/replace functions, and help options. *Contact: Whole Tomato Software, Cupertino, CA, 408-439-0977; <http://www.wholetomato.com>. Enter HotBYTES No. 1000.*

Bug-Detection Software

VISUAL INTERCEPT'S BROWSER WARNS PROGRAMMERS of the incidence and

impact of bugs in software development projects, documenting and pinpointing the offending code. It is designed for Visual Basic, Visual SourceSafe, and Visual Test. Prices start at \$699.

Contact: Elsinore Technologies, Raleigh, NC, 713-956-1221; info@elsitech.com; <http://www.elsitech.com>. Enter HotBYTES No. 1001.

Take a Look at Your Objects

ALTRASOFT'S OO-BROWSER IS AN OBJECT-oriented code browser that reads source code only and works with a variety of languages. You can check out existing class libraries without compiling. Many operations that can be applied to a single class can be applied to a whole set at once. It will also work with other editors, such as vi. Cost is from \$599 to \$1350, depending on which languages and platforms you use. Languages include C, C++, Java, Lisp, Objective-C, Python, Eiffel, and Smalltalk. Altrasoft provides browser source code for customization. *Contact: Altrasoft, San Jose, CA, 408-243-3300; <http://www.altrasoft.com>. Enter HotBYTES No. 1002.*

Get the Lead Out

DASHO-PRO (\$1695) IS DESIGNED to help squeeze the smallest and fastest Java executables out of your code. It removes unused methods, fields, and constant pool entries from Java programs, and will optimize and shrink class files by removing unneeded bytecode. *Contact: preEmptive Software, Euclid, OH, 216-732-5895; <http://www.preemptive.com>. Enter HotBYTES No. 1040.*

Halcyon Days for Programmers


HALCYON SOFTWARE'S INSTANT BASIC FOR Java will turn your existing Visual Basic applications into Java applications or applets. It has a compil-

er that converts VB source code directly into Java bytecode and will allow users to visually debug Java applications at the VB source-code level. The package costs \$99. The Professional Edition (\$795) can handle ActiveX components and has bundled support for JDBC. *Contact: Halcyon Software, Campbell, CA, 408-378-9898; <http://www.halcyon.com>. Enter HotBYTES No. 1039.*

Video

New Video Effects

FINAL EFFECTS COMPLETE IS A VIDEO PRODUCTION tool that provides a set of 60 plug-in filters and transitions for generating Hollywood-style special effects. Priced at \$1195, it can control compositing details for output to film, video, animation, and CD-ROM. The software works as a set of filters for Adobe's After Effects post-production package. It also offers Windows 95/NT users access to the filters contained in




Final Effects and Studio Effects, both currently available only for Power Macintosh, as well as 14 additional filters that will be new to both Windows and Macintosh platforms. *Contact: MetaCreations, Scotts Valley, CA, 408-430-4000; <http://www.metacreations.com>. Enter HotBYTES No. 996.*

Year 2000

Get Ready for 2000 A.D.

FIND OUT HOW MUCH OF A THREAT THE YEAR 2000 is to your infrastructure by scanning all content on desktop



and LAN environments. IST Year 2000 Packs (\$6000) analyze content and data structures, writing a full audit-trail report of all files scanned. The software also highlights the nature of data-sensitive constructs like date entry, date calculations, and date functions. *Contact: IST Development, Boston, MA, 617-988-6251; afalcon@istdevelopment.com; <http://www.istinfo.com>. Enter HotBYTES No. 993.*

E-Mail

E-Mail Giveaway

SEATTLE LAB'S EMURL ALLOWS ANY WEB site to provide free e-mail, like Hot-Mail or a similar Internet service. It runs on any POP3 mail server and lets visitors to a Web site set up an account that they can access with any browser e-mail client. It costs \$425 for an unlimited-user license, and it works as an extension to Microsoft's Internet Information Server software (but it will not work with other Web servers, such as Netscape's). *Contact: Seattle Lab, Seattle, WA, 425-402-6003; sales@seattlelab.com; <http://www.seattlelab.com>. Enter HotBYTES No. 1043.*

Legacy Tools

One-Stop Integration Shopping

CNT'S APPLICATION RE-ENGINEERING Environment suite overhauls legacy applications for Web deployment. The software provides a communications infrastructure to mainframe applications and extends those applications to the Web. The suite includes Web-to-

host gateways and servers, as well as Java-based emulators for 3270 and AS/400 applications, which can automatically give legacy "green screen" applications a graphical user interface. Enterprise/Access is an object-oriented environment for building new front-end applications based on legacy applications. Prices start at \$43,880 per module.

Contact: *Computer Network Technologies, Minneapolis, MN, 612-797-6000;*
<http://www.cnt.com>.

Enter HotBYTES No. 994.

The Web

Shrink the Size of Your Site

GIF WIZARD IS BROWSER-BASED ON-LINE software that the manufacturer claims can shrink sites 30 to 50 percent. The software, available in multiple languages, checks an individual Web site for inefficiencies such as multiple graphics use, broken URLs, and large images. It then provides you with a breakdown of poor bandwidth usage. GIF Wizard (\$99

for a one-year license) will allow real-environment previews of compressed graphics. The program is platform-independent.

Contact: *Raspberry Hill Publishing, Inc., Newton, NJ, 973-579-7994;*
<http://www.gifwizard.com>.

Enter HotBYTES No. 997.

Talk Your Way Around the Web

CONVERSA'S CONVERSA WEB (\$39.95) allows anyone to cruise the World Wide Web through voice commands with Internet Explorer 4.0. The software uses a proprietary speech engine, requires no voice training, and will support multiple users. It minimally requires Windows 95 or NT, a 100-MHz Pentium, 24 MB of RAM, 16-bit sound, and microphone. To go to a link using Conversa Web, you need only to say the link, or part of it. The software supports an interactive help menu with a list of navigating terms.

Contact: *Conversa, Redmond, WA, 425-558-7554;*
<http://www.conversa.com>.

Enter HotBYTES No. 998.

Security

Firewalls with Bells and Whistles

THE FORT KNOX FIREWALL FAMILY PROVIDES standards-based virtual private network and enterprise-level security with a number of extra features, like URL filtering, Web caching,



real-time monitoring, and e-mail services. This VPN/enterprise firewall doubles as an e-mail server, has a Web-based management tool, and a SQL database for custom reports. Prices start at \$999. The optional e-mail server is \$495.

Contact: *Internet Devices, Sunnyvale, CA, 888-237-2244*


or 408-541-1400;
sales@InternetDevices.com;
<http://www.InternetDevices.com>.

Enter HotBYTES No. 1003.

Networking

Protect Mission-Critical Applications

INTEGRATED LAN/WAN LOAD BALANCING with HydraWeb 1.4 offers fault-tolerant and disaster-recovery capabilities for network applications, Internet e-commerce efforts, and networked services. A new WAN



module (\$3500) can manage ATM, frame relay, T1, or T3 lines, while supporting all TCP/IP protocols on NT or Unix servers.

Contact: *HydraWeb Technologies, New York, NY, 212-809-5900;*
<http://www.hydraweb.com>.

Enter HotBYTES No. 1004.

Cluster Your Web Servers

INTERGRAPH'S WEBSCALE SOFTWARE deploys clustered, multiprocessor Intergraph systems to provide scalability and fault tolerance using Pentium II and Pentium Pro servers. WebScale combines two to eight InterServe Web 80 servers (each with up to two 300-MHz Pentium IIs) or Web 8000 servers (each with as many as four 200-MHz Pentium Pros) into a cluster for high-volume network traffic with fail-over and load-balancing capabilities. Management tools are built in. WebScale is \$995 per license.

Contact: *Intergraph Computer Systems, Huntsville, AL, 205-922-8346;*

<http://www.intergraph.com>.
Enter HotBYTES No. 1005.

Software Updates

Seagate has added a client data-protection package, called Client Exec, to its Backup Exec Windows NT suite. Backup Exec is storage software for Windows NT based on the Microsoft COM architecture. Administrators using Client Exec can automatically and transparently protect data on remote workstations. It costs \$695 and supports an unlimited number of workstations. Network managers can define broad descriptive categories for data, such as documents, graphics, or compressed files, and can then define which files get backed up, how often, and which users' systems to protect.

Contact: *Seagate Software, Heathrow, FL, 800-327-2232 or 407-531-7500;*
sales@img.seagatesoftware.com;
<http://www.seagatesoftware.com>.

Enter HotBYTES No. 1006.

RightFax Enterprise Suite version 5.2, with two new optional modules—RightFax Docs on Demand and RightFax TeleConnect—helps users manage their flow of faxes. All RightFax 5.2 servers include an administrative tool that lets managers monitor fax volume. RightFax Docs on Demand gives companies the ability to make documents available to people 24 hours a day. With RightFax TeleConnect, users can call into the fax server and access their personal fax mailbox and deploy options like forwarding, automated notification, and automatic printing. The Enterprise Suite, with six optional software modules, costs \$5995.

Contact: *RightFax, Tucson, AZ, 520-320-7000;*
sales@rightfax.com;
<http://www.rightfax.com>.

Enter HotBYTES No. 1007.

Attachmate's HostPublishing System version 2.2 supports Active Server Pages (ASP), permitting Web and corporate developers to incorporate mainframe and AS/400 data into HTML, browser-based applications. Developers can deploy new applications with Microsoft Visual Basic while bringing legacy, host data into Web-based applications, or simply use Microsoft's Visual InterDev to generate HTML from host data source files. This latest release costs \$25,000 for a server supporting up to 250 concurrent sessions.

Contact: *Attachmate, Bellevue, WA, 800-426-6283 or 425-644-4010;*
<http://www.attachmate.com>.

Enter HotBYTES No. 1008.

improbable

Improbable products for crowd control and instant celeb requiems.

Advances and Retreats in Computing

As a lecture hall fills up, most people try to keep some empty seats between themselves and everyone else. This inefficient use of space infuriates administrators. It is also a hot topic in applied mathematics. The Central European Academy of Sciences has devised a simple solution.

Computer-linked seats in the Academy's new Experimental Lecture Facility adjust themselves automatically as people fill up the room. The operation uses a least-square high-hip cellular automata algorithm. Each Pop-Up™ chair can be either "off" (it looks like a normal, empty chair) or "on" (a 2.5-foot plasticene Virtual Spectator™ inflates, and the seat looks full).


Initially, the entire room appears full, except for two adjoining empty chairs. The first two people entering the room have no choice but to sit next to each

other. After they do, two new Virtual Spectators deflate, each adjacent to a genuinely occupied seat. The auditorium fills efficiently, and it always appears to be filled.

During test runs, people tried to cheat the system. They placed bags or other objects in neighboring seats. Lectures are for people, not things, so now an optical object-recognition system identifies nonhuman objects and retracts them through a trap door in the seat. The objects are sent to a storage area, where they can usually be claimed by their owners.

The Academy is also working on a device for lecturers. The computer-driven Pop-Up™ overhead display fills in the holes in a lecturer's presentation. Initial tests have drawn resistance from the speakers, but nodding approval from the audiences.

PACK THE PLACE



Were you one of the millions who yearned to know everything about Princess Diana the moment you heard she had died? It was frustrating to have to watch the TV, monitor the radio, scour the Internet, and troop on down to the newsstand craving, begging for little scraps of news about the poor departed's life, loves, work, and wishes (not to mention photographs, films, and fanciful tidbits of trivia about her girlhood, garments, and good deeds).

You'll never again be caught wanting — not if you get yourself a copy of Who's Next™, a handy new software package from Celebrity Systematics. Who's Next™ uses know-how

and update tributes to major celebrities, especially royalty, movie stars, and ailing public personages. The papers don't want to

dia records of more than 30,000 well-known public figures and stores them in a database that's tied to the Internet. Whenever the

company receives word of a celebrity's demise, it enables access to the images of the deceased. Who's Next™ users can then download the images for their viewing pleasure. Like other companies, Celebrity Systematics looked on in awe and envy at the sales figures for all the Diana tributes that popped up soon after the Princess's passing. Celebrity Systematics vowed not to miss out on the next celebrity smash hit. Now you won't miss out, either — not if you have a copy of Who's Next™.

Marc Abrahams is the editor of the Annals of Improbable Research. You can e-mail him at marca@improb.com.

CHEAP THRILLS, QUICKIE MEMORIES

from the newspaper business and technology from the anti-computer-virus industry.

Newspapers habitually prepare

be caught flat-footed for an obituary when a celebrity suddenly shuffles off to Valhalla. Celebrity Systematics prelicenses multime-

Like other companies, Celebri-



ILLUSTRATIONS: SVENNER GARD © 1998

If you really care for your software protect it.

SMARTKEY THE INTELLIGENT SOFTWARE PROTECTION.

! **TOP SECURITY** makes it impossible to clone the key through the use of an ASIC chip.

! **TRANSPARENCY** also allows printers or other peripherals to be connected to the parallel port.

! **ALGORITHMIC INTERROGATION** gives a higher security level compared to fixed-answer type interrogation devices.

! **IDENTIFICATION CODE**, personalized for each user, is factory set on each key.

! **PROGRAMMABLE SECURITY CODES** can be user-programmed using the supplied utilities.


! **INTERNAL MEMORY** holding up to 416 bytes of read-write non-volatile memory.

! **DAISYCHAIN** enables up to 20 SmarteyKey and more to be installed on a same parallel port.

! **ANTIVIRUS FUNCTIONS** are implemented through the automatic encryption supplied.

! **DATA PROTECTION** is allowed through the encryption of data files associated with the protected applications.

! **COMPLETE SOFTWARE** is provided for manual and shell protection from DOS to WIN NT and UNIX.



Eutron

COMPUTER SECURITY SOLUTION

EUTRON spa Bergamo

e-mail info@eutron.com

Tel. +39-35-697011

Fax +39-35-697092

Internet <http://www.eutron.com>

BRASIL - BELGIUM - BULGARIA - CROATIA - FRANCE - FINLAND - GREECE - HUNGARY - LUXEMBURG - POLAND - SLOVENIA - SWEDEN - THE NETHERLANDS

And Your Country?

Enter HotBYTEs No. 444 at <http://www.byte.com/hotbytes/>



Complex ReadySwitch 12 + 1 AutoBranching Switch (SNW1213) - an economical switching hub. Every port is 10/100 Mbps, which eliminates unnecessary traffic, multiplies available bandwidth and relieves congestion on server paths!

SWITCH TO COMPEX

Network Without Limits!

Complex Switch Family

Mini Switch

- SXP1202 - 2-Port 10/100 Mbps
- SXP1204 - 4-Port 10/100 Mbps
- SXP1210 - 2-Ports 10/100 Mbps plus 8 Ports 10 Mbps

Ready Switch

- SNW1213 - 12 Ports 10/100 Mbps plus 1 Port Uplink

Freedom Switch

- LBS3/4024 - 8 to 64 10/100 Mbps ports
Auto dynamic load balancing switch

With **Complex**, you've made the right "SWITCH".



Networks that work!

U.S.A.
COMPEX, Inc.
4051E, La Palma Ave
Anaheim, CA 92807 U.S.A.
Tel: 1 (714) 630 7302
Fax: 1 (714) 630 6521

GERMANY
ReadyLINK Netzwerktechnology GmbH
Albert Einstein StraBe 34/M21
63322 Rodermark, Germany
Tel: 49 (6074) 98017
Fax: 49 (6074) 90668

SINGAPORE
COMPEX Systems Pte. Ltd.
#08-01, PM Industrial Building,
135 Joo Seng Rd
Singapore 368363
Tel: (65) 286 2086
Fax: (65) 280 9947

© 1996 Complex Inc. Complex and the Complex logo are registered trademarks of Complex Inc. All trademarks and copyrights are the property of their respective holders.

Enter HotBYTEs No. 443 at <http://www.byte.com/hotbytes/>